

Rules for integrands of the form $u (e + f x)^m (a + b \operatorname{Trig}[c + d x])^p$

$$1. \int \frac{(e + f x)^m \operatorname{Trig}[c + d x]^n}{a + b \operatorname{Sin}[c + d x]} dx$$

$$1: \int \frac{(e + f x)^m \operatorname{Sin}[c + d x]^n}{a + b \operatorname{Sin}[c + d x]} dx \text{ when } (m | n) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{z^n}{a+bz} = \frac{z^{n-1}}{b} - \frac{a z^{n-1}}{b(a+bz)}$$

Rule: If $(m | n) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Sin}[c + d x]^n}{a + b \operatorname{Sin}[c + d x]} dx \rightarrow \frac{1}{b} \int (e + f x)^m \operatorname{Sin}[c + d x]^{n-1} dx - \frac{a}{b} \int \frac{(e + f x)^m \operatorname{Sin}[c + d x]^{n-1}}{a + b \operatorname{Sin}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Sin[c_+d_*x_]^n_/(a_+b_*Sin[c_+d_*x_]),x_Symbol] :=
  1/b*Int[(e+f*x)^m*Sin[c+d*x]^(n-1),x] - a/b*Int[(e+f*x)^m*Sin[c+d*x]^(n-1)/(a+b*Sin[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

```
Int[(e_+f_*x_)^m_*Cos[c_+d_*x_]^n_/(a_+b_*Cos[c_+d_*x_]),x_Symbol] :=
  1/b*Int[(e+f*x)^m*Cos[c+d*x]^(n-1),x] - a/b*Int[(e+f*x)^m*Cos[c+d*x]^(n-1)/(a+b*Cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

$$2. \int \frac{(e+fx)^m \cos[c+dx]^n}{a+b \sin[c+dx]} dx \text{ when } n \in \mathbb{Z}^+$$

$$1. \int \frac{(e+fx)^m \cos[c+dx]}{a+b \sin[c+dx]} dx \text{ when } m \in \mathbb{Z}^+$$

$$1: \int \frac{(e+fx)^m \cos[c+dx]}{a+b \sin[c+dx]} dx \text{ when } m \in \mathbb{Z}^+ \wedge a^2 - b^2 = 0$$

Derivation: Algebraic expansion

$$\text{Basis: If } a^2 - b^2 = 0, \text{ then } \frac{\cos[z]}{a+b \sin[z]} = \frac{i}{b} + \frac{2}{i b + a e^{iz}} = -\frac{i}{b} + \frac{2 e^{iz}}{a - i b e^{iz}}$$

$$\text{Basis: If } a^2 - b^2 = 0, \text{ then } \frac{\sin[z]}{a+b \cos[z]} = -\frac{i}{b} + \frac{2i}{b + a e^{iz}} = \frac{i}{b} - \frac{2i e^{iz}}{a + b e^{iz}}$$

Note: Although the first expansion is simpler, the second is used so the antiderivative will be expressed in terms of $e^{i(c+dx)}$ rather than $e^{-i(c+dx)}$.

Rule: If $m \in \mathbb{Z}^+ \wedge a^2 - b^2 = 0$, then

$$\int \frac{(e+fx)^m \cos[c+dx]}{a+b \sin[c+dx]} dx \rightarrow -\frac{i (e+fx)^{m+1}}{b f (m+1)} + 2 \int \frac{(e+fx)^m e^{i(c+dx)}}{a - i b e^{i(c+dx)}} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Cos[c_+d_*x_]/(a_+b_*Sin[c_+d_*x_]),x_Symbol] :=
  -I*(e+f*x)^(m+1)/(b*f*(m+1)) + 2*Int[(e+f*x)^m*E^(I*(c+d*x))/(a-I*b*E^(I*(c+d*x))),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && EqQ[a^2-b^2,0]
```

```
Int[(e_+f_*x_)^m_*Sin[c_+d_*x_]/(a_+b_*Cos[c_+d_*x_]),x_Symbol] :=
  I*(e+f*x)^(m+1)/(b*f*(m+1)) - 2*I*Int[(e+f*x)^m*E^(I*(c+d*x))/(a+b*E^(I*(c+d*x))),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && EqQ[a^2-b^2,0]
```

$$2: \int \frac{(e + f x)^m \cos [c + d x]}{a + b \sin [c + d x]} dx \text{ when } m \in \mathbb{Z}^+ \wedge a^2 - b^2 > 0$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\cos [z]}{a + b \sin [z]} = \frac{i}{b} + \frac{1}{i b + (a - \sqrt{a^2 - b^2}) e^{i z}} + \frac{1}{i b + (a + \sqrt{a^2 - b^2}) e^{i z}} = -\frac{i}{b} + \frac{e^{i z}}{a - \sqrt{a^2 - b^2} - i b e^{i z}} + \frac{e^{i z}}{a + \sqrt{a^2 - b^2} - i b e^{i z}}$$

$$\text{Basis: } \frac{\sin [z]}{a + b \cos [z]} = -\frac{i}{b} + \frac{i}{b + (a - \sqrt{a^2 - b^2}) e^{i z}} + \frac{i}{b + (a + \sqrt{a^2 - b^2}) e^{i z}} = \frac{i}{b} - \frac{i e^{i z}}{a - \sqrt{a^2 - b^2} + b e^{i z}} - \frac{i e^{i z}}{a + \sqrt{a^2 - b^2} + b e^{i z}}$$

Note: Although the first expansion is simpler, the second is used so the antiderivative will be expressed in terms of $e^{i(c+dx)}$ rather than $e^{-i(c+dx)}$.

Rule: If $m \in \mathbb{Z}^+ \wedge a^2 - b^2 > 0$, then

$$\int \frac{(e + f x)^m \cos [c + d x]}{a + b \sin [c + d x]} dx \rightarrow -\frac{i (e + f x)^{m+1}}{b f (m+1)} + \int \frac{(e + f x)^m e^{i(c+dx)}}{a - \sqrt{a^2 - b^2} - i b e^{i(c+dx)}} dx + \int \frac{(e + f x)^m e^{i(c+dx)}}{a + \sqrt{a^2 - b^2} - i b e^{i(c+dx)}} dx$$

Program code:

```
Int [(e_.*f_.*x_)^m_.*Cos[c_.*d_.*x_]/(a_.*b_.*Sin[c_.*d_.*x_]),x_Symbol] :=
  -I*(e+f*x)^(m+1)/(b*f*(m+1)) +
  Int[(e+f*x)^m*E^(I*(c+d*x))/(a-Rt[a^2-b^2,2]-I*b*E^(I*(c+d*x))),x] +
  Int[(e+f*x)^m*E^(I*(c+d*x))/(a+Rt[a^2-b^2,2]-I*b*E^(I*(c+d*x))),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && PosQ[a^2-b^2]
```

```
Int [(e_.*f_.*x_)^m_.*Sin[c_.*d_.*x_]/(a_.*b_.*Cos[c_.*d_.*x_]),x_Symbol] :=
  I*(e+f*x)^(m+1)/(b*f*(m+1)) -
  I*Int[(e+f*x)^m*E^(I*(c+d*x))/(a-Rt[a^2-b^2,2]+b*E^(I*(c+d*x))),x] -
  I*Int[(e+f*x)^m*E^(I*(c+d*x))/(a+Rt[a^2-b^2,2]+b*E^(I*(c+d*x))),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && PosQ[a^2-b^2]
```

$$3: \int \frac{(e + f x)^m \cos [c + d x]}{a + b \sin [c + d x]} dx \text{ when } m \in \mathbb{Z}^+ \wedge a^2 - b^2 \neq 0$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\cos [z]}{a + b \sin [z]} = -\frac{i}{b} + \frac{i e^{i z}}{i a - \sqrt{-a^2 + b^2} + b e^{i z}} + \frac{i e^{i z}}{i a + \sqrt{-a^2 + b^2} + b e^{i z}}$$

$$\text{Basis: } \frac{\sin [z]}{a + b \cos [z]} = \frac{i}{b} + \frac{e^{i z}}{i a - \sqrt{-a^2 + b^2} + i b e^{i z}} + \frac{e^{i z}}{i a + \sqrt{-a^2 + b^2} + i b e^{i z}}$$

Rule: If $m \in \mathbb{Z}^+ \wedge a^2 - b^2 \neq 0$, then

$$\int \frac{(e + f x)^m \cos [c + d x]}{a + b \sin [c + d x]} dx \rightarrow -\frac{i (e + f x)^{m+1}}{b f (m+1)} + i \int \frac{(e + f x)^m e^{i (c+d x)}}{i a - \sqrt{-a^2 + b^2} + b e^{i (c+d x)}} dx + i \int \frac{(e + f x)^m e^{i (c+d x)}}{i a + \sqrt{-a^2 + b^2} + b e^{i (c+d x)}} dx$$

Program code:

```
Int [(e_+f_*x_)^m_*Cos[c_+d_*x_]/(a_+b_*Sin[c_+d_*x_]),x_Symbol] :=
-I*(e+f*x)^(m+1)/(b*f*(m+1)) +
I*Int[(e+f*x)^m*E^(I*(c+d*x))/(I*a-Rt[-a^2+b^2,2]+b*E^(I*(c+d*x))),x] +
I*Int[(e+f*x)^m*E^(I*(c+d*x))/(I*a+Rt[-a^2+b^2,2]+b*E^(I*(c+d*x))),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && NegQ[a^2-b^2]
```

```
Int [(e_+f_*x_)^m_*Sin[c_+d_*x_]/(a_+b_*Cos[c_+d_*x_]),x_Symbol] :=
I*(e+f*x)^(m+1)/(b*f*(m+1)) +
Int[(e+f*x)^m*E^(I*(c+d*x))/(I*a-Rt[-a^2+b^2,2]+I*b*E^(I*(c+d*x))),x] +
Int[(e+f*x)^m*E^(I*(c+d*x))/(I*a+Rt[-a^2+b^2,2]+I*b*E^(I*(c+d*x))),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && NegQ[a^2-b^2]
```

$$2. \int \frac{(e+fx)^m \cos[c+dx]^n}{a+b \sin[c+dx]} dx \text{ when } n-1 \in \mathbb{Z}^+$$

$$1: \int \frac{(e+fx)^m \cos[c+dx]^n}{a+b \sin[c+dx]} dx \text{ when } n-1 \in \mathbb{Z}^+ \wedge a^2 - b^2 = 0$$

Derivation: Algebraic expansion

Basis: If $a^2 - b^2 = 0$, then $\frac{\cos[z]^2}{a+b \sin[z]} = \frac{1}{a} - \frac{\sin[z]}{b}$

Rule: If $n-1 \in \mathbb{Z}^+ \wedge a^2 - b^2 = 0$, then

$$\int \frac{(e+fx)^m \cos[c+dx]^n}{a+b \sin[c+dx]} dx \rightarrow \frac{1}{a} \int (e+fx)^m \cos[c+dx]^{n-2} dx - \frac{1}{b} \int (e+fx)^m \cos[c+dx]^{n-2} \sin[c+dx] dx$$

Program code:

```
Int[(e+_+f_*x_)^m_*Cos[c+_+d_*x_]^n/(a+_+b_*Sin[c+_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*cos[c+d*x]^(n-2),x] -
  1/b*Int[(e+f*x)^m*cos[c+d*x]^(n-2)*sin[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f,m},x] && IGtQ[n,1] && EqQ[a^2-b^2,0]
```

```
Int[(e+_+f_*x_)^m_*Sin[c+_+d_*x_]^n/(a+_+b_*Cos[c+_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*sin[c+d*x]^(n-2),x] -
  1/b*Int[(e+f*x)^m*sin[c+d*x]^(n-2)*cos[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f,m},x] && IGtQ[n,1] && EqQ[a^2-b^2,0]
```

$$2: \int \frac{(e + f x)^m \cos [c + d x]^n}{a + b \sin [c + d x]} dx \text{ when } n - 1 \in \mathbb{Z}^+ \wedge a^2 - b^2 \neq 0 \wedge m \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\cos [z]^2}{a + b \sin [z]} = \frac{a}{b^2} - \frac{\sin [z]}{b} - \frac{a^2 - b^2}{b^2 (a + b \sin [z])}$$

$$\text{Basis: } \frac{\sin [z]^2}{a + b \cos [z]} = \frac{a}{b^2} - \frac{\cos [z]}{b} - \frac{a^2 - b^2}{b^2 (a + b \cos [z])}$$

Rule: If $n - 1 \in \mathbb{Z}^+ \wedge a^2 - b^2 \neq 0 \wedge m \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \cos [c + d x]^n}{a + b \sin [c + d x]} dx \rightarrow \frac{a}{b^2} \int (e + f x)^m \cos [c + d x]^{n-2} dx - \frac{1}{b} \int (e + f x)^m \cos [c + d x]^{n-2} \sin [c + d x] dx - \frac{a^2 - b^2}{b^2} \int \frac{(e + f x)^m \cos [c + d x]^{n-2}}{a + b \sin [c + d x]} dx$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*Cos[c_.+d_.*x_]^n_/ (a_+b_.*Sin[c_.+d_.*x_]),x_Symbol] :=
a/b^2*Int[(e+f*x)^m*cos[c+d*x]^(n-2),x] -
1/b*Int[(e+f*x)^m*cos[c+d*x]^(n-2)*Sin[c+d*x],x] -
(a^2-b^2)/b^2*Int[(e+f*x)^m*cos[c+d*x]^(n-2)/(a+b*sin[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[n,1] && NeQ[a^2-b^2,0] && IGtQ[m,0]
```

```
Int[(e_.+f_.*x_)^m_.*Sin[c_.+d_.*x_]^n_/ (a_+b_.*Cos[c_.+d_.*x_]),x_Symbol] :=
a/b^2*Int[(e+f*x)^m*sin[c+d*x]^(n-2),x] -
1/b*Int[(e+f*x)^m*sin[c+d*x]^(n-2)*Cos[c+d*x],x] -
(a^2-b^2)/b^2*Int[(e+f*x)^m*sin[c+d*x]^(n-2)/(a+b*cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[n,1] && NeQ[a^2-b^2,0] && IGtQ[m,0]
```

$$3: \int \frac{(e + f x)^m \tan[c + d x]^n}{a + b \sin[c + d x]} dx \text{ when } (m | n) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\tan[z]^p}{a + b \sin[z]} = \frac{\sec[z] \tan[z]^{p-1}}{b} - \frac{a \sec[z] \tan[z]^{p-1}}{b(a + b \sin[z])}$$

Rule: If $(m | n) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \tan[c + d x]^n}{a + b \sin[c + d x]} dx \rightarrow \frac{1}{b} \int (e + f x)^m \sec[c + d x] \tan[c + d x]^{n-1} dx - \frac{a}{b} \int \frac{(e + f x)^m \sec[c + d x] \tan[c + d x]^{n-1}}{a + b \sin[c + d x]} dx$$

Program code:

```
Int[(e_+f_.*x_)^m_.*Tan[c_+d_.*x_]^n_/ (a_+b_.*Sin[c_+d_.*x_]), x_Symbol] :=
  1/b*Int[(e+f*x)^m*Sec[c+d*x]*Tan[c+d*x]^(n-1), x] - a/b*Int[(e+f*x)^m*Sec[c+d*x]*Tan[c+d*x]^(n-1)/(a+b*Sin[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

```
Int[(e_+f_.*x_)^m_.*Cot[c_+d_.*x_]^n_/ (a_+b_.*Cos[c_+d_.*x_]), x_Symbol] :=
  1/b*Int[(e+f*x)^m*Csc[c+d*x]*Cot[c+d*x]^(n-1), x] - a/b*Int[(e+f*x)^m*Csc[c+d*x]*Cot[c+d*x]^(n-1)/(a+b*Cos[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

$$4: \int \frac{(e + f x)^m \cot [c + d x]^n}{a + b \sin [c + d x]} dx \text{ when } (m | n) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\cot [z]^n}{a + b \sin [z]} = \frac{\cot [z]^n}{a} - \frac{b \cos [z] \cot [z]^{n-1}}{a (a + b \sin [z])}$$

Rule: If $(m | n) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \cot [c + d x]^n}{a + b \sin [c + d x]} dx \rightarrow \frac{1}{a} \int (e + f x)^m \cot [c + d x]^n dx - \frac{b}{a} \int \frac{(e + f x)^m \cos [c + d x] \cot [c + d x]^{n-1}}{a + b \sin [c + d x]} dx$$

Program code:

```
Int [(e_.+f_.*x_)^m_.*Cot[c_.+d_.*x_]^n_/ (a_+b_.*Sin[c_.+d_.*x_]), x_Symbol] :=
  1/a*Int [(e+f*x)^m*Cot[c+d*x]^n, x] - b/a*Int [(e+f*x)^m*Cos[c+d*x]*Cot[c+d*x]^(n-1)/(a+b*Sin[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

```
Int [(e_.+f_.*x_)^m_.*Tan[c_.+d_.*x_]^n_/ (a_+b_.*Cos[c_.+d_.*x_]), x_Symbol] :=
  1/a*Int [(e+f*x)^m*Tan[c+d*x]^n, x] - b/a*Int [(e+f*x)^m*Sin[c+d*x]*Tan[c+d*x]^(n-1)/(a+b*Cos[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

$$5. \int \frac{(e + f x)^m \sec [c + d x]^n}{a + b \sin [c + d x]} dx$$

$$1: \int \frac{(e + f x)^m \sec [c + d x]^n}{a + b \sin [c + d x]} dx \text{ when } m \in \mathbb{Z}^+ \wedge a^2 - b^2 = 0$$

Derivation: Algebraic expansion

$$\text{Basis: If } a^2 - b^2 = 0, \text{ then } \frac{1}{a + b \sin [z]} = \frac{\sec [z]^2}{a} - \frac{\sec [z] \tan [z]}{b}$$

Rule: If $m \in \mathbb{Z}^+ \wedge a^2 - b^2 = 0$, then

$$\int \frac{(e + f x)^m \operatorname{Sec}[c + d x]^n}{a + b \operatorname{Sin}[c + d x]} dx \rightarrow \frac{1}{a} \int (e + f x)^m \operatorname{Sec}[c + d x]^{n+2} dx - \frac{1}{b} \int (e + f x)^m \operatorname{Sec}[c + d x]^{n+1} \operatorname{Tan}[c + d x] dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Sec[c_+d_*x_]^n_/ (a_+b_*Sin[c_+d_*x_]), x_Symbol] :=
  1/a*Int[(e+f*x)^m*Sec[c+d*x]^(n+2), x] -
  1/b*Int[(e+f*x)^m*Sec[c+d*x]^(n+1)*Tan[c+d*x], x] /;
FreeQ[{a,b,c,d,e,f,n}, x] && IGtQ[m, 0] && EqQ[a^2-b^2, 0]
```

```
Int[(e_+f_*x_)^m_*Csc[c_+d_*x_]^n_/ (a_+b_*Cos[c_+d_*x_]), x_Symbol] :=
  1/a*Int[(e+f*x)^m*Csc[c+d*x]^(n+2), x] -
  1/b*Int[(e+f*x)^m*Csc[c+d*x]^(n+1)*Cot[c+d*x], x] /;
FreeQ[{a,b,c,d,e,f,n}, x] && IGtQ[m, 0] && EqQ[a^2-b^2, 0]
```

2: $\int \frac{(e + f x)^m \operatorname{Sec}[c + d x]^n}{a + b \operatorname{Sin}[c + d x]} dx$ when $m \in \mathbb{Z}^+ \wedge a^2 - b^2 \neq 0 \wedge n \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Basis: $\frac{\operatorname{Sec}[z]^2}{a + b \operatorname{Sin}[z]} = -\frac{b^2}{(a^2 - b^2)(a + b \operatorname{Sin}[z])} + \frac{\operatorname{Sec}[z]^2(a - b \operatorname{Sin}[z])}{a^2 - b^2}$

Basis: $\frac{\operatorname{Csc}[z]^2}{a + b \operatorname{Cos}[z]} = -\frac{b^2}{(a^2 - b^2)(a + b \operatorname{Cos}[z])} + \frac{\operatorname{Csc}[z]^2(a - b \operatorname{Cos}[z])}{a^2 - b^2}$

Rule: If $m \in \mathbb{Z}^+ \wedge a^2 - b^2 \neq 0 \wedge n \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Sec}[c + d x]^n}{a + b \operatorname{Sin}[c + d x]} dx \rightarrow -\frac{b^2}{a^2 - b^2} \int \frac{(e + f x)^m \operatorname{Sec}[c + d x]^{n-2}}{a + b \operatorname{Sin}[c + d x]} dx + \frac{1}{a^2 - b^2} \int (e + f x)^m \operatorname{Sec}[c + d x]^n (a - b \operatorname{Sin}[c + d x]) dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Sec[c_+d_*x_]^n_/ (a_+b_*Sin[c_+d_*x_]), x_Symbol] :=
  -b^2/(a^2-b^2)*Int[(e+f*x)^m*Sec[c+d*x]^(n-2)/(a+b*Sin[c+d*x]), x] +
  1/(a^2-b^2)*Int[(e+f*x)^m*Sec[c+d*x]^n*(a-b*Sin[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && NeQ[a^2-b^2, 0] && IGtQ[n, 0]
```

```
Int[(e_.+f_.**x_)^m_.**Csc[c_.+d_.**x_]^n_./(a_.+b_.**Cos[c_.+d_.**x_]),x_Symbol] :=
  -b^2/(a^2-b^2)*Int[(e+f*x)^m*Csc[c+d*x]^(n-2)/(a+b*Cos[c+d*x]),x] +
  1/(a^2-b^2)*Int[(e+f*x)^m*Csc[c+d*x]^n*(a-b*Cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && NeQ[a^2-b^2,0] && IGtQ[n,0]
```

6: $\int \frac{(e+fx)^m \operatorname{Csc}[c+dx]^n}{a+b \operatorname{Sin}[c+dx]} dx$ when $(m|n) \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Basis: $\frac{\operatorname{Csc}[z]^n}{a+b \operatorname{Sin}[z]} = \frac{\operatorname{Csc}[z]^n}{a} - \frac{b \operatorname{Csc}[z]^{n-1}}{a(a+b \operatorname{Sin}[z])}$

Rule: If $(m|n) \in \mathbb{Z}^+$, then

$$\int \frac{(e+fx)^m \operatorname{Csc}[c+dx]^n}{a+b \operatorname{Sin}[c+dx]} dx \rightarrow \frac{1}{a} \int (e+fx)^m \operatorname{Csc}[c+dx]^n dx - \frac{b}{a} \int \frac{(e+fx)^m \operatorname{Csc}[c+dx]^{n-1}}{a+b \operatorname{Sin}[c+dx]} dx$$

Program code:

```
Int[(e_.+f_.**x_)^m_.**Csc[c_.+d_.**x_]^n_./(a_.+b_.**Sin[c_.+d_.**x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Csc[c+d*x]^n,x] - b/a*Int[(e+f*x)^m*Csc[c+d*x]^(n-1)/(a+b*Sin[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

```
Int[(e_.+f_.**x_)^m_.**Sec[c_.+d_.**x_]^n_./(a_.+b_.**Cos[c_.+d_.**x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Sec[c+d*x]^n,x] - b/a*Int[(e+f*x)^m*Sec[c+d*x]^(n-1)/(a+b*Cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

U: $\int \frac{(e + f x)^m \operatorname{Trig}[c + d x]^n}{a + b \operatorname{Sin}[c + d x]} dx$

Rule:

$$\int \frac{(e + f x)^m \operatorname{Trig}[c + d x]^n}{a + b \operatorname{Sin}[c + d x]} dx \rightarrow \int \frac{(e + f x)^m \operatorname{Trig}[c + d x]^n}{a + b \operatorname{Sin}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_/(a_+b_*Sin[c_+d_*x_]),x_Symbol] :=
  Unintegrable[(e+f*x)^m*F[c+d*x]^n/(a+b*Sin[c+d*x]),x] /;
  FreeQ[{a,b,c,d,e,f,m,n},x] && TrigQ[F]
```

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_/(a_+b_*Cos[c_+d_*x_]),x_Symbol] :=
  Unintegrable[(e+f*x)^m*F[c+d*x]^n/(a+b*Cos[c+d*x]),x] /;
  FreeQ[{a,b,c,d,e,f,m,n},x] && TrigQ[F]
```

$$2. \int \frac{(e+fx)^m \cos[c+dx]^p \operatorname{Trig}[c+dx]^n}{a+b \sin[c+dx]} dx \text{ when } (m | n | p) \in \mathbb{Z}^+$$

$$1: \int \frac{(e+fx)^m \cos[c+dx]^p \sin[c+dx]^n}{a+b \sin[c+dx]} dx \text{ when } (m | n | p) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

Basis: $\frac{z^n}{a+bz} = \frac{z^{n-1}}{b} - \frac{az^{n-1}}{b(a+bz)}$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e+fx)^m \cos[c+dx]^p \sin[c+dx]^n}{a+b \sin[c+dx]} dx \rightarrow \frac{1}{b} \int (e+fx)^m \cos[c+dx]^p \sin[c+dx]^{n-1} dx - \frac{a}{b} \int \frac{(e+fx)^m \cos[c+dx]^p \sin[c+dx]^{n-1}}{a+b \sin[c+dx]} dx$$

Program code:

```
Int[(e.+f.*x_)^m_.*Cos[c_.+d_.*x_]^p_.*Sin[c_.+d_.*x_]^n_/ (a_.+b_.*Sin[c_.+d_.*x_]), x_Symbol] :=
  1/b*Int[(e+f*x)^m*cos[c+d*x]^p*sin[c+d*x]^(n-1), x] -
  a/b*Int[(e+f*x)^m*cos[c+d*x]^p*sin[c+d*x]^(n-1)/(a+b*sin[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]
```

```
Int[(e.+f.*x_)^m_.*Sin[c_.+d_.*x_]^p_.*Cos[c_.+d_.*x_]^n_/ (a_.+b_.*Cos[c_.+d_.*x_]), x_Symbol] :=
  1/b*Int[(e+f*x)^m*sin[c+d*x]^p*cos[c+d*x]^(n-1), x] -
  a/b*Int[(e+f*x)^m*sin[c+d*x]^p*cos[c+d*x]^(n-1)/(a+b*cos[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]
```

$$2: \int \frac{(e + f x)^m \cos [c + d x]^p \tan [c + d x]^n}{a + b \sin [c + d x]} dx \text{ when } (m | n | p) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\tan [z]^p}{a + b \sin [z]} = \frac{\sec [z] \tan [z]^{p-1}}{b} - \frac{a \sec [z] \tan [z]^{p-1}}{b (a + b \sin [z])}$$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \cos [c + d x]^p \tan [c + d x]^n}{a + b \sin [c + d x]} dx \rightarrow \frac{1}{b} \int (e + f x)^m \cos [c + d x]^{p-1} \tan [c + d x]^{n-1} dx - \frac{a}{b} \int \frac{(e + f x)^m \cos [c + d x]^{p-1} \tan [c + d x]^{n-1}}{a + b \sin [c + d x]} dx$$

Program code:

```
Int [(e_.+f_.*x_)^m_.*Cos[c_.+d_.*x_]^p_.*Tan[c_.+d_.*x_]^n_./(a_.+b_.*Sin[c_.+d_.*x_]),x_Symbol] :=
  1/b*Int [(e+f*x)^m*cos[c+d*x]^(p-1)*Tan[c+d*x]^(n-1),x] -
  a/b*Int [(e+f*x)^m*cos[c+d*x]^(p-1)*Tan[c+d*x]^(n-1)/(a+b*sin[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

```
Int [(e_.+f_.*x_)^m_.*Sin[c_.+d_.*x_]^p_.*Cot[c_.+d_.*x_]^n_./(a_.+b_.*Cos[c_.+d_.*x_]),x_Symbol] :=
  1/b*Int [(e+f*x)^m*sin[c+d*x]^(p-1)*Cot[c+d*x]^(n-1),x] -
  a/b*Int [(e+f*x)^m*sin[c+d*x]^(p-1)*Cot[c+d*x]^(n-1)/(a+b*cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

$$3: \int \frac{(e + f x)^m \cos [c + d x]^p \cot [c + d x]^n}{a + b \sin [c + d x]} dx \text{ when } (m | n | p) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\cot [z]^n}{a + b \sin [z]} = \frac{\cot [z]^n}{a} - \frac{b \cot [z]^{n-1} \cos [z]}{a (a + b \sin [z])}$$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e+fx)^m \cos[c+dx]^p \cot[c+dx]^n}{a+b \sin[c+dx]} dx \rightarrow \frac{1}{a} \int (e+fx)^m \cos[c+dx]^p \cot[c+dx]^n dx - \frac{b}{a} \int \frac{(e+fx)^m \cos[c+dx]^{p+1} \cot[c+dx]^{n-1}}{a+b \sin[c+dx]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Cos[c_+d_*x_]^p_*Cot[c_+d_*x_]^n_/(a_+b_*Sin[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*cos[c+d*x]^p*cot[c+d*x]^n,x] -
  b/a*Int[(e+f*x)^m*cos[c+d*x]^(p+1)*cot[c+d*x]^(n-1)/(a+b*sin[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

```
Int[(e_+f_*x_)^m_*Sin[c_+d_*x_]^p_*Tan[c_+d_*x_]^n_/(a_+b_*Cos[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*sin[c+d*x]^p*tan[c+d*x]^n,x] -
  b/a*Int[(e+f*x)^m*sin[c+d*x]^(p+1)*tan[c+d*x]^(n-1)/(a+b*cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

4: $\int \frac{(e+fx)^m \cos[c+dx]^p \csc[c+dx]^n}{a+b \sin[c+dx]} dx$ when $(m | n | p) \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Basis: $\frac{\csc[z]^n}{a+b \sin[z]} = \frac{\csc[z]^n}{a} - \frac{b \csc[z]^{n-1}}{a(a+b \sin[z])}$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e+fx)^m \cos[c+dx]^p \csc[c+dx]^n}{a+b \sin[c+dx]} dx \rightarrow \frac{1}{a} \int (e+fx)^m \cos[c+dx]^p \csc[c+dx]^n dx - \frac{b}{a} \int \frac{(e+fx)^m \cos[c+dx]^p \csc[c+dx]^{n-1}}{a+b \sin[c+dx]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Cos[c_+d_*x_]^p_*Csc[c_+d_*x_]^n_/(a_+b_*Sin[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*cos[c+d*x]^p*csc[c+d*x]^n,x] -
  b/a*Int[(e+f*x)^m*cos[c+d*x]^p*csc[c+d*x]^(n-1)/(a+b*sin[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

```
Int[(e_.+f_.**x_)^m_.**Sin[c_.+d_.**x_]^p_.**Sec[c_.+d_.**x_]^n_./(a_.+b_.**Cos[c_.+d_.**x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m**Sin[c+d*x]^p**Sec[c+d*x]^n,x] -
  b/a*Int[(e+f*x)^m**Sin[c+d*x]^p**Sec[c+d*x]^(n-1)/(a+b**Cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

U:
$$\int \frac{(e + f x)^m \cos[c + d x]^p \operatorname{Trig}[c + d x]^n}{a + b \sin[c + d x]} dx$$

Rule:

$$\int \frac{(e + f x)^m \cos[c + d x]^p \operatorname{Trig}[c + d x]^n}{a + b \sin[c + d x]} dx \rightarrow \int \frac{(e + f x)^m \cos[c + d x]^p \operatorname{Trig}[c + d x]^n}{a + b \sin[c + d x]} dx$$

Program code:

```
Int[(e_.+f_.**x_)^m_.**Cos[c_.+d_.**x_]^p_.**F[c_.+d_.**x_]^n_./(a_.+b_.**Sin[c_.+d_.**x_]),x_Symbol] :=
  Unintegrable[(e+f*x)^m**Cos[c+d*x]^p**F[c+d*x]^n/(a+b**Sin[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f,m,n,p},x] && TrigQ[F]
```

```
Int[(e_.+f_.**x_)^m_.**Sin[c_.+d_.**x_]^p_.**F[c_.+d_.**x_]^n_./(a_.+b_.**Cos[c_.+d_.**x_]),x_Symbol] :=
  Unintegrable[(e+f*x)^m**Sin[c+d*x]^p**F[c+d*x]^n/(a+b**Cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f,m,n},x] && TrigQ[F]
```

$$3: \int \frac{(e + f x)^m \operatorname{Trig}[c + d x]^n}{a + b \operatorname{Sec}[c + d x]} dx \text{ when } (m | n) \in \mathbb{Z}$$

Derivation: Algebraic normalization

$$\text{Basis: } \frac{1}{a + b \operatorname{Sec}[z]} = \frac{\operatorname{Cos}[z]}{b + a \operatorname{Cos}[z]}$$

Rule: If $(m | n) \in \mathbb{Z}$, then

$$\int \frac{(e + f x)^m \operatorname{Trig}[c + d x]^n}{a + b \operatorname{Sec}[c + d x]} dx \rightarrow \int \frac{(e + f x)^m \operatorname{Cos}[c + d x] \operatorname{Trig}[c + d x]^n}{b + a \operatorname{Cos}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_/(a_+b_*Sec[c_+d_*x_]),x_Symbol] :=
  Int[(e+f*x)^m*Cos[c+d*x]*F[c+d*x]^n/(b+a*Cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && TrigQ[F] && IntegersQ[m,n]
```

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_/(a_+b_*Csc[c_+d_*x_]),x_Symbol] :=
  Int[(e+f*x)^m*Sin[c+d*x]*F[c+d*x]^n/(b+a*Sin[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && TrigQ[F] && IntegersQ[m,n]
```


$$4: \int \frac{(e + f x)^m \operatorname{Trig1}[c + d x]^n \operatorname{Trig2}[c + d x]^p}{a + b \operatorname{Sec}[c + d x]} dx \text{ when } (m \mid n \mid p) \in \mathbb{Z}$$

Derivation: Algebraic normalization

$$\text{Basis: } \frac{1}{a + b \operatorname{Sec}[z]} = \frac{\operatorname{Cos}[z]}{b + a \operatorname{Cos}[z]}$$

Rule: If $(m \mid n \mid p) \in \mathbb{Z}$, then

$$\int \frac{(e + f x)^m \operatorname{Trig1}[c + d x]^n \operatorname{Trig2}[c + d x]^p}{a + b \operatorname{Sec}[c + d x]} dx \rightarrow \int \frac{(e + f x)^m \operatorname{Cos}[c + d x] \operatorname{Trig1}[c + d x]^n \operatorname{Trig2}[c + d x]^p}{b + a \operatorname{Cos}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_*G_[c_+d_*x_]^p_/(a_+b_*Sec[c_+d_*x_]),x_Symbol] :=
  Int[(e+f*x)^m*Cos[c+d*x]*F[c+d*x]^n*G[c+d*x]^p/(b+a*Cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && TrigQ[F] && TrigQ[G] && IntegersQ[m,n,p]
```

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_*G_[c_+d_*x_]^p_/(a_+b_*Csc[c_+d_*x_]),x_Symbol] :=
  Int[(e+f*x)^m*Sin[c+d*x]*F[c+d*x]^n*G[c+d*x]^p/(b+a*Sin[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && TrigQ[F] && TrigQ[G] && IntegersQ[m,n,p]
```

Rules for integrands involving trig functions

$$0. \int \sin[a + bx]^p \operatorname{Trig}[c + dx]^q dx$$

$$1: \int \sin[a + bx]^p \sin[c + dx]^q dx \text{ when } p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}$$

Derivation: Algebraic expansion

$$\text{Basis: } \sin[v]^p \sin[w]^q = \frac{1}{2^{p+q}} \left(i e^{-i v} - i e^{i v} \right)^p \left(i e^{-i w} - i e^{i w} \right)^q$$

Rule: If $p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}$, then

$$\int \sin[a + bx]^p \sin[c + dx]^q dx \rightarrow \frac{1}{2^{p+q}} \int \left(i e^{-i(c+dx)} - i e^{i(c+dx)} \right)^q \operatorname{ExpandIntegrand} \left[\left(i e^{-i(a+bx)} - i e^{i(a+bx)} \right)^p, x \right] dx$$

Program code:

```
Int[Sin[a_.+b_.*x_]^p_.*Sin[c_.+d_.*x_]^q_.,x_Symbol] :=
  1/2^(p+q)*Int[ExpandIntegrand[(I/E^(I*(c+d*x))-I*E^(I*(c+d*x)))^q,(I/E^(I*(a+b*x))-I*E^(I*(a+b*x)))^p,x],x] /;
FreeQ[{a,b,c,d,q},x] && IGtQ[p,0] && Not[IntegerQ[q]]
```

```
Int[Cos[a_.+b_.*x_]^p_.*Cos[c_.+d_.*x_]^q_.,x_Symbol] :=
  1/2^(p+q)*Int[ExpandIntegrand[(E^(-I*(c+d*x))+E^(I*(c+d*x)))^q,(E^(-I*(a+b*x))+E^(I*(a+b*x)))^p,x],x] /;
FreeQ[{a,b,c,d,q},x] && IGtQ[p,0] && Not[IntegerQ[q]]
```

$$2: \int \sin[a + bx]^p \cos[c + dx]^q dx \text{ when } p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}$$

Derivation: Algebraic expansion

$$\text{Basis: } \sin[v]^p \cos[w]^q = \frac{1}{2^{p+q}} \left(i e^{-i v} - i e^{i v} \right)^p \left(e^{-i w} + e^{i w} \right)^q$$

Rule: If $p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}$, then

$$\int \sin[a + bx]^p \cos[c + dx]^q dx \rightarrow \frac{1}{2^{p+q}} \int \left(e^{-i(c+dx)} + e^{i(c+dx)} \right)^q \text{ExpandIntegrand} \left[\left(i e^{-i(a+bx)} - i e^{i(a+bx)} \right)^p, x \right] dx$$

Program code:

```
Int[Sin[a_+b_*x_]^p_*Cos[c_+d_*x_]^q_.,x_Symbol] :=
  1/2^(p+q)*Int[ExpandIntegrand[(E^(-I*(c+d*x))+E^(I*(c+d*x)))^q,(I/E^(I*(a+b*x))-I*E^(I*(a+b*x)))^p,x],x] /;
FreeQ[{a,b,c,d,q},x] && IGtQ[p,0] && Not[IntegerQ[q]]
```

```
Int[Cos[a_+b_*x_]^p_*Sin[c_+d_*x_]^q_.,x_Symbol] :=
  1/2^(p+q)*Int[ExpandIntegrand[(I/E^(I*(c+d*x))-I*E^(I*(c+d*x)))^q,(E^(-I*(a+b*x))+E^(I*(a+b*x)))^p,x],x] /;
FreeQ[{a,b,c,d,q},x] && IGtQ[p,0] && Not[IntegerQ[q]]
```

$$3: \int \sin[a + bx] \tan[c + dx] dx \text{ when } b^2 - d^2 \neq 0$$

Derivation: Algebraic expansion

$$\text{Basis: } \sin[v] \tan[w] = \frac{e^{-iv}}{2} - \frac{e^{iv}}{2} - \frac{e^{-iv}}{1+e^{2iw}} + \frac{e^{iv}}{1+e^{2iw}}$$

$$\text{Basis: } \cos[v] \cot[w] = \frac{ie^{-iv}}{2} + \frac{ie^{iv}}{2} - \frac{ie^{-iv}}{1-e^{2iw}} - \frac{ie^{iv}}{1-e^{2iw}}$$

Rule: If $b^2 - d^2 \neq 0$, then

$$\int \sin[a + bx] \tan[c + dx] dx \rightarrow \int \left(\frac{e^{-i(a+bx)}}{2} - \frac{e^{i(a+bx)}}{2} - \frac{e^{-i(a+bx)}}{1+e^{2i(c+dx)}} + \frac{e^{i(a+bx)}}{1+e^{2i(c+dx)}} \right) dx$$

Program code:

```
Int[Sin[a_+b_*x_]*Tan[c_+d_*x_],x_Symbol] :=
  Int[E^(-I*(a+b*x))/2 - E^(I*(a+b*x))/2 - E^(-I*(a+b*x))/(1+E^(2*I*(c+d*x))) + E^(I*(a+b*x))/(1+E^(2*I*(c+d*x))),x] /;
  FreeQ[{a,b,c,d},x] && NeQ[b^2-d^2,0]
```

```
Int[Cos[a_+b_*x_]*Cot[c_+d_*x_],x_Symbol] :=
  Int[I*E^(-I*(a+b*x))/2 + I*E^(I*(a+b*x))/2 - I*E^(-I*(a+b*x))/(1-E^(2*I*(c+d*x))) - I*E^(I*(a+b*x))/(1-E^(2*I*(c+d*x))),x] /;
  FreeQ[{a,b,c,d},x] && NeQ[b^2-d^2,0]
```

$$4: \int \sin[a + bx] \cot[c + dx] dx \text{ when } b^2 - d^2 \neq 0$$

Derivation: Algebraic expansion

$$\text{Basis: } \sin[v] \cot[w] = -\frac{e^{-iv}}{2} + \frac{e^{iv}}{2} + \frac{e^{-iv}}{1-e^{2iw}} - \frac{e^{iv}}{1-e^{2iw}}$$

$$\text{Basis: } \cos[v] \tan[w] = -\frac{ie^{-iv}}{2} - \frac{ie^{iv}}{2} + \frac{ie^{-iv}}{1+e^{2iw}} + \frac{ie^{iv}}{1+e^{2iw}}$$

Rule: If $b^2 - d^2 \neq 0$, then

$$\int \sin[a + b x] \cot[c + d x] dx \rightarrow \int \left(-\frac{e^{-i(a+bx)}}{2} + \frac{e^{i(a+bx)}}{2} + \frac{e^{-i(a+bx)}}{1 - e^{2i(c+dx)}} - \frac{e^{i(a+bx)}}{1 - e^{2i(c+dx)}} \right) dx$$

Program code:

```
Int[Sin[a_.*b_.*x_]*Cot[c_.*d_.*x_],x_Symbol] :=
  Int[-E^(-I*(a+b*x))/2 + E^(I*(a+b*x))/2 + E^(-I*(a+b*x))/(1-E^(2*I*(c+d*x))) - E^(I*(a+b*x))/(1-E^(2*I*(c+d*x))),x] /;
FreeQ[{a,b,c,d},x] && NeQ[b^2-d^2,0]
```

```
Int[Cos[a_.*b_.*x_]*Tan[c_.*d_.*x_],x_Symbol] :=
  Int[-I*E^(-I*(a+b*x))/2 - I*E^(I*(a+b*x))/2 + I*E^(-I*(a+b*x))/(1+E^(2*I*(c+d*x))) + I*E^(I*(a+b*x))/(1+E^(2*I*(c+d*x))),x] /;
FreeQ[{a,b,c,d},x] && NeQ[b^2-d^2,0]
```

1: $\int \sin\left[\frac{a}{c+dx}\right]^n dx$ when $n \in \mathbb{Z}^+$

Derivation: Integration by substitution

Basis: $F\left[\frac{a}{c+dx}\right] = -\frac{1}{d} \text{Subst}\left[\frac{F[ax]}{x^2}, x, \frac{1}{c+dx}\right] \partial_x \frac{1}{c+dx}$

Rule: If $n \in \mathbb{Z}^+$, then

$$\int \sin\left[\frac{a}{c+dx}\right]^n dx \rightarrow -\frac{1}{d} \text{Subst}\left[\int \frac{\sin[ax]^n}{x^2} dx, x, \frac{1}{c+dx}\right]$$

Program code:

```
Int[Sin[a_./(c_.*d_.*x_)]^n_.,x_Symbol] :=
  -1/d*Subst[Int[Sin[a*x]^n/x^2,x],x,1/(c+d*x)] /;
FreeQ[{a,c,d},x] && IGtQ[n,0]
```

```
Int[Cos[a_./(c_.*d_.*x_)]^n_.,x_Symbol] :=
  -1/d*Subst[Int[Cos[a*x]^n/x^2,x],x,1/(c+d*x)] /;
FreeQ[{a,c,d},x] && IGtQ[n,0]
```

$$2. \int \sin\left[\frac{a+bx}{c+dx}\right]^n dx \text{ when } n \in \mathbb{Z}^+$$

$$1: \int \sin\left[\frac{a+bx}{c+dx}\right]^n dx \text{ when } n \in \mathbb{Z}^+ \wedge bc - ad \neq 0$$

Derivation: Integration by substitution

$$\text{Basis: } F\left[\frac{a+bx}{c+dx}\right] \Rightarrow -\frac{1}{d} \text{Subst}\left[\frac{F\left[\frac{\frac{b}{d} - \frac{(bc-ad)x}{d}}{x^2}\right]}{x^2}, x, \frac{1}{c+dx}\right] \partial_x \frac{1}{c+dx}$$

Rule: If $n \in \mathbb{Z}^+ \wedge bc - ad \neq 0$, then

$$\int \sin\left[\frac{a+bx}{c+dx}\right]^n dx \rightarrow -\frac{1}{d} \text{Subst}\left[\int \frac{\sin\left[\frac{\frac{b}{d} - \frac{(bc-ad)x}{d}}{x^2}\right]^n}{x^2} dx, x, \frac{1}{c+dx}\right]$$

Program code:

```
Int[Sin[e_.*(a_+b_.*x_)/(c_+d_.*x_)^n_.,x_Symbol] :=
-1/d*Subst[Int[Sin[b*e/d-e*(b*c-a*d)*x/d]^n/x^2,x],x,1/(c+d*x)] /;
FreeQ[{a,b,c,d},x] && IGtQ[n,0] && NeQ[b*c-a*d,0]
```

```
Int[Cos[e_.*(a_+b_.*x_)/(c_+d_.*x_)^n_.,x_Symbol] :=
-1/d*Subst[Int[Cos[b*e/d-e*(b*c-a*d)*x/d]^n/x^2,x],x,1/(c+d*x)] /;
FreeQ[{a,b,c,d},x] && IGtQ[n,0] && NeQ[b*c-a*d,0]
```

2: $\int \sin[u]^n dx$ when $n \in \mathbb{Z}^+ \wedge u = \frac{a+bx}{c+dx}$

Derivation: Algebraic normalization

Rule: If $n \in \mathbb{Z}^+ \wedge u = \frac{a+bx}{c+dx}$, then

$$\int \sin[u]^n dx \rightarrow \int \sin\left[\frac{a+bx}{c+dx}\right]^n dx$$

Program code:

```
Int[Sin[u_]^n_., x_Symbol] :=
  Module[{lst=QuotientOfLinearsParts[u,x]},
    Int[Sin[(lst[[1]]+lst[[2]]*x)/(lst[[3]]+lst[[4]]*x)]^n,x] /;
    IGtQ[n,0] && QuotientOfLinearsQ[u,x]
```

```
Int[Cos[u_]^n_., x_Symbol] :=
  Module[{lst=QuotientOfLinearsParts[u,x]},
    Int[Cos[(lst[[1]]+lst[[2]]*x)/(lst[[3]]+lst[[4]]*x)]^n,x] /;
    IGtQ[n,0] && QuotientOfLinearsQ[u,x]
```

$$3. \int u \sin[v]^p \operatorname{Trig}[w]^q dx$$

$$1. \int u \sin[v]^p \sin[w]^q dx$$

$$1: \int u \sin[v]^p \sin[w]^q dx \text{ when } w = v$$

Derivation: Algebraic simplification

Rule: If $w = v$, then

$$\int u \sin[v]^p \sin[w]^q dx \rightarrow \int u \sin[v]^{p+q} dx$$

Program code:

```
Int[u_.*Sin[v_]^p_.*Sin[w_]^q_.,x_Symbol] :=
  Int[u*Sin[v]^(p+q),x] /;
EqQ[w,v]
```

```
Int[u_.*Cos[v_]^p_.*Cos[w_]^q_.,x_Symbol] :=
  Int[u*Cos[v]^(p+q),x] /;
EqQ[w,v]
```


$$2: \int \sin[v]^p \sin[w]^q dx \text{ when } (p | q) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

Rule: If $(p | q) \in \mathbb{Z}^+$, then

$$\int \sin[v]^p \sin[w]^q dx \rightarrow \int \text{TrigReduce}[\sin[v]^p \sin[w]^q] dx$$

Program code:

```
Int[Sin[v_]^p_.*Sin[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[Sin[v]^p*Sin[w]^q,x],x] /;
  (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x]) && IGtQ[p,0] && IGtQ[q,0]
```

```
Int[Cos[v_]^p_.*Cos[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[Cos[v]^p*Cos[w]^q,x],x] /;
  (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x]) && IGtQ[p,0] && IGtQ[q,0]
```

$$3: \int x^m \sin[v]^p \sin[w]^q dx \text{ when } (m | p | q) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

Rule: If $(m | p | q) \in \mathbb{Z}^+$, then

$$\int x^m \sin[v]^p \sin[w]^q dx \rightarrow \int x^m \text{TrigReduce}[\sin[v]^p \sin[w]^q] dx$$

Program code:

```
Int[x_^m_.*Sin[v_]^p_.*Sin[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[x^m,Sin[v]^p*Sin[w]^q,x],x] /;
  IGtQ[m,0] && IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])
```

```

Int[x_^m_.*Cos[v_]^p_.*Cos[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[x^m,Cos[v]^p*Cos[w]^q,x],x] /;
  IGtQ[m,0] && IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])

```

2. $\int u \sin[v]^p \cos[w]^q dx$

1: $\int u \sin[v]^p \cos[w]^p dx$ when $w = v \wedge p \in \mathbb{Z}$

Derivation: Algebraic simplification

Basis: $\sin[z] \cos[z] = \frac{1}{2} \sin[2z]$

Rule: If $w = v \wedge p \in \mathbb{Z}$, then

$$\int u \sin[v]^p \cos[w]^p dx \rightarrow \frac{1}{2^p} \int u \sin[2v]^p dx$$

Program code:

```

Int[u_.*Sin[v_]^p_.*Cos[w_]^p_.,x_Symbol] :=
  1/2^p*Int[u*Sin[2*v]^p,x] /;
  EqQ[w,v] && IntegerQ[p]

```

2: $\int \sin[v]^p \cos[w]^q dx$ when $(p | q) \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $(p | q) \in \mathbb{Z}^+$, then

$$\int \sin[v]^p \cos[w]^q dx \rightarrow \int \text{TrigReduce}[\sin[v]^p \cos[w]^q] dx$$

Program code:

```
Int[Sin[v_]^p_.*Cos[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[Sin[v]^p.*Cos[w]^q,x],x] /;
  IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])
```

3: $\int x^m \sin[v]^p \cos[w]^q dx$ when $(m | p | q) \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $(m | p | q) \in \mathbb{Z}^+$, then

$$\int x^m \sin[v]^p \cos[w]^q dx \rightarrow \int x^m \text{TrigReduce}[\sin[v]^p \cos[w]^q] dx$$

Program code:

```
Int[x_^m_.*Sin[v_]^p_.*Cos[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[x^m,Sin[v]^p.*Cos[w]^q,x],x] /;
  IGtQ[m,0] && IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])
```

$$3. \int u \sin[v]^p \tan[w]^q dx$$

$$1: \int \sin[v] \tan[w]^n dx \text{ when } n > 0 \wedge x \notin v - w \wedge w \neq v$$

Derivation: Algebraic expansion

$$\text{Basis: } \sin[v] \tan[w] \equiv -\cos[v] + \cos[v - w] \sec[w]$$

$$\text{Basis: } \cos[v] \cot[w] \equiv -\sin[v] + \cos[v - w] \csc[w]$$

Rule: If $n > 0 \wedge x \notin v - w \wedge w \neq v$, then

$$\int \sin[v] \tan[w]^n dx \rightarrow -\int \cos[v] \tan[w]^{n-1} dx + \cos[v - w] \int \sec[w] \tan[w]^{n-1} dx$$

Program code:

```
Int[Sin[v_]*Tan[w_]^n_, x_Symbol] :=
  -Int[Cos[v]*Tan[w]^(n-1), x] + Cos[v-w]*Int[Sec[w]*Tan[w]^(n-1), x] /;
GtQ[n, 0] && FreeQ[v-w, x] && NeQ[w, v]
```

```
Int[Cos[v_]*Cot[w_]^n_, x_Symbol] :=
  -Int[Sin[v]*Cot[w]^(n-1), x] + Cos[v-w]*Int[Csc[w]*Cot[w]^(n-1), x] /;
GtQ[n, 0] && FreeQ[v-w, x] && NeQ[w, v]
```

$$4. \int u \sin[v]^p \cot[w]^q dx$$

$$1: \int \sin[v] \cot[w]^n dx \text{ when } n > 0 \wedge x \notin v - w \wedge w \neq v$$

Derivation: Algebraic expansion

$$\text{Basis: } \sin[v] \cot[w] = \cos[v] + \sin[v - w] \csc[w]$$

$$\text{Basis: } \cos[v] \tan[w] = \sin[v] - \sin[v - w] \sec[w]$$

Rule: If $n > 0 \wedge x \notin v - w \wedge w \neq v$, then

$$\int \sin[v] \cot[w]^n dx \rightarrow \int \cos[v] \cot[w]^{n-1} dx + \sin[v - w] \int \csc[w] \cot[w]^{n-1} dx$$

Program code:

```
Int[Sin[v_]*Cot[w_]^n_,x_Symbol] :=
  Int[Cos[v]*Cot[w]^(n-1),x] + Sin[v-w]*Int[Csc[w]*Cot[w]^(n-1),x] /;
GtQ[n,0] && FreeQ[v-w,x] && NeQ[w,v]
```

```
Int[Cos[v_]*Tan[w_]^n_,x_Symbol] :=
  Int[Sin[v]*Tan[w]^(n-1),x] - Sin[v-w]*Int[Sec[w]*Tan[w]^(n-1),x] /;
GtQ[n,0] && FreeQ[v-w,x] && NeQ[w,v]
```

$$5. \int u \sin[v]^p \sec[w]^q dx$$

$$1: \int \sin[v] \sec[w]^n dx \text{ when } n > 0 \wedge x \notin v - w \wedge w \neq v$$

Derivation: Algebraic expansion

$$\text{Basis: } \sin[v] \sec[w] = \cos[v - w] \tan[w] + \sin[v - w]$$

$$\text{Basis: } \cos[v] * \csc[w] = \cos[v - w] * \cot[w] - \sin[v - w]$$

Rule: If $n > 0 \wedge x \notin v - w \wedge w \neq v$, then

$$\int \sin[v] \sec[w]^n dx \rightarrow \cos[v - w] \int \tan[w] \sec[w]^{n-1} dx + \sin[v - w] \int \sec[w]^{n-1} dx$$

Program code:

```
Int[Sin[v_]*Sec[w_]^n_,x_Symbol] :=
  Cos[v-w]*Int[Tan[w]*Sec[w]^(n-1),x] + Sin[v-w]*Int[Sec[w]^(n-1),x] /;
GtQ[n,0] && FreeQ[v-w,x] && NeQ[w,v]
```

```
Int[Cos[v_]*Csc[w_]^n_,x_Symbol] :=
  Cos[v-w]*Int[Cot[w]*Csc[w]^(n-1),x] - Sin[v-w]*Int[Csc[w]^(n-1),x] /;
GtQ[n,0] && FreeQ[v-w,x] && NeQ[w,v]
```

$$6. \int u \sin[v]^p \csc[w]^q dx$$

$$1: \int \sin[v] \csc[w]^n dx \text{ when } n > 0 \wedge x \notin v - w \wedge w \neq v$$

Derivation: Algebraic expansion

$$\text{Basis: } \sin[v] \csc[w] = \sin[v - w] \cot[w] + \cos[v - w]$$

$$\text{Basis: } \cos[v] \sec[w] = -\sin[v - w] \tan[w] + \cos[v - w]$$

Rule: If $n > 0 \wedge x \notin v - w \wedge w \neq v$, then

$$\int \sin[v] \csc[w]^n dx \rightarrow \sin[v - w] \int \cot[w] \csc[w]^{n-1} dx + \cos[v - w] \int \csc[w]^{n-1} dx$$

Program code:

```
Int[Sin[v_]*Csc[w_]^n_,x_Symbol] :=
  Sin[v-w]*Int[Cot[w]*Csc[w]^(n-1),x] + Cos[v-w]*Int[Csc[w]^(n-1),x] /;
GtQ[n,0] && FreeQ[v-w,x] && NeQ[w,v]
```

```
Int[Cos[v_]*Sec[w_]^n_,x_Symbol] :=
  -Sin[v-w]*Int[Tan[w]*Sec[w]^(n-1),x] + Cos[v-w]*Int[Sec[w]^(n-1),x] /;
GtQ[n,0] && FreeQ[v-w,x] && NeQ[w,v]
```

$$4: \int (e + f x)^m (a + b \sin[c + d x] \cos[c + d x])^n dx$$

Derivation: Algebraic simplification

$$\text{Basis: } \sin[z] \cos[z] = \frac{1}{2} \sin[2z]$$

Rule:

$$\int (e + f x)^m (a + b \sin[c + d x] \cos[c + d x])^n dx \rightarrow \int (e + f x)^m \left(a + \frac{1}{2} b \sin[2c + 2d x] \right)^n dx$$

Program code:

```
Int[(e_+f_*x_)^m_.*(a_+b_*Sin[c_+d_*x_] * Cos[c_+d_*x_])^n_,x_Symbol] :=
  Int[(e+f*x)^m*(a+b*SIN[2*c+2*d*x]/2)^n,x] /;
FreeQ[{a,b,c,d,e,f,m,n},x]
```


5: $\int x^m (a + b \sin[c + dx]^2)^n dx$ when $a + b \neq 0 \wedge (m | n) \in \mathbb{Z} \wedge m > 0 \wedge n < 0$

Derivation: Algebraic simplification

Basis: $\sin[z]^2 = \frac{1}{2} (1 - \cos[2z])$

Note: This rule should be replaced with rules that directly reduce the integrand rather than transforming it using trig power expansion!

Rule: If $a + b \neq 0 \wedge (m | n) \in \mathbb{Z} \wedge m > 0 \wedge n < 0$, then

$$\int x^m (a + b \sin[c + dx]^2)^n dx \rightarrow \frac{1}{2^n} \int x^m (2a + b - b \cos[2c + 2dx])^n dx$$

Program code:

```
Int[x_^m_.*(a_+b_.*Sin[c_+d_.*x_]^2)^n_,x_Symbol] :=
  1/2^n*Int[x^m*(2*a+b-b*Cos[2*c+2*d*x])^n,x] /;
FreeQ[{a,b,c,d},x] && NeQ[a+b,0] && IGtQ[m,0] && ILtQ[n,0] && (EqQ[n,-1] || EqQ[m,1] && EqQ[n,-2])
```

```
Int[x_^m_.*(a_+b_.*Cos[c_+d_.*x_]^2)^n_,x_Symbol] :=
  1/2^n*Int[x^m*(2*a+b+b*Cos[2*c+2*d*x])^n,x] /;
FreeQ[{a,b,c,d},x] && NeQ[a+b,0] && IGtQ[m,0] && ILtQ[n,0] && (EqQ[n,-1] || EqQ[m,1] && EqQ[n,-2])
```

6: $\int \frac{(f + gx)^m}{a + b \cos[d + ex]^2 + c \sin[d + ex]^2} dx$ when $m \in \mathbb{Z}^+ \wedge a + b \neq 0 \wedge a + c \neq 0$

Derivation: Algebraic simplification

Basis: $a + b \cos[z]^2 + c \sin[z]^2 = \frac{1}{2} (2a + b + c + (b - c) \cos[2z])$

Rule: If $m \in \mathbb{Z}^+ \wedge a + b \neq 0 \wedge a + c \neq 0$, then

$$\int \frac{(f+gx)^m}{a+b\cos[d+ex]^2+c\sin[d+ex]^2} dx \rightarrow 2 \int \frac{(f+gx)^m}{2a+b+c+(b-c)\cos[2d+2ex]} dx$$

Program code:

```
Int[(f_.+g_.*x_)^m_/ (a_.+b_.*Cos[d_.+e_.*x_]^2+c_.*Sin[d_.+e_.*x_]^2), x_Symbol] :=
  2*Int[(f+g*x)^m/(2*a+b+c+(b-c)*Cos[2*d+2*e*x]), x] /;
FreeQ[{a,b,c,d,e,f,g}, x] && IGtQ[m, 0] && NeQ[a+b, 0] && NeQ[a+c, 0]
```

```
Int[(f_.+g_.*x_)^m_.*Sec[d_.+e_.*x_]^2/ (b_.+c_.*Tan[d_.+e_.*x_]^2), x_Symbol] :=
  2*Int[(f+g*x)^m/(b+c+(b-c)*Cos[2*d+2*e*x]), x] /;
FreeQ[{b,c,d,e,f,g}, x] && IGtQ[m, 0]
```

```
Int[(f_.+g_.*x_)^m_.*Sec[d_.+e_.*x_]^2/ (b_.+a_.*Sec[d_.+e_.*x_]^2+c_.*Tan[d_.+e_.*x_]^2), x_Symbol] :=
  2*Int[(f+g*x)^m/(2*a+b+c+(b-c)*Cos[2*d+2*e*x]), x] /;
FreeQ[{a,b,c,d,e,f,g}, x] && IGtQ[m, 0] && NeQ[a+b, 0] && NeQ[a+c, 0]
```

```
Int[(f_.+g_.*x_)^m_.*Csc[d_.+e_.*x_]^2/ (c_.+b_.*Cot[d_.+e_.*x_]^2), x_Symbol] :=
  2*Int[(f+g*x)^m/(b+c+(b-c)*Cos[2*d+2*e*x]), x] /;
FreeQ[{b,c,d,e,f,g}, x] && IGtQ[m, 0]
```

```
Int[(f_.+g_.*x_)^m_.*Csc[d_.+e_.*x_]^2/ (c_.+b_.*Cot[d_.+e_.*x_]^2+a_.*Csc[d_.+e_.*x_]^2), x_Symbol] :=
  2*Int[(f+g*x)^m/(2*a+b+c+(b-c)*Cos[2*d+2*e*x]), x] /;
FreeQ[{a,b,c,d,e,f,g}, x] && IGtQ[m, 0] && NeQ[a+b, 0] && NeQ[a+c, 0]
```

$$7: \int \frac{(e + f x) (A + B \sin[c + d x])}{(a + b \sin[c + d x])^2} dx \text{ when } a A - b B = 0$$

Derivation: Integration by parts

Basis: If $a A - b B = 0$, then $\frac{(A+B \sin[c+d x])}{(a+b \sin[c+d x])^2} = -\partial_x \frac{B \cos[c+d x]}{a d (a+b \sin[c+d x])}$

Rule: If $a A - b B = 0$, then

$$\int \frac{(e + f x) (A + B \sin[c + d x])}{(a + b \sin[c + d x])^2} dx \rightarrow -\frac{B (e + f x) \cos[c + d x]}{a d (a + b \sin[c + d x])} + \frac{B f}{a d} \int \frac{\cos[c + d x]}{a + b \sin[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)*(A_+B_*Sin[c_+d_*x_])/(a_+b_*Sin[c_+d_*x_]^2,x_Symbol] :=
  -B*(e+f*x)*Cos[c+d*x]/(a*d*(a+b*SIN[c+d*x])) +
  B*f/(a*d)*Int[Cos[c+d*x]/(a+b*SIN[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f,A,B},x] && EqQ[a*A-b*B,0]
```

```
Int[(e_+f_*x_)*(A_+B_*Cos[c_+d_*x_])/(a_+b_*Cos[c_+d_*x_]^2,x_Symbol] :=
  B*(e+f*x)*Sin[c+d*x]/(a*d*(a+b*cos[c+d*x])) -
  B*f/(a*d)*Int[SIN[c+d*x]/(a+b*cos[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f,A,B},x] && EqQ[a*A-b*B,0]
```

$$8. \int \frac{(b x)^m \operatorname{Sin}[a x]^n}{(c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])^2} dx \text{ when } a c + d = 0 \wedge m = 2 - n$$

$$1: \int \frac{x^2}{(c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])^2} dx \text{ when } a c + d = 0$$

Derivation: Integration by parts

$$\text{Basis: If } a c + d = 0, \text{ then } \frac{x \operatorname{Sin}[a x]}{(c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])^2} = \partial_x \frac{1}{a d (c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])}$$

$$\text{Basis: If } a c + d = 0, \text{ then } \partial_x \frac{x}{\operatorname{Sin}[a x]} = \frac{(c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])}{c \operatorname{Sin}[a x]^2}$$

Rule: If $a c + d = 0$, then

$$\int \frac{x^2}{(c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])^2} dx \rightarrow \frac{x}{a d \operatorname{Sin}[a x] (c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])} + \frac{1}{d^2} \int \frac{1}{\operatorname{Sin}[a x]^2} dx$$

Program code:

```
Int[x_^2/(c_.*Sin[a_.*x_]+d_.*x_.*Cos[a_.*x_]^2,x_Symbol] :=
  x/(a*d*Sin[a*x]*(c*Sin[a*x]+d*x*Cos[a*x])) + 1/d^2*Int[1/Sin[a*x]^2,x] /;
FreeQ[{a,c,d},x] && EqQ[a*c+d,0]
```

```
Int[x_^2/(c_.*Cos[a_.*x_]+d_.*x_.*Sin[a_.*x_]^2,x_Symbol] :=
  -x/(a*d*Cos[a*x]*(c*Cos[a*x]+d*x*Sin[a*x])) + 1/d^2*Int[1/Cos[a*x]^2,x] /;
FreeQ[{a,c,d},x] && EqQ[a*c-d,0]
```

$$2: \int \frac{\operatorname{Sin}[a x]^2}{(c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])^2} dx \text{ when } a c + d = 0$$

Derivation: Integration by parts

$$\text{Basis: If } a c + d = 0, \text{ then } \frac{b x \operatorname{Sin}[a x]}{(c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])^2} = \partial_x \frac{b}{a d (c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])}$$

Basis: If $a c + d = 0 \wedge m = 2 - n$, then

$$\partial_x \left((b x)^{m-1} \sin[a x]^{n-1} \right) = -\frac{b(n-1)}{c} (b x)^{m-2} \sin[a x]^{n-2} (c \sin[a x] + d x \cos[a x])$$

Rule: If $a c + d = 0 \wedge m = 2 - n$, then

$$\int \frac{\sin[a x]^2}{(c \sin[a x] + d x \cos[a x])^2} dx \rightarrow \frac{1}{d^2 x} + \frac{\sin[a x]}{a d x (d x \cos[a x] + c \sin[a x])}$$

Program code:

```
Int[Sin[a_.*x_]^2/(c_.*Sin[a_.*x_]+d_.*x_.*Cos[a_.*x_] )^2,x_Symbol] :=
  1/(d^2*x) + Sin[a*x]/(a*d*x*(d*x*Cos[a*x]+c*Sin[a*x])) /;
FreeQ[{a,c,d},x] && EqQ[a*c+d,0]
```

```
Int[Cos[a_.*x_]^2/(c_.*Cos[a_.*x_]+d_.*x_.*Sin[a_.*x_] )^2,x_Symbol] :=
  1/(d^2*x) - Cos[a*x]/(a*d*x*(d*x*Sin[a*x]+c*Cos[a*x])) /;
FreeQ[{a,c,d},x] && EqQ[a*c-d,0]
```

$$3: \int \frac{(bx)^m \sin[ax]^n}{(c \sin[ax] + dx \cos[ax])^2} dx \text{ when } ac + d = 0 \wedge m = 2 - n$$

Derivation: Integration by parts

$$\text{Basis: If } ac + d = 0, \text{ then } \frac{bx \sin[ax]}{(c \sin[ax] + dx \cos[ax])^2} = \partial_x \frac{b}{ad (c \sin[ax] + dx \cos[ax])}$$

Basis: If $ac + d = 0 \wedge m = 2 - n$, then

$$\partial_x \left((bx)^{m-1} \sin[ax]^{n-1} \right) = -\frac{b(n-1)}{c} (bx)^{m-2} \sin[ax]^{n-2} (c \sin[ax] + dx \cos[ax])$$

Rule: If $ac + d = 0 \wedge m = 2 - n$, then

$$\int \frac{(bx)^m \sin[ax]^n}{(c \sin[ax] + dx \cos[ax])^2} dx \rightarrow \frac{b (bx)^{m-1} \sin[ax]^{n-1}}{ad (c \sin[ax] + dx \cos[ax])} - \frac{b^2 (n-1)}{d^2} \int (bx)^{m-2} \sin[ax]^{n-2} dx$$

Program code:

```
Int[(b.*x_)^m_*Sin[a.*x_]^n/(c.*Sin[a.*x_]+d.*x_*Cos[a.*x_])^2,x_Symbol] :=
  b*(b*x)^(m-1)*Sin[a*x]^(n-1)/(a*d*(c*SIN[a*x]+d*x*COS[a*x])) -
  b^2*(n-1)/d^2*Int[(b*x)^(m-2)*Sin[a*x]^(n-2),x] /;
FreeQ[{a,b,c,d,m,n},x] && EqQ[a*c+d,0] && EqQ[m,2-n]
```

```
Int[(b.*x_)^m_*Cos[a.*x_]^n/(c.*Cos[a.*x_]+d.*x_*Sin[a.*x_])^2,x_Symbol] :=
  -b*(b*x)^(m-1)*Cos[a*x]^(n-1)/(a*d*(c*COS[a*x]+d*x*SIN[a*x])) -
  b^2*(n-1)/d^2*Int[(b*x)^(m-2)*Cos[a*x]^(n-2),x] /;
FreeQ[{a,b,c,d,m,n},x] && EqQ[a*c-d,0] && EqQ[m,2-n]
```

Rule: If $a c + d = 0 \wedge m = n + 2$, then

$$\int \frac{(b x)^m \operatorname{Csc}[a x]^n}{(c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])^2} dx \rightarrow \frac{b (b x)^{m-1} \operatorname{Csc}[a x]^{n+1}}{a d (c \operatorname{Sin}[a x] + d x \operatorname{Cos}[a x])} + \frac{b^2 (n+1)}{d^2} \int (b x)^{m-2} \operatorname{Csc}[a x]^{n+2} dx$$

```
Int[(b_.**x_)^m_.**Csc[a_.**x_]^n_/.(c_.**Sin[a_.**x_]+d_.**x_**Cos[a_.**x_]^2,x_Symbol] :=
  b*(b*x)^(m-1)*Csc[a*x]^(n+1)/(a*d*(c*Sin[a*x]+d*x**Cos[a*x])) +
  b^2*(n+1)/d^2*Int[(b*x)^(m-2)*Csc[a*x]^(n+2),x] /;
FreeQ[{a,b,c,d,m,n},x] && EqQ[a*c+d,0] && EqQ[m,n+2]
```

```
Int[(b_.**x_)^m_.**Sec[a_.**x_]^n_/.(c_.**Cos[a_.**x_]+d_.**x_**Sin[a_.**x_]^2,x_Symbol] :=
  -b*(b*x)^(m-1)*Sec[a*x]^(n+1)/(a*d*(c*Cos[a*x]+d*x**Sin[a*x])) +
  b^2*(n+1)/d^2*Int[(b*x)^(m-2)*Sec[a*x]^(n+2),x] /;
FreeQ[{a,b,c,d,m,n},x] && EqQ[a*c-d,0] && EqQ[m,n+2]
```

9. $\int (g + h x)^p (a + b \operatorname{Sin}[e + f x])^m (c + d \operatorname{Sin}[e + f x])^n dx$ when $b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge (2m | n - m) \in \mathbb{Z}$

1: $\int (g + h x)^p (a + b \operatorname{Sin}[e + f x])^m (c + d \operatorname{Sin}[e + f x])^n dx$ when $b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge m \in \mathbb{Z} \wedge n - m \in \mathbb{Z}^+$

Derivation: Algebraic simplification

Basis: If $b c + a d = 0 \wedge a^2 - b^2 = 0$, then $(a + b \operatorname{Sin}[z]) (c + d \operatorname{Sin}[z]) = a c \operatorname{Cos}[z]^2$

Rule: If $b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge m \in \mathbb{Z} \wedge n - m \in \mathbb{Z}^+$, then

$$\int (g + h x)^p (a + b \operatorname{Sin}[e + f x])^m (c + d \operatorname{Sin}[e + f x])^n dx \rightarrow a^m c^m \int (g + h x)^p \operatorname{Cos}[e + f x]^{2m} (c + d \operatorname{Sin}[e + f x])^{n-m} dx$$

Program code:

```
Int[(g_.+h_.**x_)^p_.*(a+b_.**Sin[e_.+f_.**x_]^m_.*(c+d_.**Sin[e_.+f_.**x_]^n_,x_Symbol] :=
  a^m*c^m*Int[(g+h*x)^p**Cos[e+f*x]^(2*m)*(c+d*Sin[e+f*x])^(n-m),x] /;
FreeQ[{a,b,c,d,e,f,g,h},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && IntegerQ[m] && IGtQ[n-m,0]
```

```
Int [(g_.+h_.*x_)^p_.*(a_+b_.*Cos[e_.+f_.*x_])^m_.*(c_+d_.*Cos[e_.+f_.*x_])^n_,x_Symbol] :=
  a^m*c^m*Int [(g+h*x)^p*Sin[e+f*x]^(2*m)*(c+d*Cos[e+f*x])^(n-m),x] /;
FreeQ[{a,b,c,d,e,f,g,h},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && IntegerQ[m] && IGtQ[n-m,0]
```

$$2: \int (g+hx)^p (a+b\sin[ex+fx])^m (c+d\sin[ex+fx])^n dx \text{ when } bc+ad=0 \wedge a^2-b^2=0 \wedge p \in \mathbb{Z} \wedge 2m \in \mathbb{Z} \wedge n-m \in \mathbb{Z}^+$$

Derivation: Piecewise constant extraction

Basis: If $bc+ad=0 \wedge a^2-b^2=0$, then $\partial_x \frac{(a+b\sin[ex+fx])^m (c+d\sin[ex+fx])^m}{\cos[ex+fx]^{2m}} = 0$

Rule: If $bc+ad=0 \wedge a^2-b^2=0 \wedge p \in \mathbb{Z} \wedge 2m \in \mathbb{Z} \wedge n-m \in \mathbb{Z}^+$, then

$$\int (g+hx)^p (a+b\sin[ex+fx])^m (c+d\sin[ex+fx])^n dx \rightarrow \frac{a^{\text{IntPart}[m]} c^{\text{IntPart}[m]} (a+b\sin[ex+fx])^{\text{FracPart}[m]} (c+d\sin[ex+fx])^{\text{FracPart}[m]}}{\cos[ex+fx]^{2\text{FracPart}[m]}} \int (g+hx)^p \cos[ex+fx]^{2m} (c+d\sin[ex+fx])^{n-m} dx$$

Program code:

```
Int [(g_.+h_.*x_)^p_.*(a_+b_.*Sin[e_.+f_.*x_])^m_.*(c_+d_.*Sin[e_.+f_.*x_])^n_,x_Symbol] :=
  a^IntPart[m]*c^IntPart[m]*(a+b*Sin[e+f*x])^FracPart[m]*(c+d*Sin[e+f*x])^FracPart[m]/Cos[e+f*x]^(2*FracPart[m])*
  Int [(g+h*x)^p*Cos[e+f*x]^(2*m)*(c+d*Sin[e+f*x])^(n-m),x] /;
FreeQ[{a,b,c,d,e,f,g,h},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && IntegerQ[p] && IntegerQ[2*m] && IGEQ[n-m,0]
```

```
Int [(g_.+h_.*x_)^p_.*(a_+b_.*Cos[e_.+f_.*x_])^m_.*(c_+d_.*Cos[e_.+f_.*x_])^n_,x_Symbol] :=
  a^IntPart[m]*c^IntPart[m]*(a+b*Cos[e+f*x])^FracPart[m]*(c+d*Cos[e+f*x])^FracPart[m]/Sin[e+f*x]^(2*FracPart[m])*
  Int [(g+h*x)^p*Sin[e+f*x]^(2*m)*(c+d*Cos[e+f*x])^(n-m),x] /;
FreeQ[{a,b,c,d,e,f,g,h},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && IntegerQ[p] && IntegerQ[2*m] && IGEQ[n-m,0]
```


10: $\int \sec[v]^m (a + b \tan[v])^n dx$ when $\frac{m-1}{2} \in \mathbb{Z} \wedge m + n = 0$

Derivation: Algebraic simplification

Basis: $\frac{a+b \tan[z]}{\sec[z]} = a \cos[z] + b \sin[z]$

Rule: If $\frac{m-1}{2} \in \mathbb{Z} \wedge m + n = 0$, then

$$\int \sec[v]^m (a + b \tan[v])^n dx \rightarrow \int (a \cos[v] + b \sin[v])^n dx$$

Program code:

```
Int[Sec[v_]^m.*(a_+b_.*Tan[v_]^n_., x_Symbol] :=
  Int[(a*cos[v]+b*sin[v])^n,x] /;
  FreeQ[{a,b},x] && IntegerQ[(m-1)/2] && EqQ[m+n,0]
```

```
Int[Csc[v_]^m.*(a_+b_.*Cot[v_]^n_., x_Symbol] :=
  Int[(b*cos[v]+a*sin[v])^n,x] /;
  FreeQ[{a,b},x] && IntegerQ[(m-1)/2] && EqQ[m+n,0]
```

11: $\int u \sin[a + bx]^m \sin[c + dx]^n dx$ when $(m | n) \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $(m | n) \in \mathbb{Z}^+$, then

$$\int u \sin[a + bx]^m \sin[c + dx]^n dx \rightarrow \int u \text{TrigReduce}[\sin[a + bx]^m \sin[c + dx]^n] dx$$

Program code:

```
Int[u_.*Sin[a_+b_*x_]^m_.*Sin[c_+d_*x_]^n_,x_Symbol] :=
  Int[ExpandTrigReduce[u,Sin[a+b*x]^m*Sin[c+d*x]^n,x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0] && IGtQ[n,0]
```

```
Int[u_.*Cos[a_+b_*x_]^m_.*Cos[c_+d_*x_]^n_,x_Symbol] :=
  Int[ExpandTrigReduce[u,Cos[a+b*x]^m*Cos[c+d*x]^n,x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0] && IGtQ[n,0]
```

12: $\int \sec[a + b x] \sec[c + d x] dx$ when $b^2 - d^2 \neq 0 \wedge b c - a d \neq 0$

Derivation: Algebraic expansion

Basis: If $b^2 - d^2 \neq 0 \wedge b c - a d \neq 0$, then

$$\sec[a + b x] \sec[c + d x] = -\operatorname{Csc}\left[\frac{b c - a d}{d}\right] \tan[a + b x] + \operatorname{Csc}\left[\frac{b c - a d}{b}\right] \tan[c + d x]$$

Rule: If $b^2 - d^2 \neq 0 \wedge b c - a d \neq 0$, then

$$\int \sec[a + b x] \sec[c + d x] dx \rightarrow -\operatorname{Csc}\left[\frac{b c - a d}{d}\right] \int \tan[a + b x] dx + \operatorname{Csc}\left[\frac{b c - a d}{b}\right] \int \tan[c + d x] dx$$

Program code:

```
Int[Sec[a_+b_*x_]*Sec[c_+d_*x_],x_Symbol] :=
  -Csc[(b*c-a*d)/d]*Int[Tan[a+b*x],x] + Csc[(b*c-a*d)/b]*Int[Tan[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && EqQ[b^2-d^2,0] && NeQ[b*c-a*d,0]
```

```
Int[Csc[a_+b_*x_]*Csc[c_+d_*x_],x_Symbol] :=
  Csc[(b*c-a*d)/b]*Int[Cot[a+b*x],x] - Csc[(b*c-a*d)/d]*Int[Cot[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && EqQ[b^2-d^2,0] && NeQ[b*c-a*d,0]
```

13: $\int \tan[a + b x] \tan[c + d x] dx$ when $b^2 - d^2 = 0 \wedge b c - a d \neq 0$

Derivation: Algebraic expansion

Basis: If $b^2 - d^2 = 0$, then $\tan[a + b x] \tan[c + d x] = -\frac{b}{d} + \frac{b}{d} \cos\left[\frac{bc-ad}{d}\right] \sec[a + b x] \sec[c + d x]$

Rule: If $b^2 - d^2 = 0 \wedge b c - a d \neq 0$, then

$$\int \tan[a + b x] \tan[c + d x] dx \rightarrow -\frac{b x}{d} + \frac{b}{d} \cos\left[\frac{bc-ad}{d}\right] \int \sec[a + b x] \sec[c + d x] dx$$

Program code:

```
Int[Tan[a_+b_.*x_]*Tan[c_+d_.*x_],x_Symbol] :=
  -b*x/d + b/d*cos[(b*c-a*d)/d]*Int[Sec[a+b*x]*Sec[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && EqQ[b^2-d^2,0] && NeQ[b*c-a*d,0]
```

```
Int[Cot[a_+b_.*x_]*Cot[c_+d_.*x_],x_Symbol] :=
  -b*x/d + Cos[(b*c-a*d)/d]*Int[Csc[a+b*x]*Csc[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && EqQ[b^2-d^2,0] && NeQ[b*c-a*d,0]
```

14: $\int u (a \cos[v] + b \sin[v])^n dx$ when $a^2 + b^2 \neq 0$

Derivation: Algebraic simplification

Basis: If $a^2 + b^2 \neq 0$, then $a \cos[z] + b \sin[z] = a e^{-\frac{az}{b}}$

Rule: If $a^2 + b^2 \neq 0$, then

$$\int u (a \cos[v] + b \sin[v])^n dx \rightarrow \int u \left(a e^{-\frac{av}{b}} \right)^n dx$$

Program code:

```
Int[u_.*(a_.*Cos[v_]+b_.*Sin[v_])^n_.,x_Symbol] :=
  Int[u*(a*E^(-a/b*v))^n,x] /;
FreeQ[{a,b,n},x] && EqQ[a^2+b^2,0]
```

$$15. \int u \sin[d (a + b \operatorname{Log}[c x^n])^2] dx$$

$$1: \int \sin[d (a + b \operatorname{Log}[c x^n])^2] dx$$

Derivation: Algebraic expansion

$$\text{Basis: } \sin[z] = \frac{i}{2} e^{-i z} - \frac{i}{2} e^{i z}$$

Rule:

$$\int \sin[d (a + b \operatorname{Log}[c x^n])^2] dx \rightarrow \frac{i}{2} \int e^{-i d (a + b \operatorname{Log}[c x^n])^2} dx - \frac{i}{2} \int e^{i d (a + b \operatorname{Log}[c x^n])^2} dx$$

–

Program code:

```
Int[Sin[d_.*(a_.*b_.*Log[c_.*x_^n_])^2],x_Symbol] :=
  I/2*Int[E^(-I*d*(a+b*Log[c*x^n])^2),x] - I/2*Int[E^(I*d*(a+b*Log[c*x^n])^2),x] /;
FreeQ[{a,b,c,d,n},x]
```

```
Int[Cos[d_.*(a_.*b_.*Log[c_.*x_^n_])^2],x_Symbol] :=
  1/2*Int[E^(-I*d*(a+b*Log[c*x^n])^2),x] + 1/2*Int[E^(I*d*(a+b*Log[c*x^n])^2),x] /;
FreeQ[{a,b,c,d,n},x]
```

$$2: \int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])^2] dx$$

Derivation: Algebraic expansion

$$\text{Basis: } \operatorname{Sin}[z] = \frac{i}{2} e^{-i z} - \frac{i}{2} e^{i z}$$

Rule:

$$\int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])^2] dx \rightarrow \frac{i}{2} \int (e x)^m e^{-i d (a + b \operatorname{Log}[c x^n])^2} dx - \frac{i}{2} \int (e x)^m e^{i d (a + b \operatorname{Log}[c x^n])^2} dx$$

Program code:

```
Int[(e.*x_)^m_.*Sin[d_.*(a_.+b_.*Log[c_.*x_^n_])^2],x_Symbol] :=
  1/2*Int[(e*x)^m*E^(-I*d*(a+b*Log[c*x^n])^2),x] - 1/2*Int[(e*x)^m*E^(I*d*(a+b*Log[c*x^n])^2),x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```

```
Int[(e.*x_)^m_.*Cos[d_.*(a_.+b_.*Log[c_.*x_^n_])^2],x_Symbol] :=
  1/2*Int[(e*x)^m*E^(-I*d*(a+b*Log[c*x^n])^2),x] + 1/2*Int[(e*x)^m*E^(I*d*(a+b*Log[c*x^n])^2),x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```