

Rules for miscellaneous integrands

Substitution integration rules

$$1: \int \frac{\left(a + b F \left[c \frac{\sqrt{d+e x}}{\sqrt{f+g x}} \right] \right)^n}{A + B x + C x^2} dx \text{ when } C d f - A e g = 0 \wedge B e g - C (e f + d g) = 0 \wedge n \in \mathbb{Z}^+$$

Derivation: Integration by substitution

$$\text{Basis: } F[x] = 2(e f - d g) \text{ Subst} \left[\frac{x}{(e-g x^2)^2} F \left[-\frac{d-f x^2}{e-g x^2} \right], x, \frac{\sqrt{d+e x}}{\sqrt{f+g x}} \right] \partial_x \frac{\sqrt{d+e x}}{\sqrt{f+g x}}$$

$$\text{Basis: If } C d f - A e g = 0 \wedge B e g - C (e f + d g) = 0, \text{ then } \frac{1}{A+B x+C x^2} = \frac{2 e g}{C (e f - d g)} \text{ Subst} \left[\frac{1}{x}, x, \frac{\sqrt{d+e x}}{\sqrt{f+g x}} \right] \partial_x \frac{\sqrt{d+e x}}{\sqrt{f+g x}}$$

Rule: If $C d f - A e g = 0 \wedge B e g - C (e f + d g) = 0 \wedge n \in \mathbb{Z}^+$, then

$$\int \frac{\left(a + b F \left[c \frac{\sqrt{d+e x}}{\sqrt{f+g x}} \right] \right)^n}{A + B x + C x^2} dx \rightarrow \frac{2 e g}{C (e f - d g)} \text{ Subst} \left[\int \frac{(a + b F[c x])^n}{x} dx, x, \frac{\sqrt{d+e x}}{\sqrt{f+g x}} \right]$$

Program code:

```
Int[(a_.+b_.*F_[c_.*Sqrt[d_.*e_.*x_]/Sqrt[f_.*g_.*x_]])^n_./(A_.+B_.*x_+C_.*x_^2),x_Symbol]:=2*e*g/(C*(e*f-d*g))*Subst[Int[(a+b*F[c*x])^n/x,x],x,Sqrt[d+e*x]/Sqrt[f+g*x]]/;FreeQ[{a,b,c,d,e,f,g,A,B,C,F},x] && EqQ[C*d*f-A*e*g,0] && EqQ[B*e*g-C*(e*f+d*g),0] && IGtQ[n,0]
```

```
Int[(a_.+b_.*F_[c_.*Sqrt[d_.*e_.*x_]/Sqrt[f_.*g_.*x_]])^n_./(A_.+C_.*x_^2),x_Symbol]:=2*e*g/(C*(e*f-d*g))*Subst[Int[(a+b*F[c*x])^n/x,x],x,Sqrt[d+e*x]/Sqrt[f+g*x]]/;FreeQ[{a,b,c,d,e,f,g,A,C,F},x] && EqQ[C*d*f-A*e*g,0] && EqQ[e*f+d*g,0] && IGtQ[n,0]
```

$$2: \int \frac{\left(a + b F \left[c \frac{\sqrt{d+e x}}{\sqrt{f+g x}} \right] \right)^n}{A + B x + C x^2} dx \text{ when } C d f - A e g = 0 \wedge B e g - C (e f + d g) = 0 \wedge n \notin \mathbb{Z}^+$$

Rule: If $C d f - A e g = 0 \wedge B e g - C (e f + d g) = 0 \wedge n \notin \mathbb{Z}^+$, then

$$\int \frac{\left(a + b F\left[c \frac{\sqrt{d+e x}}{\sqrt{f+g x}}\right]\right)^n}{A + B x + C x^2} dx \rightarrow \int \frac{\left(a + b F\left[c \frac{\sqrt{d+e x}}{\sqrt{f+g x}}\right]\right)^n}{A + B x + C x^2} dx$$

Program code:

```
Int[(a_+b_.*F_[c_.*Sqrt[d_+e_.*x_]/Sqrt[f_+g_.*x_]])^n/(A_+B_.*x_+C_.*x_^2),x_Symbol] :=
Unintegrable[(a+b*F[c*Sqrt[d+e*x]/Sqrt[f+g*x]])^n/(A+B*x+C*x^2),x] /;
FreeQ[{a,b,c,d,e,f,g,A,B,C,F,n},x] && EqQ[C*d*f-A*e*g,0] && EqQ[B*e*g-C*(e*f+d*g),0] && Not[IGtQ[n,0]]
```

```
Int[(a_+b_.*F_[c_.*Sqrt[d_+e_.*x_]/Sqrt[f_+g_.*x_]])^n/(A_+C_.*x_^2),x_Symbol] :=
Unintegrable[(a+b*F[c*Sqrt[d+e*x]/Sqrt[f+g*x]])^n/(A+C*x^2),x] /;
FreeQ[{a,b,c,d,e,f,g,A,C,F,n},x] && EqQ[C*d*f-A*e*g,0] && EqQ[e*f+d*g,0] && Not[IGtQ[n,0]]
```

Derivative divides integration rules

1. $\int \frac{y'[x]}{y[x]} dx$

Reference: G&R 2.111.1.2, CRC 27, A&S 3.3.15

Derivation: Integration by substitution and reciprocal rule for integration

Note: Although powerful, this rule is not tried earlier because it is inefficient.

Rule:

$$\int \frac{y'[x]}{y[x]} dx \rightarrow \text{Log}[y[x]]$$

Program code:

```
Int[u_/y_,x_Symbol] :=
With[{q=DerivativeDivides[y,u,x]},
q*Log[RemoveContent[y,x]] /;
Not[FalseQ[q]]]
```

```

Int[u_/(y_*w_),x_Symbol] :=
With[{q=DerivativeDivides[y*w,u,x]},
  q*Log[RemoveContent[y*w,x]] /;
Not[FalseQ[q]]]

```

2: $\int y'[x] y[x]^m dx$ when $m \neq -1$

Reference: G&R 2.111.1.1, CRC 23, A&S 3.3.14

Derivation: Integration by substitution and power rule for integration

Note: Although powerful, this rule is not tried earlier because it is inefficient.

Rule: If $m \neq -1$, then

$$\int y'[x] y[x]^m dx \rightarrow \frac{y[x]^{m+1}}{m+1}$$

Program code:

```

Int[u_*y_^m_.,x_Symbol] :=
With[{q=DerivativeDivides[y,u,x]},
  q*y^(m+1)/(m+1) /;
Not[FalseQ[q]] /;
FreeQ[m,x] && NeQ[m,-1]

Int[u_*y_^m_.*z_^n_.,x_Symbol] :=
With[{q=DerivativeDivides[y*z,u*z^(n-m),x]},
  q*y^(m+1)*z^(m+1)/(m+1) /;
Not[FalseQ[q]] /;
FreeQ[{m,n},x] && NeQ[m,-1]

```

Algebraic simplification integration rules

1: $\int u \, dx$ when `SimplerIntegrandQ[SimplifyIntegrand[u, x], u, x]`

Derivation: Algebraic simplification

– Rule: Let $v = \text{SimplifyIntegrand}[u, x]$, if `SimplerIntegrandQ[v, u, x]`, then

$$\int u \, dx \rightarrow \int v \, dx$$

– Program code:

```
Int[u_,x_Symbol] :=
  With[{v=SimplifyIntegrand[u,x]},
    Int[v,x] /;
  SimplerIntegrandQ[v,u,x]]
```

2. $\int u \left(e \sqrt{a + b x^n} + f \sqrt{c + d x^n} \right)^m dx$ when $m \in \mathbb{Z}^-$

1: $\int u \left(e \sqrt{a + b x^n} + f \sqrt{c + d x^n} \right)^m dx$ when $m \in \mathbb{Z}^- \wedge b e^2 = d f^2$

Derivation: Algebraic simplification

Basis: If $b e^2 = d f^2$, then $\frac{1}{e \sqrt{a+b z} + f \sqrt{c+d z}} = \frac{e \sqrt{a+b z} - f \sqrt{c+d z}}{a e^2 - c f^2}$

Rule: If $m \in \mathbb{Z}^- \wedge b e^2 = d f^2$, then

$$\int u \left(e \sqrt{a + b x^n} + f \sqrt{c + d x^n} \right)^m dx \rightarrow (a e^2 - c f^2)^m \int u \left(e \sqrt{a + b x^n} - f \sqrt{c + d x^n} \right)^{-m} dx$$

Program code:

```
Int[u_.*(e_.*Sqrt[a_..+b_..*x_..^n_..]+f_.*Sqrt[c_..+d_..*x_..^n_..])^m_,x_Symbol]:=  
(a*e^2-c*f^2)^m*Int[ExpandIntegrand[u*(e*Sqrt[a+b*x^n]-f*Sqrt[c+d*x^n])^(-m),x],x]/;  
FreeQ[{a,b,c,d,e,f,n},x] && ILtQ[m,0] && EqQ[b*e^2-d*f^2,0]
```

2: $\int u \left(e \sqrt{a + b x^n} + f \sqrt{c + d x^n} \right)^m dx$ when $m \in \mathbb{Z}^- \wedge a e^2 = c f^2$

Derivation: Algebraic simplification

Basis: If $a e^2 = c f^2$, then $\frac{1}{e \sqrt{a+bz} + f \sqrt{c+dz}} = \frac{e \sqrt{a+bz} - f \sqrt{c+dz}}{(b e^2 - d f^2) z}$

Rule: If $m \in \mathbb{Z}^- \wedge a e^2 = c f^2$, then

$$\int u \left(e \sqrt{a + b x^n} + f \sqrt{c + d x^n} \right)^m dx \rightarrow (b e^2 - d f^2)^m \int u x^{m n} \left(e \sqrt{a + b x^n} - f \sqrt{c + d x^n} \right)^{-m} dx$$

Program code:

```
Int[u_.*(e_.*Sqrt[a_._+b_._*x_._^n_._]+f_.*Sqrt[c_._+d_._*x_._^n_._])^m_,x_Symbol]:=  
  (b*e^2-d*f^2)^m*Int[ExpandIntegrand[u*x^(m*n)*(e*Sqrt[a+b*x^n]-f*Sqrt[c+d*x^n])^(-m),x],x]/;  
 FreeQ[{a,b,c,d,e,f,n},x] && ILtQ[m,0] && EqQ[a*e^2-c*f^2,0]
```

3: $\int u^m (a u^n + v)^p w dx$ when $p \in \mathbb{Z} \wedge n \neq 0$

Derivation: Algebraic simplification

Basis: If $p \in \mathbb{Z}$, then $(a u^n + v)^p = u^{n p} (a + u^{-n} v)^p$

Rule: If $p \in \mathbb{Z} \wedge n \neq 0$, then

$$\int u^m (a u^n + v)^p w dx \rightarrow \int u^{m+n p} (a + u^{-n} v)^p w dx$$

Program code:

```
Int[u^m_.*(a_._*u_._^n_._+v_._)^p_._*w_,x_Symbol]:=  
  Int[u^(m+n*p)*(a+u^(-n)*v)^p*w,x]/;  
 FreeQ[{a,m,n},x] && IntegerQ[p] && Not[GtQ[n,0]] && Not[FreeQ[v,x]]
```

Derivative divides integration rules

$$1: \int y'[x] (a + b y[x])^m (c + d y[x])^n dx$$

Derivation: Integration by substitution

– Rule:

$$\int y'[x] (a + b y[x])^m (c + d y[x])^n dx \rightarrow \text{Subst} \left[\int (a + b x)^m (c + d x)^n dx, x, y[x] \right]$$

– Program code:

```
Int[u_*(a_.+b_.*y_)^m_.*(c_.+d_.*v_)^n_,x_Symbol]:=  
With[{q=DerivativeDivides[y,u,x]},  
q*Subst[Int[(a+b*x)^m*(c+d*x)^n,x],x,y]/;  
Not[FalseQ[q]]/;  
FreeQ[{a,b,c,d,m,n},x] && EqQ[v,y]
```

2: $\int y'[x] (a + b y[x])^m (c + d y[x])^n (e + f y[x])^p dx$

Derivation: Integration by substitution

Rule:

$$\int y'[x] (a + b y[x])^m (c + d y[x])^n (e + f y[x])^p dx \rightarrow \text{Subst} \left[\int (a + b x)^m (c + d x)^n (e + f x)^p dx, x, y[x] \right]$$

Program code:

```
Int[u_*(a_._+b_._*y_)^m_.*(c_._+d_._*v_)^n_.*(e_._+f_._*w_)^p_.,x_Symbol]:=  
With[{q=DerivativeDivides[y,u,x]},  
q*Subst[Int[(a+b*x)^m*(c+d*x)^n*(e+f*x)^p,x],x,y]/;  
Not[FalseQ[q]]/;  
FreeQ[{a,b,c,d,e,f,m,n,p},x] && EqQ[v,y] && EqQ[w,y]
```

3: $\int y'[x] (a + b y[x])^m (c + d y[x])^n (e + f y[x])^p (g + h y[x])^q dx$

Derivation: Integration by substitution

Rule:

$$\int y'[x] (a + b y[x])^m (c + d y[x])^n (e + f y[x])^p (g + h y[x])^q dx \rightarrow \text{Subst} \left[\int (a + b x)^m (c + d x)^n (e + f x)^p (g + h x)^q dx, x, y[x] \right]$$

Program code:

```
Int[u_*(a_._+b_._*y_)^m_.*(c_._+d_._*v_)^n_.*(e_._+f_._*w_)^p_.*(g_._+h_._*z_)^q_.,x_Symbol]:=  
With[{r=DerivativeDivides[y,u,x]},  
r*Subst[Int[(a+b*x)^m*(c+d*x)^n*(e+f*x)^p*(g+h*x)^q,x],x,y]/;  
Not[FalseQ[r]]/;  
FreeQ[{a,b,c,d,e,f,g,h,m,n,p,q},x] && EqQ[v,y] && EqQ[w,y] && EqQ[z,y]
```

4: $\int y'[x] (a + b y[x]^n)^p dx$

Derivation: Integration by substitution

— Rule:

$$\int y'[x] (a + b y[x]^n)^p dx \rightarrow \text{Subst} \left[\int (a + b x^n)^p dx, x, y[x] \right]$$

— Program code:

```
Int[u_.*(a_+b_.*y_`^n_),x_Symbol] :=
  With[{q=DerivativeDivides[y,u,x]},
    a*Int[u,x] + b*q*Subst[Int[x^n,x],x,y] /;
  Not[FalseQ[q]]] /;
FreeQ[{a,b,n},x]
```

```
Int[u_.*(a_+b_.*y_`^n_)^p_,x_Symbol] :=
  With[{q=DerivativeDivides[y,u,x]},
    q*Subst[Int[(a+b*x^n)^p,x],x,y] /;
  Not[FalseQ[q]]] /;
FreeQ[{a,b,n,p},x]
```

5: $\int y'[x] y[x]^m (a + b y[x]^n)^p dx$

Derivation: Integration by substitution

Rule:

$$\int y'[x] y[x]^m (a + b y[x]^n)^p dx \rightarrow \text{Subst} \left[\int x^m (a + b x^n)^p dx, x, y[x] \right]$$

Program code:

```
Int[u_.*v_^.m_.*(a_._+b_._*y_^.n_)^.p_.,x_Symbol] :=
Module[{q,r},
q*r*Subst[Int[x^m*(a+b*x^n)^p,x],x,y] /;
Not[FalseQ[r=Divides[y^m,v^m,x]]] && Not[FalseQ[q=DerivativeDivides[y,u,x]]] /;
FreeQ[{a,b,m,n,p},x]
```

6: $\int y'[x] (a + b y[x]^n + c y[x]^{2n})^p dx$

Derivation: Integration by substitution

Rule:

$$\int y'[x] (a + b y[x]^n + c y[x]^{2n})^p dx \rightarrow \text{Subst} \left[\int (a + b x^n + c x^{2n})^p dx, x, y[x] \right]$$

Program code:

```
Int[u_.*(a_._+b_._*y_^.n_+c_._*v_^.n2_.)^p_.,x_Symbol] :=
With[{q=DerivativeDivides[y,u,x]},
q*Subst[Int[(a+b*x^n+c*x^(2*n))^p,x],x,y] /;
Not[FalseQ[q]] /;
FreeQ[{a,b,c,n,p},x] && EqQ[n2,2*n] && EqQ[v,y]
```

7: $\int y'[x] (A + B y[x]^n) (a + b y[x]^n + c y[x]^{2n})^p dx$

Derivation: Integration by substitution

— Rule:

$$\int y'[x] (A + B y[x]^n) (a + b y[x]^n + c y[x]^{2n})^p dx \rightarrow \text{Subst} \left[\int (A + B x^n) (a + b x^n + c x^{2n})^p dx, x, y[x] \right]$$

— Program code:

```
Int[u_.*(A_+B_.*y_^.n_) (a_.+b_.*v_^.n_+c_.*w_^.n2_.)^p_,x_Symbol]:=  
With[{q=DerivativeDivides[y,u,x]},  
q*Subst[Int[(A+B*x^.n)*(a+b*x^.n+c*x^(2*n))^p,x],x,y]/;  
Not[FalseQ[q]]];;  
FreeQ[{a,b,c,A,B,n,p},x] && EqQ[n2,2*n] && EqQ[v,y] && EqQ[w,y]
```

```
Int[u_.*(A_+B_.*y_^.n_) (a_.+c_.*w_^.n2_.)^p_,x_Symbol]:=  
With[{q=DerivativeDivides[y,u,x]},  
q*Subst[Int[(A+B*x^.n)*(a+c*x^(2*n))^p,x],x,y]/;  
Not[FalseQ[q]]];;  
FreeQ[{a,c,A,B,n,p},x] && EqQ[n2,2*n] && EqQ[w,y]
```

8: $\int y'[x] y[x]^m (a + b y[x]^n + c y[x]^{2n})^p dx$

Derivation: Integration by substitution

Rule:

$$\int y'[x] y[x]^m (a + b y[x]^n + c y[x]^{2n})^p dx \rightarrow \text{Subst} \left[\int x^m (a + b x^n + c x^{2n})^p dx, x, y[x] \right]$$

Program code:

```
Int[u_.*v_.*(a_._+b_._*y_._^n_._+c_._*w_._^n2_._)^p_.,x_Symbol] :=
Module[{q,r},
q*r*Subst[Int[x^m*(a+b*x^n+c*x^(2*n))^p,x],x,y] /;
Not[FalseQ[r=Divides[y^m,v^m,x]]] && Not[FalseQ[q=DerivativeDivides[y,u,x]]] /;
FreeQ[{a,b,c,m,n,p},x] && EqQ[n2,2*n] && EqQ[w,y]
```

9: $\int y'[x] y[x]^m (A + B y[x]^n) (a + b y[x]^n + c y[x]^{2n})^p dx$

Derivation: Integration by substitution

Rule:

$$\int y'[x] y[x]^m (A + B y[x]^n) (a + b y[x]^n + c y[x]^{2n})^p dx \rightarrow \text{Subst} \left[\int x^m (A + B x^n) (a + b x^n + c x^{2n})^p dx, x, y[x] \right]$$

Program code:

```
Int[u_.*z_._^m_._*(A_._+B_._*y_._^n_._)*(a_._+b_._*v_._^n_._+c_._*w_._^n2_._)^p_.,x_Symbol] :=
Module[{q,r},
q*r*Subst[Int[x^m*(A+B*x^n)*(a+b*x^n+c*x^(2*n))^p,x],x,y] /;
Not[FalseQ[r=Divides[y^m,z^m,x]]] && Not[FalseQ[q=DerivativeDivides[y,u,x]]] /;
FreeQ[{a,b,c,A,B,m,n,p},x] && EqQ[n2,2*n] && EqQ[v,y] && EqQ[w,y]
```

```

Int[u_.*z_^m_.*(A_+B_.*y_^n_)*(a_.+c_.*w_^n2_.)^p_,x_Symbol] :=
Module[{q,r},
q*r*Subst[Int[x^m*(A+B*x^n)*(a+c*x^(2*n))^p,x],x,y] /;
Not[FalseQ[r=Divides[y^m,z^m,x]]] && Not[FalseQ[q=DerivativeDivides[y,u,x]]] /;
FreeQ[{a,c,A,B,m,n,p},x] && EqQ[n2,2*n] && EqQ[w,y]

```

10: $\int y'[x] (a + b y[x]^n)^m (c + d y[x]^n)^p dx$

Derivation: Integration by substitution

Rule:

$$\int y'[x] (a + b y[x]^n)^m (c + d y[x]^n)^p dx \rightarrow \text{Subst} \left[\int (a + b x^n)^m (c + d x^n)^p dx, x, y[x] \right]$$

Program code:

```

Int[u_.*(a_+b_.*y_^n_)^m_.*(c_+d_.*v_^n_)^p_,x_Symbol] :=
With[{q=DerivativeDivides[y,u,x]},
q*Subst[Int[(a+b*x^n)^m*(c+d*x^n)^p,x],x,y] /;
Not[FalseQ[q]] /;
FreeQ[{a,b,c,d,m,n,p},x] && EqQ[v,y]

```

11: $\int y'[x] \ (a + b y[x]^n)^m \ (c + d y[x]^n)^p \ (e + f y[x]^n)^q dx$

Derivation: Integration by substitution

— Rule:

$$\int y'[x] \ (a + b y[x]^n)^m \ (c + d y[x]^n)^p \ (e + f y[x]^n)^q dx \rightarrow \text{Subst} \left[\int (a + b x^n)^m \ (c + d x^n)^p \ (e + f x^n)^q dx, x, y[x] \right]$$

— Program code:

```
Int[u_.*(a_._+b_._*y_._^n_._)^m_._*(c_._+d_._*v_._^n_._)^p_._*(e_._+f_._*w_._^n_._)^q_._,x_Symbol] :=  
With[{r=DerivativeDivides[y,u,x]},  
r*Subst[Int[(a+b*x^n)^m*(c+d*x^n)^p*(e+f*x^n)^q,x],x,y] /;  
Not[FalseQ[r]]] /;  
FreeQ[{a,b,c,d,e,f,m,n,p,q},x] && EqQ[v,y] && EqQ[w,y]
```

$$12. \int u F^v dx$$

1: $\int u F^v dx$ when $\partial_x v = u$

Derivation: Integration by substitution

Rule: If $\partial_x v = u$, then

$$\int u F^v dx \rightarrow \frac{F^v}{\log[F]}$$

Program code:

```
Int[u_*F_^v_,x_Symbol] :=
  With[{q=DerivativeDivides[v,u,x]},
    q*F^v/Log[F] /;
  Not[FalseQ[q]]] /;
FreeQ[F,x]
```

2: $\int u v^m F^v dx$ when $\partial_x v = u$

Derivation: Integration by substitution

– Rule: If $\partial_x v = u$, then

$$\int u v^m F^v dx \rightarrow \text{Subst} \left[\int x^m F^x dx, x, v \right]$$

– Program code:

```
Int[u_*w_^m_.*F_^v_,x_Symbol] :=
  With[{q=DerivativeDivides[v,u,x]},
    q*Subst[Int[x^m*F^x,x],x,v] /;
  Not[FalseQ[q]]] /;
FreeQ[{F,m},x] && EqQ[w,v]
```

13. $\int F[f[x]^p, g[x]^q] f[x]^r g[x]^s (c f'[x] g[x] + d f[x] g'[x]) dx$

1: $\int u (a + b v^p w^q)^m v^r w^s dx \text{ when } p(s+1) = q(r+1) \wedge r \neq -1 \wedge \frac{p}{r+1} \in \mathbb{Z} \wedge \text{FreeQ}\left[\frac{u}{p w \partial_x v + q v \partial_x w}, x\right]$

Derivation: Integration by substitution

Basis: If $p(s+1) = q(r+1) \wedge r \neq -1 \wedge \frac{p}{r+1} \in \mathbb{Z}$, then

$$F[f[x]^p g[x]^q] f[x]^r g[x]^s (p g[x] f'[x] + q f[x] g'[x]) = \\ \frac{p}{r+1} \text{Subst}\left[F\left[x^{\frac{p}{r+1}}\right], x, f[x]^{r+1} g[x]^{s+1}\right] \partial_x (f[x]^{r+1} g[x]^{s+1})$$

Rule: If $p(s+1) = q(r+1) \wedge r \neq -1 \wedge \frac{p}{r+1} \in \mathbb{Z}$, let $c = \frac{u}{p w \partial_x v + q v \partial_x w}$, if $\text{FreeQ}[c, x]$, then

$$\int u (a + b v^p w^q)^m v^r w^s dx \rightarrow \frac{c p}{r+1} \text{Subst}\left[\int (a + b x^{\frac{p}{r+1}})^m dx, x, v^{r+1} w^{s+1}\right]$$

Program code:

```

Int[u_*(a_+b_.*v_.*p_.*w_.*p_.)^m_.,x_Symbol]:= 
With[{c=Simplify[u/(w*D[v,x]+v*D[w,x])]}, 
c*Subst[Int[(a+b*x^p)^m,x],x,v*w]/; 
FreeQ[c,x]]; 
FreeQ[{a,b,m,p},x] && IntegerQ[p]

Int[u_*(a_+b_.*v_.*p_.*w_.*q_.)^m_.*v_.*r_.,x_Symbol]:= 
With[{c=Simplify[u/(p*w*D[v,x]+q*v*D[w,x])]}, 
c*p/(r+1)*Subst[Int[(a+b*x^(p/(r+1)))^m,x],x,v^(r+1)*w]/; 
FreeQ[c,x]]; 
FreeQ[{a,b,m,p,q,r},x] && EqQ[p,q*(r+1)] && NeQ[r,-1] && IntegerQ[p/(r+1)]

Int[u_*(a_+b_.*v_.*p_.*w_.*q_.)^m_.*v_.*r_.*w_.*s_.,x_Symbol]:= 
With[{c=Simplify[u/(p*w*D[v,x]+q*v*D[w,x])]}, 
c*p/(r+1)*Subst[Int[(a+b*x^(p/(r+1)))^m,x],x,v^(r+1)*w^(s+1)]/; 
FreeQ[c,x]]; 
FreeQ[{a,b,m,p,q,r,s},x] && EqQ[p*(s+1),q*(r+1)] && NeQ[r,-1] && IntegerQ[p/(r+1)]

```

$$2: \int u (a v^p + b w^q)^m v^r w^s dx \text{ when } p(s+1) + q(mp+r+1) = 0 \wedge s \neq -1 \wedge \frac{q}{s+1} \in \mathbb{Z} \wedge m \in \mathbb{Z} \wedge \text{FreeQ}\left[\frac{u}{p w \partial_x v - q v \partial_x w}, x\right]$$

Derivation: Integration by substitution

Basis: If $p(s+1) + q(mp+r+1) = 0 \wedge s+1 \neq 0 \wedge \frac{q}{s+1} \in \mathbb{Z} \wedge m \in \mathbb{Z}$, then

$$(a f[x]^p + b g[x]^q)^m f[x]^r g[x]^s (p g[x] f'[x] - q f[x] g'[x]) = \\ -\frac{q}{s+1} \text{Subst}\left[\left(a + b x^{\frac{q}{s+1}}\right)^m, x, f[x]^{mp+r+1} g[x]^{s+1}\right] \partial_x (f[x]^{mp+r+1} g[x]^{s+1})$$

Rule: If $p(s+1) + q(mp+r+1) = 0 \wedge s \neq -1 \wedge \frac{q}{s+1} \in \mathbb{Z} \wedge m \in \mathbb{Z}$, let $c = \frac{u}{p w \partial_x v - q v \partial_x w}$, if $\text{FreeQ}[c, x]$, then

$$\int u (a v^p + b w^q)^m v^r w^s dx \rightarrow -\frac{c q}{s+1} \text{Subst}\left[\int \left(a + b x^{\frac{q}{s+1}}\right)^m dx, x, v^{mp+r+1} w^{s+1}\right]$$

Program code:

```
Int[u_*(a_.*v_.*p_.*b_.*w_.*q_.)^m_.,x_Symbol]:=  
With[{c=Simplify[u/(p*w*D[v,x]-q*v*D[w,x])]},  
c*p*Subst[Int[(b+a*x^p)^m,x],x,v*w^(m*q+1)] /;  
FreeQ[c,x] /;  
FreeQ[{a,b,m,p,q},x] && EqQ[p+q*(m*p+1),0] && IntegerQ[p] && IntegerQ[m]
```

```
(* Int[u_*(a_.*v_.*p_.*b_.*w_.*q_.)^m_.,x_Symbol]:=  
With[{c=Simplify[u/(p*w*D[v,x]-q*v*D[w,x])]},  
-c*q*Subst[Int[(a+b*x^q)^m,x],x,v^(m*p+1)*w] /;  
FreeQ[c,x] /;  
FreeQ[{a,b,m,p,q},x] && EqQ[p+q*(m*p+1),0] && IntegerQ[q] && IntegerQ[m] *)
```

```
Int[u_*(a_.*v_.*p_.*b_.*w_.*q_.)^m_.*v_.*r_.,x_Symbol]:=  
With[{c=Simplify[u/(p*w*D[v,x]-q*v*D[w,x])]},  
-c*q*Subst[Int[(a+b*x^q)^m,x],x,v^(m*p+r+1)*w] /;  
FreeQ[c,x] /;  
FreeQ[{a,b,m,p,q,r},x] && EqQ[p+q*(m*p+r+1),0] && IntegerQ[q] && IntegerQ[m]
```

```

Int[u_*(a_.*v_.*p_.*b_.*w_.*q_.)^m_.*w_.*s_.,x_Symbol] :=
With[{c=Simplify[u/(p*w*D[v,x]-q*v*D[w,x])]}, 
 -c*q/(s+1)*Subst[Int[(a+b*x^(q/(s+1)))^m,x],x,v^(m*p+1)*w^(s+1)] /;
 FreeQ[c,x]] /;
FreeQ[{a,b,m,p,q,s},x] && EqQ[p*(s+1)+q*(m*p+1),0] && NeQ[s,-1] && IntegerQ[q/(s+1)] && IntegerQ[m]

```

```

Int[u_*(a_.*v_.*p_.*b_.*w_.*q_.)^m_.*v_.*r_.*w_.*s_.,x_Symbol] :=
With[{c=Simplify[u/(p*w*D[v,x]-q*v*D[w,x])]}, 
 -c*q/(s+1)*Subst[Int[(a+b*x^(q/(s+1)))^m,x],x,v^(m*p+r+1)*w^(s+1)] /;
 FreeQ[c,x]] /;
FreeQ[{a,b,m,p,q,r,s},x] && EqQ[p*(s+1)+q*(m*p+r+1),0] && NeQ[s,-1] && IntegerQ[q/(s+1)] && IntegerQ[m]

```

Substitution integration rules

1: $\int x^m F[x^{m+1}] dx$ when $m \neq -1$

Derivation: Integration by substitution

Basis: If $m \neq -1$, then $x^m F[x^{m+1}] = \frac{1}{m+1} F[x^{m+1}] \partial_x x^{m+1}$

Rule: If $m \neq -1$, then

$$\int x^m F[x^{m+1}] dx \rightarrow \frac{1}{m+1} \text{Subst}\left[\int F[x] dx, x, x^{m+1}\right]$$

Program code:

```

Int[u_*x_^m_.,x_Symbol] :=
1/(m+1)*Subst[Int[SubstFor[x^(m+1),u,x],x],x,x^(m+1)] /;
FreeQ[m,x] && NeQ[m,-1] && FunctionOfQ[x^(m+1),u,x]

```

2: $\int F[(a + b x)^{1/n}, x] dx$ when $n \in \mathbb{Z}$

Derivation: Integration by substitution

Basis: If $n \in \mathbb{Z}$, then $F[(a + b x)^{1/n}, x] = \frac{n}{b} \text{Subst}\left[x^{n-1} F\left[x, -\frac{a}{b} + \frac{x^n}{b}\right], x, (a + b x)^{1/n}\right] \partial_x (a + b x)^{1/n}$

Rule: If $n \in \mathbb{Z}$, then

$$\int F[(a + b x)^{1/n}, x] dx \rightarrow \frac{n}{b} \text{Subst}\left[\int x^{n-1} F\left[x, -\frac{a}{b} + \frac{x^n}{b}\right] dx, x, (a + b x)^{1/n}\right]$$

Program code:

```
If[TrueQ[$LoadShowSteps],  
  
Int[u_,x_Symbol]:=With[{lst=SubstForFractionalPowerOfLinear[u,x]},  
ShowStep["","Int[F[(a+b*x)^(1/n),x],x]",  
"n/b*Subst[Int[x^(n-1)*F[x,-a/b+x^n/b],x],x,(a+b*x)^(1/n)]",Hold[  
lst[[2]]*lst[[4]]*Subst[Int[lst[[1]],x],x,lst[[3]]^(1/lst[[2]])]]] /;  
Not[FalseQ[lst]] && SubstForFractionalPowerQ[u,lst[[3]],x]] /;  
SimplifyFlag,  
  
Int[u_,x_Symbol]:=With[{lst=SubstForFractionalPowerOfLinear[u,x]},  
lst[[2]]*lst[[4]]*Subst[Int[lst[[1]],x],x,lst[[3]]^(1/lst[[2]])] /;  
Not[FalseQ[lst]] && SubstForFractionalPowerQ[u,lst[[3]],x]]]
```

3: $\int F \left[\left(\frac{a+b x}{c+d x} \right)^{1/n}, x \right] dx \text{ when } n \in \mathbb{Z}$

Derivation: Integration by substitution

Basis: If $n \in \mathbb{Z}$, then $F \left[\left(\frac{a+b x}{c+d x} \right)^{1/n}, x \right] = n (b c - a d) \text{Subst} \left[\int \frac{x^{n-1}}{(b-d x^n)^2} F \left[x, \frac{-a+c x^n}{b-d x^n} \right], x, \left(\frac{a+b x}{c+d x} \right)^{1/n} \right] \partial_x \left(\frac{a+b x}{c+d x} \right)^{1/n}$

Rule: If $n \in \mathbb{Z}$, then

$$\int F \left[\left(\frac{a+b x}{c+d x} \right)^{1/n}, x \right] dx \rightarrow n (b c - a d) \text{Subst} \left[\int \frac{x^{n-1}}{(b-d x^n)^2} F \left[x, \frac{-a+c x^n}{b-d x^n} \right] dx, x, \left(\frac{a+b x}{c+d x} \right)^{1/n} \right]$$

Program code:

```
If[TrueQ[$LoadShowSteps],  
  
Int[u_,x_Symbol]:=With[{lst=SubstForFractionalPowerOfQuotientOfLinears[u,x]},  
ShowStep["","Int[F[((a+b*x)/(c+d*x))^(1/n),x],x]",  
"n*(b*c-a*d)*Subst[Int[x^(n-1)*F[x,(-a+c*x^n)/(b-d*x^n)]/(b-d*x^n)^2,x],x,((a+b*x)/(c+d*x))^(1/n)],Hold[  
lst[[2]]*lst[[4]]*Subst[Int[lst[[1]],x],x,lst[[3]]^(1/lst[[2]])]]]/;  
Not[FalseQ[lst]]];  
SimplifyFlag,  
  
Int[u_,x_Symbol]:=With[{lst=SubstForFractionalPowerOfQuotientOfLinears[u,x]},  
lst[[2]]*lst[[4]]*Subst[Int[lst[[1]],x],x,lst[[3]]^(1/lst[[2]])]/;  
Not[FalseQ[lst]]]]
```

Piecewise constant extraction integration rules

$$1: \int u (v^m w^n \dots)^p dx \text{ when } p \notin \mathbb{Z}$$

Derivation: Piecewise constant extraction

$$\text{Basis: } \partial_x \frac{(a F[x]^m G[x]^n \dots)^p}{F[x]^{m p} G[x]^{n p} \dots} = 0$$

$$\text{Basis: } \frac{(a v^m w^n \dots)^p}{v^m p w^n p \dots} = \frac{a^{\text{IntPart}[p]} (a v^m w^n \dots)^{\text{FracPart}[p]}}{v^m \text{FracPart}[p] w^n \text{FracPart}[p] \dots}$$

Rule: If $p \notin \mathbb{Z}$, then

$$\int u (a v^m w^n \dots)^p dx \rightarrow \frac{a^{\text{IntPart}[p]} (a v^m w^n \dots)^{\text{FracPart}[p]}}{v^m \text{FracPart}[p] w^n \text{FracPart}[p] \dots} \int u v^m \text{FracPart}[p] w^n \text{FracPart}[p] \dots dx$$

Program code:

```
Int[u_.*(a_.*v_^m_.*w_^n_.*z_^q_.)^p_,x_Symbol] :=
  a^IntPart[p]*(a*v^m*w^n*z^q)^FracPart[p]/(v^(m*FracPart[p])*w^(n*FracPart[p]))*z^(q*FracPart[p])*Int[u*v^(m*p)*w^(n*p)*z^(p*q),x] /;
FreeQ[{a,m,n,p,q},x] && Not[IntegerQ[p]] && Not[FreeQ[v,x]] && Not[FreeQ[w,x]] && Not[FreeQ[z,x]]
```

```
Int[u_.*(a_.*v_^m_.*w_^n_.)^p_,x_Symbol] :=
  a^IntPart[p]*(a*v^m*w^n)^FracPart[p]/(v^(m*FracPart[p])*w^(n*FracPart[p]))*Int[u*v^(m*p)*w^(n*p),x] /;
FreeQ[{a,m,n,p},x] && Not[IntegerQ[p]] && Not[FreeQ[v,x]] && Not[FreeQ[w,x]]
```

```
Int[u_.*(a_.*v_^m_.)^p_,x_Symbol] :=
  a^IntPart[p]*(a*v^m)^FracPart[p]/v^(m*FracPart[p])*Int[u*v^(m*p),x] /;
FreeQ[{a,m,p},x] && Not[IntegerQ[p]] && Not[FreeQ[v,x]] && Not[EqQ[a,1] && EqQ[m,1]] && Not[EqQ[v,x] && EqQ[m,1]]
```

2. $\int u (a + b v^n)^p dx$ when $p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^-$

1: $\int u (a + b x^n)^p dx$ when $p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^-$

Derivation: Piecewise constant extraction

Basis: $\partial_x \frac{(a+b x^n)^p}{x^{n p} \left(1+\frac{a x^{-n}}{b}\right)^p} = 0$

Rule: If $p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^-$, then

$$\int u (a + b x^n)^p dx \rightarrow \frac{b^{\text{IntPart}[p]} (a + b x^n)^{\text{FracPart}[p]}}{x^{\text{FracPart}[p]} \left(1 + \frac{a x^{-n}}{b}\right)^{\text{FracPart}[p]}} \int u x^{n p} \left(1 + \frac{a x^{-n}}{b}\right)^p dx$$

Program code:

```
Int[u_.*(a_+b_.*x_`^n_)`^p_,x_Symbol]:=  
  b^`^IntPart[p]*(`^a+b*x`^n)`^`^FracPart[p]/(`^x`^(n*`^FracPart[p])*(1+a*x`^(-n)/b)`^`^FracPart[p])*`^Int[u*x`^(n*p)*(1+a*x`^(-n)/b)`^p,x] /;  
  FreeQ[{a,b,p},x] && Not[IntegerQ[p]] && ILtQ[n,0] && Not[RationalFunctionQ[u,x]] && IntegerQ[p+1/2]
```

2: $\int u (a + b v^n)^p dx$ when $p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^-$

Derivation: Piecewise constant extraction

Basis: $\partial_x \frac{(a+b F[x]^n)^p}{F[x]^{n p} (b+a F[x]^{-n})^p} = 0$

Basis: $\frac{(a+b v^n)^p}{v^{n p} (b+a v^{-n})^p} = \frac{(a+b v^n)^{\text{FracPart}[p]}}{v^{n \text{FracPart}[p]} (b+a v^{-n})^{\text{FracPart}[p]}}$

Rule: If $p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^-$, then

$$\int u (a + b v^n)^p dx \rightarrow \frac{(a + b v^n)^{\text{FracPart}[p]}}{v^{n \text{FracPart}[p]} (b + a v^{-n})^{\text{FracPart}[p]}} \int u v^{n p} (b + a v^{-n})^p dx$$

Program code:

```
Int[u_.*(a_._+b_._*v_._^n_)^p_,x_Symbol]:=  
  (a+b*v^n)^FracPart[p]/(v^(n*FracPart[p])*(b+a*v^(-n))^FracPart[p])*Int[u*v^(n*p)*(b+a*v^(-n))^p,x] /;  
  FreeQ[{a,b,p},x] && Not[IntegerQ[p]] && ILtQ[n,0] && BinomialQ[v,x] && Not[LinearQ[v,x]]
```

3: $\int u (a + b x^m v^n)^p dx \text{ when } p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^-$

Derivation: Piecewise constant extraction

Basis: $\partial_x \frac{(a+b x^m F[x]^n)^p}{F[x]^{n p} (b x^m + a F[x]^{-n})^p} = 0$

Basis: $\frac{(a+b x^m v^n)^p}{v^{n p} (b x^m + a v^{-n})^p} = \frac{(a+b x^m v^n)^{\text{FracPart}[p]}}{v^{n \text{FracPart}[p]} (b x^m + a v^{-n})^{\text{FracPart}[p]}}$

Rule: If $p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^-$, then

$$\int u (a + b x^m v^n)^p dx \rightarrow \frac{(a + b x^m v^n)^{\text{FracPart}[p]}}{v^{n \text{FracPart}[p]} (b x^m + a v^{-n})^{\text{FracPart}[p]}} \int u v^{n p} (b x^m + a v^{-n})^p dx$$

Program code:

```
Int[u_.*(a_._+b_._*x_._^m_._*v_._^n_)^p_,x_Symbol]:=  
  (a+b*x^m*v^n)^FracPart[p]/(v^(n*FracPart[p])*(b*x^m+a*v^(-n))^FracPart[p])*Int[u*v^(n*p)*(b*x^m+a*v^(-n))^p,x] /;  
 FreeQ[{a,b,m,p},x] && Not[IntegerQ[p]] && ILtQ[n,0] && BinomialQ[v,x]
```

4: $\int u (a x^r + b x^s)^m dx \text{ when } m \notin \mathbb{Z}$

Derivation: Piecewise constant extraction

Basis: $\partial_x \frac{(a x^r + b x^s)^m}{x^{m r} (a+b x^{s-r})^m} = 0$

Basis: $\frac{(a x^r + b x^s)^m}{x^{r m} (a+b x^{s-r})^m} = \frac{(a x^r + b x^s)^{\text{FracPart}[m]}}{x^{r \text{FracPart}[m]} (a+b x^{s-r})^{\text{FracPart}[m]}}$

Note: This rule should be generalized to handle an arbitrary number of terms.

Rule: If $m \notin \mathbb{Z}$, then

$$\int u (ax^r + bx^s)^m dx \rightarrow \frac{(ax^r + bx^s)^{\text{FracPart}[m]}}{x^{r \text{FracPart}[m]} (a + bx^{s-r})^{\text{FracPart}[m]}} \int u x^{m r} (a + bx^{s-r})^m dx$$

Program code:

```
Int[u_.*(a_.*x_`^r_`.+b_.*x_`^s_`)^m_,x_Symbol] :=
With[{v=(a*x^r+b*x^s)^FracPart[m]/(x^(r*FracPart[m])*(a+b*x^(s-r))^FracPart[m])},
v*Int[u*x^(m*r)*(a+b*x^(s-r))^m,x] /;
NeQ[Simplify[v],1]] /;
FreeQ[{a,b,m,r,s},x] && Not[IntegerQ[m]] && PosQ[s-r]
```

Algebraic expansion integration rules

1: $\int \frac{u}{a + b x^n} dx$ when $n \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $n \in \mathbb{Z}^+$, then

$$\int \frac{u}{a + b x^n} dx \rightarrow \int \text{RationalFunctionExpand}\left[\frac{u}{a + b x^n}, x\right] dx$$

Program code:

```
Int[u_/(a_+b_.*x_`^n_),x_Symbol] :=
With[{v=RationalFunctionExpand[u/(a+b*x^n),x]},
Int[v,x] /;
SumQ[v]] /;
FreeQ[{a,b},x] && IGtQ[n,0]
```

$$2. \int u (a + b x^n + c x^{2n})^p dx$$

$$1. \int u (a + b x^n + c x^{2n})^p dx \text{ when } b^2 - 4ac = 0$$

$$1: \int u (a + b x^n + c x^{2n})^p dx \text{ when } b^2 - 4ac = 0 \wedge p \in \mathbb{Z}$$

Derivation: Algebraic simplification

Basis: If $b^2 - 4ac = 0$, then $a + b z + c z^2 = \frac{1}{4c} (b + 2cz)^2$

Rule: If $b^2 - 4ac = 0 \wedge p \in \mathbb{Z}$, then

$$\int u (a + b x^n + c x^{2n})^p dx \rightarrow \frac{1}{4^p c^p} \int u (b + 2cx^n)^{2p} dx$$

Program code:

```
Int[u_*(a_._+b_._*x_._^n_._+c_._*x_._^n2_._)^p_.,x_Symbol] :=  
 1/(4^p*c^p)*Int[u*(b+2*c*x^n)^(2*p),x] /;  
 FreeQ[{a,b,c,n},x] && EqQ[n2,2*n] && EqQ[b^2-4*a*c,0] && IntegerQ[p] && Not[AlgebraicFunctionQ[u,x]]
```

2: $\int u (a + b x^n + c x^{2n})^p dx$ when $b^2 - 4ac = 0 \wedge p \notin \mathbb{Z}$

Derivation: Piecewise constant extraction

■ Basis: If $b^2 - 4ac = 0$, then $\partial_x \frac{(a + b x^n + c x^{2n})^p}{(b + 2c x^n)^{2p}} = 0$

— Rule: If $b^2 - 4ac = 0 \wedge p \notin \mathbb{Z}$, then

$$\int u (a + b x^n + c x^{2n})^p dx \rightarrow \frac{(a + b x^n + c x^{2n})^p}{(b + 2c x^n)^{2p}} \int u (b + 2c x^n)^{2p} dx$$

— Program code:

```
Int[u_*(a_.+b_.*x_^.n_.+c_.*x_^.n2_.)^p_,x_Symbol]:=  
  (a+b*x^n+c*x^(2*n))^p/(b+2*c*x^n)^(2*p)*Int[u*(b+2*c*x^n)^(2*p),x] /;  
FreeQ[{a,b,c,n,p},x] && EqQ[n2,2*n] && EqQ[b^2-4*a*c,0] && Not[IntegerQ[p]] && Not[AlgebraicFunctionQ[u,x]]
```

2. $\int u (a + b x^n + c x^{2n})^p dx$ when $b^2 - 4ac \neq 0$

1: $\int \frac{u}{a + b x^n + c x^{2n}} dx$ when $n \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $n \in \mathbb{Z}^+$, then

$$\int \frac{u}{a + b x^n + c x^{2n}} dx \rightarrow \int \text{RationalFunctionExpand}\left[\frac{u}{a + b x^n + c x^{2n}}, x\right] dx$$

Program code:

```
Int[u_/(a_.+b_.*x_^.n_.+c_.*x_^.n2_),x_Symbol]:=  
With[{v=RationalFunctionExpand[u/(a+b*x^n+c*x^(2*n)),x]},  
Int[v,x];  
SumQ[v]];  
FreeQ[{a,b,c},x] && EqQ[n2,2*n] && IGtQ[n,0]
```

3: $\int \frac{u}{a x^m + b \sqrt{c x^n}} dx$

Derivation: Algebraic simplification

Basis: $\frac{1}{z+w} == \frac{z-w}{z^2-w^2}$

Rule:

$$\int \frac{u}{a x^m + b \sqrt{c x^n}} dx \rightarrow \int \frac{u (a x^m - b \sqrt{c x^n})}{a^2 x^{2m} - b^2 c x^n} dx$$

Program code:

```
Int[u_./(a_.*x_^m_._+b_._*Sqrt[c_._*x_^n_]),x_Symbol]:=  
  Int[u*(a*x^m-b*Sqrt[c*x^n])/((a^2*x^(2*m)-b^2*c*x^n),x] /;  
  FreeQ[{a,b,c,m,n},x]
```

Substitution integration rules

$$1: \int F[a + b x] dx$$

Derivation: Integration by substitution

$$\text{Basis: } F[a + b x] = \frac{1}{b} F[a + b x] \partial_x(a + b x)$$

```
If[TrueQ[$LoadShowSteps],  
  
Int[u_,x_Symbol]:=With[{lst=FunctionOfLinear[u,x]},  
ShowStep["","Int[F[a+b*x],x]","Subst[Int[F[x],x],x,a+b*x]/b",Hold[  
Dist[1/lst[[3]],Subst[Int[lst[[1]],x],x,lst[[2]]+lst[[3]]*x],x]]]/;  
Not[FalseQ[lst]]];  
SimplifyFlag,  
  
Int[u_,x_Symbol]:=With[{lst=FunctionOfLinear[u,x]},  
Dist[1/lst[[3]],Subst[Int[lst[[1]],x],x,lst[[2]]+lst[[3]]*x],x]/;  
Not[FalseQ[lst]]]]
```

2. $\int x^m F[x^n] dx$ when $\text{GCD}[m+1, n] > 1$

1:
$$\int \frac{F[(c x)^n]}{x} dx$$

Derivation: Integration by substitution

Basis:
$$\frac{F[(c x)^n]}{x} = \frac{F[(c x)^n]}{n (c x)^n} \partial_x (c x)^n$$

Rule:

$$\int \frac{F[(c x)^n]}{x} dx \rightarrow \frac{1}{n} \text{Subst}\left[\int \frac{F[x]}{x} dx, x, (c x)^n\right]$$

—

Program code:

```
If[TrueQ[$LoadShowSteps],  
  
Int[u_/x_,x_Symbol]:=With[{lst=PowerVariableExpn[u,0,x]},  
ShowStep["","Int[F[(c*x)^n]/x,x]","Subst[Int[F[x]/x,x],x,(c*x)^n]/n",Hold[  
1/lst[[2]]*Subst[Int[NormalizeIntegrand[Simplify[lst[[1]]/x],x],x,(lst[[3]]*x)^lst[[2]]]] /;  
Not[FalseQ[lst]] && NeQ[lst[[2]],0]] /;  
SimplifyFlag && NonsumQ[u] && Not[RationalFunctionQ[u,x]],  
  
Int[u_/x_,x_Symbol]:=With[{lst=PowerVariableExpn[u,0,x]},  
1/lst[[2]]*Subst[Int[NormalizeIntegrand[Simplify[lst[[1]]/x],x],x,(lst[[3]]*x)^lst[[2]]] /;  
Not[FalseQ[lst]] && NeQ[lst[[2]],0]] /;  
NonsumQ[u] && Not[RationalFunctionQ[u,x]]]
```

2: $\int x^m F[x^n] dx$ when $m \neq -1 \wedge \text{GCD}[m+1, n] > 1$

Derivation: Integration by substitution

Basis: Let $g = \text{GCD}[m+1, n]$, then $x^m F[x^n] = \frac{1}{g} (x^g)^{(m+1)/g-1} F[(x^g)^{n/g}] \partial_x x^g$

Rule: If $m \neq -1$, let $g = \text{GCD}[m+1, n]$, if $g > 1$, then

$$\int x^m F[x^n] dx \rightarrow \frac{1}{g} \text{Subst}\left[\int x^{(m+1)/g-1} F[x^{n/g}] dx, x, x^g\right]$$

Program code:

```
If[TrueQ[$LoadShowSteps],  
  
Int[u_*x_^m_,x_Symbol]:=  
With[{lst=PowerVariableExpn[u,m+1,x]},  
ShowStep["If g=GCD[m+1,n]>1,","Int[x^m*F[x^n],x]",  
"1/g*Subst[Int[x^((m+1)/g-1)*F[x^(n/g)],x],x,x^g]",Hold[  
1/lst[[2]]*Subst[Int[NormalizeIntegrand[Simplify[lst[[1]]/x],x],x,(lst[[3]]*x)^lst[[2]]]]];  
Not[FalseQ[lst]] && NeQ[lst[[2]],m+1]];  
SimplifyFlag && IntegerQ[m] && NeQ[m,-1] && NonsumQ[u] && (GtQ[m,0] || Not[AlgebraicFunctionQ[u,x]]),  
  
Int[u_*x_^m_,x_Symbol]:=  
With[{lst=PowerVariableExpn[u,m+1,x]},  
1/lst[[2]]*Subst[Int[NormalizeIntegrand[Simplify[lst[[1]]/x],x],x,(lst[[3]]*x)^lst[[2]]]];  
Not[FalseQ[lst]] && NeQ[lst[[2]],m+1]];  
IntegerQ[m] && NeQ[m,-1] && NonsumQ[u] && (GtQ[m,0] || Not[AlgebraicFunctionQ[u,x]])]
```

3: $\int x^m F[x] dx$ when $m \in \mathbb{F}$

Derivation: Integration by substitution

Basis: If $k \in \mathbb{Z}^+$, then $x^m F[x] = k (x^{1/k})^{k(m+1)-1} F[(x^{1/k})^k] \partial_x x^{1/k}$

Rule: If $m \in \mathbb{F}$, let $k = \text{Denominator}[m]$, then

$$\int x^m F[x] dx \rightarrow k \text{Subst} \left[\int x^{k(m+1)-1} F[x^k] dx, x, x^{1/k} \right]$$

Program code:

```
Int[x^m*u_,x_Symbol] :=  
With[{k=Denominator[m]},  
k*Subst[Int[x^(k*(m+1)-1)*ReplaceAll[u,x→x^k],x],x,x^(1/k)] /;  
FractionQ[m]
```

4. $\int F[\sqrt{ax^2 + bx + c}, x] dx$

1: $\int F[\sqrt{ax^2 + bx + c}, x] dx$ when $a > 0$

Reference: G&R 2.251.1 (Euler substitution #1)

Derivation: Integration by substitution

Basis: $F[\sqrt{ax^2 + bx + c}, x] =$
 $2 \text{Subst} \left[\frac{c\sqrt{a}-bx+\sqrt{a}x^2}{(c-x^2)^2} F \left[\frac{c\sqrt{a}-bx+\sqrt{a}x^2}{c-x^2}, \frac{-b+2\sqrt{a}x}{c-x^2} \right], x, \frac{-\sqrt{a}+\sqrt{a+b}x+c x^2}{x} \right] \partial_x \frac{-\sqrt{a}+\sqrt{a+b}x+c x^2}{x}$

Rule: If $a > 0$, then

$$\int F\left[\sqrt{a + bx + cx^2}, x\right] dx \rightarrow 2 \text{Subst}\left[\int \frac{c\sqrt{a} - bx + \sqrt{a}x^2}{(c - x^2)^2} F\left[\frac{c\sqrt{a} - bx + \sqrt{a}x^2}{c - x^2}, \frac{-b + 2\sqrt{a}x}{c - x^2}\right] dx, x, \frac{-\sqrt{a} + \sqrt{a + bx + cx^2}}{x}\right]$$

Program code:

```
If[TrueQ[$LoadShowSteps],  
  
Int[u_,x_Symbol]:=With[{lst=FunctionOfSquareRootOfQuadratic[u,x]},  
ShowStep["","Int[F[Sqrt[a+b*x+c*x^2],x],x]",  
"2*Subst[Int[F[(c*Sqrt[a]-b*x+Sqrt[a]*x^2)/(c-x^2),(-b+2*Sqrt[a]*x)/(c-x^2)]*  
(c*Sqrt[a]-b*x+Sqrt[a]*x^2)/(c-x^2)^2,x],x,(-Sqrt[a]+Sqrt[a+b*x+c*x^2])/x]",  
Hold[2*Subst[Int[lst[[1]],x],x,lst[[2]]]]];  
Not[FalseQ[lst]] && EqQ[lst[[3]],1]];  
SimplifyFlag && EulerIntegrandQ[u,x],  
  
Int[u_,x_Symbol]:=With[{lst=FunctionOfSquareRootOfQuadratic[u,x]},  
2*Subst[Int[lst[[1]],x],x,lst[[2]]];  
Not[FalseQ[lst]] && EqQ[lst[[3]],1]];  
EulerIntegrandQ[u,x]]
```

2: $\int F\left[\sqrt{a + bx + cx^2}, x\right] dx$ when $a \neq 0 \wedge c > 0$

Reference: G&R 2.251.2 (Euler substitution #2)

Derivation: Integration by substitution

Basis:

$$F\left[\sqrt{a + bx + cx^2}, x\right] =$$

$$2 \text{Subst}\left[\frac{a\sqrt{c} + bx + \sqrt{c}x^2}{(b+2\sqrt{c}x)^2} F\left[\frac{a\sqrt{c} + bx + \sqrt{c}x^2}{b+2\sqrt{c}x}, \frac{-a+x^2}{b+2\sqrt{c}x}\right], x, \sqrt{c}x + \sqrt{a + bx + cx^2}\right] \partial_x \left(\sqrt{c}x + \sqrt{a + bx + cx^2}\right)$$

Rule: If $a \neq 0 \wedge c > 0$, then

$$\int F\left[\sqrt{a+b x+c x^2}, x\right] dx \rightarrow 2 \operatorname{Subst}\left[\int \frac{a \sqrt{c}+b x+\sqrt{c} x^2}{(b+2 \sqrt{c} x)^2} F\left[\frac{a \sqrt{c}+b x+\sqrt{c} x^2}{b+2 \sqrt{c} x}, \frac{-a+x^2}{b+2 \sqrt{c} x}\right] dx, x, \sqrt{c} x+\sqrt{a+b x+c x^2}\right]$$

Program code:

```
If[TrueQ[$LoadShowSteps],  
  
Int[u_,x_Symbol]:=With[{lst=FunctionOfSquareRootOfQuadratic[u,x]},  
ShowStep["","Int[F[Sqrt[a+b*x+c*x^2],x],x]",  
"2*Subst[Int[F[(a*Sqrt[c]+b*x+Sqrt[c]*x^2)/(b+2*Sqrt[c]*x),(-a+x^2)/(b+2*Sqrt[c]*x)]*  
(a*Sqrt[c]+b*x+Sqrt[c]*x^2)/(b+2*Sqrt[c]*x)^2,x],x,Sqrt[c]*x+Sqrt[a+b*x+c*x^2]]",  
Hold[2*Subst[Int[lst[[1]],x],x,lst[[2]]]]]];  
Not[FalseQ[lst]] && EqQ[lst[[3]],2]];  
SimplifyFlag && EulerIntegrandQ[u,x],  
  
Int[u_,x_Symbol]:=With[{lst=FunctionOfSquareRootOfQuadratic[u,x]},  
2*Subst[Int[lst[[1]],x],x,lst[[2]]];  
Not[FalseQ[lst]] && EqQ[lst[[3]],2]];  
EulerIntegrandQ[u,x]]
```

3: $\int F\left[\sqrt{a+b x+c x^2}, x\right] dx$ when $a \neq 0 \wedge c \neq 0$

Reference: G&R 2.251.3 (Euler substitution #3)

Derivation: Integration by substitution

Basis: $F\left[\sqrt{a+b x+c x^2}, x\right] = -2 \sqrt{b^2 - 4 a c}$

$$\operatorname{Subst}\left[\frac{x}{(c-x^2)^2} F\left[-\frac{\sqrt{b^2-4 a c}}{c-x^2} x, -\frac{b c+c \sqrt{b^2-4 a c}+\left(-b+\sqrt{b^2-4 a c}\right) x^2}{2 c (c-x^2)}\right], x, \frac{2 c \sqrt{a+b x+c x^2}}{b-\sqrt{b^2-4 a c}+2 c x}\right] \partial_x \frac{2 c \sqrt{a+b x+c x^2}}{b-\sqrt{b^2-4 a c}+2 c x}$$

Rule: If $a \neq 0 \wedge c \neq 0$, then

$$\int F\left[\sqrt{a+b x+c x^2}, x\right] dx \rightarrow$$

$$-2 \sqrt{b^2-4 a c} \operatorname{Subst}\left[\int \frac{x}{(c-x^2)^2} F\left[-\frac{\sqrt{b^2-4 a c} x}{c-x^2},-\frac{b c+c \sqrt{b^2-4 a c}+\left(-b+\sqrt{b^2-4 a c}\right) x^2}{2 c \left(c-x^2\right)}\right] dx, x, \frac{2 c \sqrt{a+b x+c x^2}}{b-\sqrt{b^2-4 a c}+2 c x}\right]$$

Program code:

```
If[TrueQ[$LoadShowSteps],
```

```
Int[u_,x_Symbol] :=
```

```
With[{lst=FunctionOfSquareRootOfQuadratic[u,x]},
```

```
ShowStep["","Int[F[Sqrt[a+b*x+c*x^2],x],x]",
```

```
"-2*.Sqrt[b^2-4*a*c]*Subst[Int[F[-Sqrt[b^2-4*a*c]*x/(c-x^2),
```

```
(b*c+c*Sqrt[b^2-4*a*c]+(-b+Sqrt[b^2-4*a*c])*x^2)/(-2*c*(c-x^2))*x/(c-x^2)^2,x],
```

```
x,2*c*Sqrt[a+b*x+c*x^2]/(b-Sqrt[b^2-4*a*c]+2*c*x)]",
```

```
Hold[2*Subst[Int[lst[[1]],x],x,lst[[2]]]]];
```

```
Not[FalseQ[lst]] && EqQ[lst[[3]],3]]; /;
```

```
SimplifyFlag && EulerIntegrandQ[u,x],
```

```
Int[u_,x_Symbol] :=
```

```
With[{lst=FunctionOfSquareRootOfQuadratic[u,x]},
```

```
2*Subst[Int[lst[[1]],x],x,lst[[2]]];
```

```
Not[FalseQ[lst]] && EqQ[lst[[3]],3]]; /;
```

```
EulerIntegrandQ[u,x]]
```

Algebraic expansion integration rules

$$1. \int \frac{1}{a + b v^n} dx \text{ when } n \in \mathbb{Z} \wedge n > 1$$

$$1. \int \frac{1}{a + b v^n} dx \text{ when } \frac{n}{2} \in \mathbb{Z}^+$$

$$1: \int \frac{1}{a + b v^2} dx$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{1}{a+bz^2} = \frac{1}{2a \left(1 - \frac{z}{\sqrt{-a/b}}\right)} + \frac{1}{2a \left(1 + \frac{z}{\sqrt{-a/b}}\right)}$$

Rule:

$$\int \frac{1}{a+bv^2} dx \rightarrow \frac{1}{2a} \int \frac{1}{1 - \frac{v}{\sqrt{-a/b}}} dx + \frac{1}{2a} \int \frac{1}{1 + \frac{v}{\sqrt{-a/b}}} dx$$

Program code:

```
Int[1/(a+b.*v.^2),x_Symbol] :=
(*1/(2*a)*Int[Together[1/(1-Rt[-b/a,2]*v)],x] + 1/(2*a)*Int[Together[1/(1+Rt[-b/a,2]*v)],x] /; *)
1/(2*a)*Int[Together[1/(1-v/Rt[-a/b,2])],x] + 1/(2*a)*Int[Together[1/(1+v/Rt[-a/b,2])],x] /;
FreeQ[{a,b},x]
```

$$2: \int \frac{1}{a+bv^n} dx \text{ when } \frac{n}{2} \in \mathbb{Z} \wedge n > 2$$

Derivation: Algebraic expansion

$$\text{Basis: If } \frac{n}{2} \in \mathbb{Z}^+, \text{ then } \frac{1}{a+bz^n} = \frac{2}{an} \sum_{k=1}^{n/2} \frac{1}{1 - (-1)^{-4k/n} \left(-\frac{a}{b}\right)^{-2/n} z^2}$$

Rule: If $\frac{n}{2} \in \mathbb{Z} \wedge n > 2$, then

$$\int \frac{1}{a+bv^n} dx \rightarrow \frac{2}{an} \sum_{k=1}^{n/2} \int \frac{1}{1 - (-1)^{-4k/n} \left(-\frac{a}{b}\right)^{-2/n} v^2} dx$$

Program code:

```
Int[1/(a+b.*v.^n_),x_Symbol] :=
Dist[2/(a*n),Sum[Int[Together[1/(1-v.^2/((-1)^(4*k/n)*Rt[-a/b,n/2]))],x],{k,1,n/2}],x] /;
FreeQ[{a,b},x] && IGtQ[n/2,1]
```

2: $\int \frac{1}{a + b v^n} dx$ when $\frac{n-1}{2} \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Basis: If $n \in \mathbb{Z}^+$, then $a + b z^n = a \prod_{k=1}^n \left(1 - (-1)^{-2k/n} \left(-\frac{a}{b}\right)^{-1/n} z\right)$

Basis: If $n \in \mathbb{Z}^+$, then $\frac{1}{a+bz^n} = \frac{1}{an} \sum_{k=1}^n \frac{1}{1 - (-1)^{-2k/n} \left(-\frac{a}{b}\right)^{-1/n} z}$

Rule: If $\frac{n-1}{2} \in \mathbb{Z}^+$, then

$$\int \frac{1}{a + b v^n} dx \rightarrow \frac{1}{an} \sum_{k=1}^n \int \frac{1}{1 - (-1)^{-2k/n} \left(-\frac{a}{b}\right)^{-1/n} v} dx$$

— Program code:

```
Int[1/(a+b.*v^n),x_Symbol] :=
  Dist[1/(a*n),Sum[Int[Together[1/(1-v/((-1)^(2*k/n)*Rt[-a/b,n]))],x],{k,1,n}],x] /;
FreeQ[{a,b},x] && IGtQ[(n-1)/2,0]
```

2: $\int \frac{P_u}{a + b u^n} dx$ when $n \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $n \in \mathbb{Z}^+$, then

$$\int \frac{P_u}{a + b u^n} dx \rightarrow \int \left(\text{ExpandIntegrand} \left[\frac{P_x}{a + b x^n}, x \right] / . x \rightarrow u \right) dx$$

Program code:

```
Int[v_/(a_+b_.*u_^.n_),x_Symbol] :=
  Int[ReplaceAll[ExpandIntegrand[PolynomialInSubst[v,u,x]/(a+b*x^n),x],x→u],x] /;
  FreeQ[{a,b},x] && IGtQ[n,0] && PolynomialInQ[v,u,x]
```

3: $\int u dx$ when $\text{NormalizeIntegrand}[u, x] \neq u$

Derivation: Algebraic simplification

Rule: If $\text{NormalizeIntegrand}[u, x] \neq u$, then

$$\int u dx \rightarrow \int \text{NormalizeIntegrand}[u, x] dx$$

Program code:

```
Int[u_,x_Symbol] :=
  With[{v=NormalizeIntegrand[u,x]},
    Int[v,x] /;
    v!=u]
```

4: $\int u \, dx$ when `ExpandIntegrand[u, x]` is a sum

Derivation: Algebraic expansion

Rule: If `ExpandIntegrand [u, x]` is a sum, then

$$\int u \, dx \rightarrow \int \text{ExpandIntegrand}[u, x] \, dx$$

Program code:

```
Int[u_,x_Symbol] :=
  With[{v=ExpandIntegrand[u,x]},
    Int[v,x] /;
  SumQ[v]]
```

Piecewise constant extraction integration rules

$$1: \int u (a + b x^m)^p (c + d x^n)^q dx \text{ when } a + d = 0 \wedge b + c = 0 \wedge m + n = 0 \wedge p + q = 0$$

Derivation: Piecewise constant extraction

$$\text{Basis: } \partial_x \frac{(a+b x^m)^p}{x^{m p} \left(-b - \frac{a}{x^m}\right)^p} = 0$$

Rule: If $a + d = 0 \wedge b + c = 0 \wedge m + n = 0 \wedge p + q = 0$

$$\int u (a + b x^m)^p (c + d x^n)^q dx \rightarrow \frac{(a + b x^m)^p (c + d x^n)^q}{x^{m p}} \int u x^{m p} dx$$

– Program code:

```
Int[u_.*(a_._+b_._*x_._^m_._)^p_._*(c_._+d_._*x_._^n_._)^q_._, x_Symbol] :=
  (a+b*x^m)^p*(c+d*x^n)^q/x^(m*p)*Int[u*x^(m*p),x] /;
FreeQ[{a,b,c,d,m,n,p,q},x] && EqQ[a+d,0] && EqQ[b+c,0] && EqQ[m+n,0] && EqQ[p+q,0]
```

2: $\int u (a + b x^n + c x^{2n})^p dx$ when $b^2 - 4 a c = 0 \wedge p + \frac{1}{2} \in \mathbb{Z}$

Derivation: Piecewise constant extraction

Basis: If $b^2 - 4 a c = 0 \wedge p - \frac{1}{2} \in \mathbb{Z}$, then $(a + b x^n + c x^{2n})^p = \frac{\sqrt{a+b x^n+c x^{2n}}}{(4c)^{p-\frac{1}{2}} (b+2c x^n)} (b+2c x^n)^{2p}$

Basis: If $b^2 - 4 a c = 0$, then $\partial_x \frac{\sqrt{a+b x^n+c x^{2n}}}{b+2c x^n} = 0$

Rule: If $b^2 - 4 a c = 0 \wedge p - \frac{1}{2} \in \mathbb{Z}$, then

$$\int u (a + b x^n + c x^{2n})^p dx \rightarrow \frac{\sqrt{a+b x^n+c x^{2n}}}{(4c)^{p-\frac{1}{2}} (b+2c x^n)} \int u (b+2c x^n)^{2p} dx$$

Program code:

```
Int[u_*(a_+b_.*x_^.n_.+c_.*x_^.n2_.)^p_, x_Symbol] :=
  
$$\frac{\text{Sqrt}[a+b*x^n+c*x^(2*n)]}{((4*c)^(p-1/2)*(b+2*c*x^n))} * \text{Int}[u*(b+2*c*x^n)^(2*p), x];$$

  FreeQ[{a,b,c,n,p},x] && EqQ[n2,2*n] && EqQ[b^2-4*a*c,0] && IntegerQ[p-1/2]
```

Substitution integration rules

1: $\int F[(a + b x)^{1/n}, x] dx$ when $n \in \mathbb{Z}$

Derivation: Integration by substitution

Basis: If $n \in \mathbb{Z}$, then $F[(a + b x)^{1/n}, x] = \frac{n}{b} \text{Subst}\left[x^{n-1} F\left[x, -\frac{a}{b} + \frac{x^n}{b}\right], x, (a + b x)^{1/n}\right] \partial_x (a + b x)^{1/n}$

Rule: If $n \in \mathbb{Z}$, then

$$\int F[(a + b x)^{1/n}, x] dx \rightarrow \frac{n}{b} \text{Subst}\left[\int x^{n-1} F\left[x, -\frac{a}{b} + \frac{x^n}{b}\right] dx, x, (a + b x)^{1/n}\right]$$

Program code:

```
If[TrueQ[$LoadShowSteps],  
  
Int[u_,x_Symbol]:=With[{lst=SubstForFractionalPowerOfLinear[u,x]},  
ShowStep["","Int[F[(a+b*x)^(1/n),x],x]",  
"n/b*Subst[Int[x^(n-1)*F[-a/b+x^n/b],x],x,(a+b*x)^(1/n)]",Hold[  
lst[[2]]*lst[[4]]*Subst[Int[lst[[1]],x],x,lst[[3]]^(1/lst[[2]])]]] /;  
Not[FalseQ[lst]]];  
SimplifyFlag,  
  
Int[u_,x_Symbol]:=With[{lst=SubstForFractionalPowerOfLinear[u,x]},  
lst[[2]]*lst[[4]]*Subst[Int[lst[[1]],x],x,lst[[3]]^(1/lst[[2]])] /;  
Not[FalseQ[lst]]]]
```

c: $\int u \, dx$

— Rule:

$$\int u \, dx \rightarrow \int u \, dx$$

— Program code:

```
Int[u_,x_] := CannotIntegrate[u,x]
```