

## Rules for integrands involving product logarithm functions

1.  $\int u (c \operatorname{ProductLog}[a + b x])^p dx$

1.  $\int (c \operatorname{ProductLog}[a + b x])^p dx$

1:  $\int (c \operatorname{ProductLog}[a + b x])^p dx$  when  $p < -1$

Rule: If  $p < -1$ , then

$$\int (c \operatorname{ProductLog}[a + b x])^p dx \rightarrow \frac{(a + b x) (c \operatorname{ProductLog}[a + b x])^p}{b (p + 1)} + \frac{p}{c (p + 1)} \int \frac{(c \operatorname{ProductLog}[a + b x])^{p+1}}{1 + \operatorname{ProductLog}[a + b x]} dx$$

Program code:

```
Int[(c_.*ProductLog[a_.+b_.*x_])^p_,x_Symbol]:=  
  (a+b*x)*(c*ProductLog[a+b*x])^p/(b*(p+1)) +  
  p/(c*(p+1))*Int[(c*ProductLog[a+b*x])^(p+1)/(1+ProductLog[a+b*x]),x] /;  
 FreeQ[{a,b,c},x] && LtQ[p,-1]
```

2:  $\int (c \operatorname{ProductLog}[a + b x])^p dx$  when  $p \neq -1$

Derivation: Integration by parts

Rule: If  $p \neq -1$ , then

$$\int (c \operatorname{ProductLog}[a + b x])^p dx \rightarrow \frac{(a + b x) (c \operatorname{ProductLog}[a + b x])^p}{b} - p \int \frac{(c \operatorname{ProductLog}[a + b x])^p}{1 + \operatorname{ProductLog}[a + b x]} dx$$

Program code:

```
Int[(c_.*ProductLog[a_.+b_.*x_])^p_,x_Symbol]:=  
  (a+b*x)*(c*ProductLog[a+b*x])^p/b -  
  p*Int[(c*ProductLog[a+b*x])^p/(1+ProductLog[a+b*x]),x] /;  
  FreeQ[{a,b,c},x] && Not[LessEqualQ[p,-1]]
```

2:  $\int (e + f x)^m (c \operatorname{ProductLog}[a + b x])^p dx$  when  $m \in \mathbb{Z}^+$

Derivation: Integration by substitution

Rule: If  $m \in \mathbb{Z}^+$ , then

$$\int (e + f x)^m (c \operatorname{ProductLog}[a + b x])^p dx \rightarrow \frac{1}{b^{m+1}} \operatorname{Subst} \left[ \int (c \operatorname{ProductLog}[x])^p \operatorname{ExpandIntegrand}[(b e - a f + f x)^m, x] dx, x, a + b x \right]$$

Program code:

```
Int[(e_._+f_._*x_)^m_._*(c_._*ProductLog[a_._+b_._*x_])^p_,x_Symbol]:=  
  1/b^(m+1)*Subst[Int[ExpandIntegrand[(c*ProductLog[x])^p,(b*e-a*f+f*x)^m,x],x,a+b*x] /;  
  FreeQ[{a,b,c,e,f,p},x] && IGtQ[m,0]
```

$$2. \int u (\text{ProductLog}[ax^n])^p dx$$

$$1. \int (\text{ProductLog}[ax^n])^p dx$$

**1:**  $\int (\text{ProductLog}[ax^n])^p dx$  when  $n(p-1) = -1 \vee (p - \frac{1}{2} \in \mathbb{Z} \wedge n(p - \frac{1}{2}) = -1)$

### Derivation: Integration by parts

**Rule:** If  $n(p-1) = -1 \vee (p - \frac{1}{2} \in \mathbb{Z} \wedge n(p - \frac{1}{2}) = -1)$ , then

$$\int (\text{ProductLog}[ax^n])^p dx \rightarrow x (\text{ProductLog}[ax^n])^p - np \int \frac{(\text{ProductLog}[ax^n])^p}{1 + \text{ProductLog}[ax^n]} dx$$

### Program code:

```
Int[(c_. * ProductLog[a_. * x_ ^n_]) ^ p_ ., x_Symbol] :=
  x * (c * ProductLog[a * x ^ n]) ^ p -
  n * p * Int[(c * ProductLog[a * x ^ n]) ^ p / (1 + ProductLog[a * x ^ n]), x] /;
FreeQ[{a, c, n, p}, x] && (EqQ[n * (p - 1), -1] || IntegerQ[p - 1/2] && EqQ[n * (p - 1/2), -1])
```

2:  $\int (c \operatorname{ProductLog}[a x^n])^p dx$  when  $(p \in \mathbb{Z} \wedge n(p+1) = -1) \vee (p - \frac{1}{2} \in \mathbb{Z} \wedge n(p + \frac{1}{2}) = -1)$

Rule: If  $(p \in \mathbb{Z} \wedge n(p+1) = -1) \vee (p - \frac{1}{2} \in \mathbb{Z} \wedge n(p + \frac{1}{2}) = -1)$ , then

$$\int (c \operatorname{ProductLog}[a x^n])^p dx \rightarrow \frac{x (c \operatorname{ProductLog}[a x^n])^p}{n p + 1} + \frac{n p}{c (n p + 1)} \int \frac{(c \operatorname{ProductLog}[a x^n])^{p+1}}{1 + \operatorname{ProductLog}[a x^n]} dx$$

Program code:

```
Int[(c_.*ProductLog[a_.*x_^n_])^p_,x_Symbol] :=
  x*(c*ProductLog[a*x^n])^p/(n*p+1) +
  n*p/(c*(n*p+1))*Int[(c*ProductLog[a*x^n])^(p+1)/(1+ProductLog[a*x^n]),x] /;
FreeQ[{a,c,n},x] && (IntegerQ[p] && EqQ[n*(p+1),-1] || IntegerQ[p-1/2] && EqQ[n*(p+1/2),-1])
```

3:  $\int (c \operatorname{ProductLog}[a x^n])^p dx$  when  $n \in \mathbb{Z}^-$

Derivation: Integration by substitution

Basis:  $\int f[x] dx = -\operatorname{Subst}\left[\int \frac{f[\frac{1}{x}]}{x^2} dx, x, \frac{1}{x}\right]$

Rule: If  $n \in \mathbb{Z}^-$ , then

$$\int (c \operatorname{ProductLog}[a x^n])^p dx \rightarrow -\operatorname{Subst}\left[\int \frac{(c \operatorname{ProductLog}[a x^{-n}])^p}{x^2} dx, x, \frac{1}{x}\right]$$

Program code:

```
Int[(c_.*ProductLog[a_.*x_^n_])^p_,x_Symbol] :=
  -Subst[Int[(c*ProductLog[a*x^(-n)])^p/x^2,x],x,1/x] /;
FreeQ[{a,c,p},x] && ILtQ[n,0]
```

$$2. \int x^m (c \operatorname{ProductLog}[a x^n])^p dx$$

**1:**  $\int x^m (c \operatorname{ProductLog}[a x^n])^p dx$  when  $m \neq -1 \wedge (p - \frac{1}{2} \in \mathbb{Z} \wedge 2(p + \frac{m+1}{n}) \in \mathbb{Z}^+ \vee p - \frac{1}{2} \notin \mathbb{Z} \wedge p + \frac{m+1}{n} + 1 \in \mathbb{Z}^+)$

Derivation: Integration by parts

Rule: If  $m \neq -1 \wedge (p - \frac{1}{2} \in \mathbb{Z} \wedge 2(p + \frac{m+1}{n}) \in \mathbb{Z}^+ \vee p - \frac{1}{2} \notin \mathbb{Z} \wedge p + \frac{m+1}{n} + 1 \in \mathbb{Z}^+)$ , then

$$\int x^m (c \operatorname{ProductLog}[a x^n])^p dx \rightarrow \frac{x^{m+1} (c \operatorname{ProductLog}[a x^n])^p}{m+1} - \frac{n p}{m+1} \int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{1 + \operatorname{ProductLog}[a x^n]} dx$$

Program code:

```
Int[x^m_.*(c_.*ProductLog[a_.*x_^n_.*])^p_.,x_Symbol] :=
  x^(m+1)*(c*ProductLog[a*x^n])^p/(m+1) -
  n*p/(m+1)*Int[x^m*(c*ProductLog[a*x^n])^p/(1+ProductLog[a*x^n]),x] /;
FreeQ[{a,c,m,n,p},x] && NeQ[m,-1] &&
(IntegerQ[p-1/2] && IGtQ[2*Simplify[p+(m+1)/n],0] || Not[IntegerQ[p-1/2]] && IGtQ[Simplify[p+(m+1)/n]+1,0])
```

2:  $\int x^m (c \operatorname{ProductLog}[a x^n])^p dx$  when  $m = -1 \vee (p - \frac{1}{2} \in \mathbb{Z} \wedge p + \frac{m+1}{n} - \frac{1}{2} \in \mathbb{Z}^-) \vee (p - \frac{1}{2} \notin \mathbb{Z} \wedge p + \frac{m+1}{n} \in \mathbb{Z}^-)$

Rule: If  $m = -1 \vee (p - \frac{1}{2} \in \mathbb{Z} \wedge p + \frac{m+1}{n} - \frac{1}{2} \in \mathbb{Z}^-) \vee (p - \frac{1}{2} \notin \mathbb{Z} \wedge p + \frac{m+1}{n} \in \mathbb{Z}^-)$ , then

$$\int x^m (c \operatorname{ProductLog}[a x^n])^p dx \rightarrow \frac{x^{m+1} (c \operatorname{ProductLog}[a x^n])^p}{m+n p + 1} + \frac{n p}{c (m+n p + 1)} \int \frac{x^m (c \operatorname{ProductLog}[a x^n])^{p+1}}{1 + \operatorname{ProductLog}[a x^n]} dx$$

Program code:

```
Int[x^m_.*(c_.*ProductLog[a_.*x_^n_.])^p_.,x_Symbol] :=
  x^(m+1)*(c*ProductLog[a*x^n])^p/(m+n*p+1) +
  n*p/(c*(m+n*p+1))*Int[x^m*(c*ProductLog[a*x^n])^(p+1)/(1+ProductLog[a*x^n]),x] /;
FreeQ[{a,c,m,n,p},x] &&
(EqQ[m,-1] || IntegerQ[p-1/2] && ILtQ[Simplify[p+(m+1)/n]-1/2,0] || Not[IntegerQ[p-1/2]] && ILtQ[Simplify[p+(m+1)/n],0])
```

3:  $\int x^m (c \operatorname{ProductLog}[a x])^p dx$

Derivation: Algebraic simplification

Basis:  $1 = \frac{1}{1+z} + \frac{z}{1+z}$

Rule:

$$\int x^m (c \operatorname{ProductLog}[a x])^p dx \rightarrow \int \frac{x^m (c \operatorname{ProductLog}[a x])^p}{1 + \operatorname{ProductLog}[a x]} dx + \frac{1}{c} \int \frac{x^m (c \operatorname{ProductLog}[a x])^{p+1}}{1 + \operatorname{ProductLog}[a x]} dx$$

Program code:

```
Int[x^m_.*(c_.*ProductLog[a_.*x_])^p_.,x_Symbol] :=
  Int[x^m*(c*ProductLog[a*x])^p/(1+ProductLog[a*x]),x] +
  1/c*Int[x^m*(c*ProductLog[a*x])^(p+1)/(1+ProductLog[a*x]),x] /;
FreeQ[{a,c,m},x]
```

4:  $\int x^m (c \operatorname{ProductLog}[a x^n])^p dx$  when  $n \in \mathbb{Z}^- \wedge m \in \mathbb{Z} \wedge m \neq -1$

Derivation: Integration by substitution

Basis:  $\int f[x] dx = -\operatorname{Subst}\left[\int \frac{f[\frac{1}{x}]}{x^2} dx, x, \frac{1}{x}\right]$

Rule: If  $n \in \mathbb{Z}^- \wedge m \in \mathbb{Z} \wedge m \neq -1$ , then

$$\int x^m (c \operatorname{ProductLog}[a x^n])^p dx \rightarrow -\operatorname{Subst}\left[\int \frac{(c \operatorname{ProductLog}[a x^{-n}])^p}{x^{m+2}} dx, x, \frac{1}{x}\right]$$

Program code:

```
Int[x_^m.*(c_.*ProductLog[a_.*x_^n_])^p_.,x_Symbol] :=
  -Subst[Int[(c*ProductLog[a*x^(-n)])^p/x^(m+2),x],x,1/x] /;
FreeQ[{a,c,p},x] && ILtQ[n,0] && IntegerQ[m] && NeQ[m,-1]
```

3.  $\int \frac{u}{d + d \operatorname{ProductLog}[a + b x]} dx$

1:  $\int \frac{1}{d + d \operatorname{ProductLog}[a + b x]} dx$

Rule:

$$\int \frac{1}{d + d \operatorname{ProductLog}[a + b x]} dx \rightarrow \frac{a + b x}{b d \operatorname{ProductLog}[a + b x]}$$

Program code:

```
Int[1/(d_+d_.*ProductLog[a_+b_.*x_]),x_Symbol] :=
  (a+b*x)/(b*d*ProductLog[a+b*x]) /;
FreeQ[{a,b,d},x]
```

$$2. \int \frac{\text{ProductLog}[a + b x]^p}{d + d \text{ProductLog}[a + b x]} dx$$

$$1. \int \frac{\text{ProductLog}[a + b x]^p}{d + d \text{ProductLog}[a + b x]} dx \text{ when } p > 0$$

$$1: \int \frac{\text{ProductLog}[a + b x]}{d + d \text{ProductLog}[a + b x]} dx$$

## Derivation: Algebraic simplification

Basis:  $\frac{z}{1+z} = 1 - \frac{1}{1+z}$

Rule:

$$\int \frac{\text{ProductLog}[a + b x]}{d + d \text{ProductLog}[a + b x]} dx \rightarrow d x - \int \frac{1}{d + d \text{ProductLog}[a + b x]} dx$$

Program code:

```
Int[ProductLog[a_.+b_.*x_]/(d_+d_.*ProductLog[a_.+b_.*x_]),x_Symbol] :=
  d*x - Int[1/(d+d*ProductLog[a+b*x]),x] /;
FreeQ[{a,b,d},x]
```

2:  $\int \frac{(c \operatorname{ProductLog}[a + b x])^p}{d + d \operatorname{ProductLog}[a + b x]} dx$  when  $p > 0$

Rule: If  $p > 0$ , then

$$\int \frac{(c \operatorname{ProductLog}[a + b x])^p}{d + d \operatorname{ProductLog}[a + b x]} dx \rightarrow \frac{c (a + b x) (c \operatorname{ProductLog}[a + b x])^{p-1}}{b d} - c p \int \frac{(c \operatorname{ProductLog}[a + b x])^{p-1}}{d + d \operatorname{ProductLog}[a + b x]} dx$$

Program code:

```
Int[(c.*ProductLog[a.+b.*x_])^p/(d+d.*ProductLog[a.+b.*x_]),x_Symbol] :=
  c*(a+b*x)*(c*ProductLog[a+b*x])^(p-1)/(b*d) -
  c*p*Int[(c*ProductLog[a+b*x])^(p-1)/(d+d*ProductLog[a+b*x]),x] /;
FreeQ[{a,b,c,d},x] && GtQ[p,0]
```

2.  $\int \frac{\operatorname{ProductLog}[a + b x]^p}{d + d \operatorname{ProductLog}[a + b x]} dx$  when  $p < 0$

1:  $\int \frac{1}{\operatorname{ProductLog}[a + b x] (d + d \operatorname{ProductLog}[a + b x])} dx$

Rule:

$$\int \frac{1}{\operatorname{ProductLog}[a + b x] (d + d \operatorname{ProductLog}[a + b x])} dx \rightarrow \frac{\operatorname{ExpIntegralEi}[\operatorname{ProductLog}[a + b x]]}{b d}$$

Program code:

```
Int[1/(\operatorname{ProductLog}[a.+b.*x_]*(d+d.*ProductLog[a.+b.*x_])),x_Symbol] :=
  ExpIntegralEi[\operatorname{ProductLog}[a+b*x]]/(b*d) /;
FreeQ[{a,b,d},x]
```

2.  $\int \frac{1}{\text{Sqrt}[c \text{ProductLog}[a + b x]] (d + d \text{ProductLog}[a + b x])} dx$

1:  $\int \frac{1}{\text{Sqrt}[c \text{ProductLog}[a + b x]] (d + d \text{ProductLog}[a + b x])} dx \text{ when } c > 0$

Rule: If  $c > 0$ , then

$$\int \frac{1}{\text{Sqrt}[c \text{ProductLog}[a + b x]] (d + d \text{ProductLog}[a + b x])} dx \rightarrow \frac{\sqrt{\pi c}}{b c d} \text{Erfi}\left[\frac{\sqrt{c \text{ProductLog}[a + b x]}}{\sqrt{c}}\right]$$

Program code:

```
Int[1/(Sqrt[c.*ProductLog[a..+b..*x_]]*(d+d.*ProductLog[a..+b..*x_])),x_Symbol]:=  
Rt[Pi*c,2]*Erfi[Sqrt[c*ProductLog[a+b*x]]/Rt[c,2]]/(b*c*d) /;  
FreeQ[{a,b,c,d},x] && PosQ[c]
```

2:  $\int \frac{1}{\text{Sqrt}[c \text{ProductLog}[a + b x]] (d + d \text{ProductLog}[a + b x])} dx \text{ when } c < 0$

Rule: If  $c < 0$ , then

$$\int \frac{1}{\text{Sqrt}[c \text{ProductLog}[a + b x]] (d + d \text{ProductLog}[a + b x])} dx \rightarrow \frac{\sqrt{-\pi c}}{b c d} \text{Erf}\left[\frac{\sqrt{c \text{ProductLog}[a + b x]}}{\sqrt{-c}}\right]$$

Program code:

```
Int[1/(Sqrt[c.*ProductLog[a..+b..*x_]]*(d+d.*ProductLog[a..+b..*x_])),x_Symbol]:=  
Rt[-Pi*c,2]*Erf[Sqrt[c*ProductLog[a+b*x]]/Rt[-c,2]]/(b*c*d) /;  
FreeQ[{a,b,c,d},x] && NegQ[c]
```

3:  $\int \frac{(c \operatorname{ProductLog}[a + b x])^p}{d + d \operatorname{ProductLog}[a + b x]} dx \text{ when } p < -1$

Rule: If  $p < -1$ , then

$$\int \frac{(c \operatorname{ProductLog}[a + b x])^p}{d + d \operatorname{ProductLog}[a + b x]} dx \rightarrow \frac{(a + b x) (c \operatorname{ProductLog}[a + b x])^p}{b d (p + 1)} - \frac{1}{c (p + 1)} \int \frac{(c \operatorname{ProductLog}[a + b x])^{p+1}}{d + d \operatorname{ProductLog}[a + b x]} dx$$

Program code:

```
Int[(c.*ProductLog[a.+b.*x_])^p/(d+d.*ProductLog[a.+b.*x_]),x_Symbol] :=
(a+b*x)*(c*ProductLog[a+b*x])^p/(b*d*(p+1)) -
1/(c*(p+1))*Int[(c*ProductLog[a+b*x])^(p+1)/(d+d*ProductLog[a+b*x]),x] /;
FreeQ[{a,b,c,d},x] && LtQ[p,-1]
```

3:  $\int \frac{(c \operatorname{ProductLog}[a + b x])^p}{d + d \operatorname{ProductLog}[a + b x]} dx$

Rule:

$$\int \frac{(c \operatorname{ProductLog}[a + b x])^p}{d + d \operatorname{ProductLog}[a + b x]} dx \rightarrow \frac{\operatorname{Gamma}[p + 1, -\operatorname{ProductLog}[a + b x]] (c \operatorname{ProductLog}[a + b x])^p}{b d (-\operatorname{ProductLog}[a + b x])^p}$$

Program code:

```
Int[(c.*ProductLog[a.+b.*x_])^p./(d+d.*ProductLog[a.+b.*x_]),x_Symbol] :=
Gamma[p+1,-ProductLog[a+b*x]]*(c*ProductLog[a+b*x])^p/(b*d*(-ProductLog[a+b*x])^p) /;
FreeQ[{a,b,c,d,p},x]
```

3:  $\int \frac{(e + f x)^m}{d + d \operatorname{ProductLog}[a + b x]} dx \text{ when } m \in \mathbb{Z}^+$

Derivation: Integration by substitution

Rule: If  $m \in \mathbb{Z}^+$ , then

$$\int \frac{(e + f x)^m}{d + d \operatorname{ProductLog}[a + b x]} dx \rightarrow \frac{1}{b^{m+1}} \operatorname{Subst} \left[ \int \frac{1}{d + d \operatorname{ProductLog}[x]} \operatorname{ExpandIntegrand}[(b e - a f + f x)^m, x] dx, x, a + b x \right]$$

Program code:

```
Int[(e_.+f_.*x_)^m_./((d_+d_.*ProductLog[a_+b_.*x_]),x_Symbol] :=  
 1/b^(m+1)*Subst[Int[ExpandIntegrand[1/(d+d*ProductLog[x]),(b*e-a*f+f*x)^m,x],x,a+b*x]]/;  
FreeQ[{a,b,d,e,f},x] && IGtQ[m,0]
```

4:  $\int \frac{(e + f x)^m (c \operatorname{ProductLog}[a + b x])^p}{d + d \operatorname{ProductLog}[a + b x]} dx \text{ when } m \in \mathbb{Z}^+$

Derivation: Integration by substitution

Rule: If  $m \in \mathbb{Z}^+$ , then

$$\int \frac{(e + f x)^m (c \operatorname{ProductLog}[a + b x])^p}{d + d \operatorname{ProductLog}[a + b x]} dx \rightarrow \frac{1}{b^{m+1}} \operatorname{Subst} \left[ \int \frac{(c \operatorname{ProductLog}[x])^p}{d + d \operatorname{ProductLog}[x]} \operatorname{ExpandIntegrand}[(b e - a f + f x)^m, x] dx, x, a + b x \right]$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*(c_.*ProductLog[a_+b_.*x_])^p_./((d_+d_.*ProductLog[a_+b_.*x_]),x_Symbol] :=  
 1/b^(m+1)*Subst[Int[ExpandIntegrand[(c*ProductLog[x])^p/(d+d*ProductLog[x]),(b*e-a*f+f*x)^m,x],x,a+b*x]]/;  
FreeQ[{a,b,c,d,e,f,p},x] && IGtQ[m,0]
```

$$4. \int \frac{u}{d + d \operatorname{ProductLog}[a x^n]} dx$$

$$1: \int \frac{1}{d + d \operatorname{ProductLog}[a x^n]} dx \text{ when } n \in \mathbb{Z}^-$$

Derivation: Integration by substitution

$$\text{Basis: } \int f[x] dx = -\operatorname{Subst}\left[\int \frac{f[\frac{1}{x}]}{x^2} dx, x, \frac{1}{x}\right]$$

Rule: If  $n \in \mathbb{Z}^-$ , then

$$\int \frac{1}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow -\operatorname{Subst}\left[\int \frac{1}{x^2 (d + d \operatorname{ProductLog}[a x^{-n}])} dx, x, \frac{1}{x}\right]$$

Program code:

```
Int[1/(d_+d_.*ProductLog[a_.*x_`^n_`]),x_Symbol]:=  
-Subst[Int[1/(x^2*(d+d*ProductLog[a*x^`(-n)`])),x],x,1/x]/;  
FreeQ[{a,d},x] && ILtQ[n,0]
```

$$2. \int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$$

1:  $\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \text{ when } n(p-1) == -1$

Rule: If  $n(p-1) == -1$ , then

$$\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{c x (c \operatorname{ProductLog}[a x^n])^{p-1}}{d}$$

Program code:

```
Int[(c_.*ProductLog[a_.*x_^n_.])^p_./ (d_+d_.*ProductLog[a_.*x_^n_.]),x_Symbol] :=
  c*x*(c*ProductLog[a*x^n])^(p-1)/d ;
FreeQ[{a,c,d,n,p},x] && EqQ[n*(p-1),-1]
```

3:  $\int \frac{\operatorname{ProductLog}[a x^n]^p}{d + d \operatorname{ProductLog}[a x^n]} dx \text{ when } p \in \mathbb{Z} \wedge n p == -1$

Rule: If  $p \in \mathbb{Z} \wedge n p == -1$ , then

$$\int \frac{\operatorname{ProductLog}[a x^n]^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{a^p \operatorname{ExpIntegralEi}[-p \operatorname{ProductLog}[a x^n]]}{d n}$$

Program code:

```
Int[ProductLog[a_.*x_^n_.]^p_./ (d_+d_.*ProductLog[a_.*x_^n_.]),x_Symbol] :=
  a^p*ExpIntegralEi[-p*ProductLog[a*x^n]]/(d*n) ;
FreeQ[{a,d},x] && IntegerQ[p] && EqQ[n*p,-1]
```

4.  $\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $\frac{1}{n} \in \mathbb{Z}$   $\wedge$   $p = \frac{1}{2} - \frac{1}{n}$

1:  $\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $\frac{1}{n} \in \mathbb{Z}$   $\wedge$   $p = \frac{1}{2} - \frac{1}{n}$   $\wedge$   $c n > 0$

Rule: If  $\frac{1}{n} \in \mathbb{Z}$   $\wedge$   $p = \frac{1}{2} - \frac{1}{n}$   $\wedge$   $c n > 0$ , then

$$\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{\sqrt{\pi c n}}{d n a^{1/n} c^{1/n}} \operatorname{Erfi}\left[\frac{\sqrt{c \operatorname{ProductLog}[a x^n]}}{\sqrt{c n}}\right]$$

Program code:

```
Int[(c.*ProductLog[a.*x.^n.])^p/(d+d.*ProductLog[a.*x.^n.]),x_Symbol] :=
  Rt[Pi*c*n,2]/(d*n*a^(1/n)*c^(1/n))*Erfi[Sqrt[c*ProductLog[a*x^n]]/Rt[c*n,2]] ;
FreeQ[{a,c,d},x] && IntegerQ[1/n] && EqQ[p,1/2-1/n] && PosQ[c*n]
```

2:  $\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $\frac{1}{n} \in \mathbb{Z}$   $\wedge$   $p = \frac{1}{2} - \frac{1}{n}$   $\wedge$   $c n < 0$

Rule: If  $\frac{1}{n} \in \mathbb{Z}$   $\wedge$   $p = \frac{1}{2} - \frac{1}{n}$   $\wedge$   $c n < 0$ , then

$$\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{\sqrt{-\pi c n}}{d n a^{1/n} c^{1/n}} \operatorname{Erf}\left[\frac{\sqrt{c \operatorname{ProductLog}[a x^n]}}{\sqrt{-c n}}\right]$$

Program code:

```
Int[(c.*ProductLog[a.*x.^n.])^p/(d+d.*ProductLog[a.*x.^n.]),x_Symbol] :=
  Rt[-Pi*c*n,2]/(d*n*a^(1/n)*c^(1/n))*Erf[Sqrt[c*ProductLog[a*x^n]]/Rt[-c*n,2]] ;
FreeQ[{a,c,d},x] && IntegerQ[1/n] && EqQ[p,1/2-1/n] && NegQ[c*n]
```

5:  $\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $n > 0 \wedge n(p - 1) + 1 > 0$

Rule: If  $n > 0 \wedge n(p - 1) + 1 > 0$ , then

$$\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{c x (c \operatorname{ProductLog}[a x^n])^{p-1}}{d} - c(n(p - 1) + 1) \int \frac{(c \operatorname{ProductLog}[a x^n])^{p-1}}{d + d \operatorname{ProductLog}[a x^n]} dx$$

Program code:

```
Int[(c.*ProductLog[a.*x.^n.])^p./(d+d.*ProductLog[a.*x.^n.]),x_Symbol] :=
  c*x*(c*ProductLog[a*x^n])^(p-1)/d -
  c*(n*(p-1)+1)*Int[(c*ProductLog[a*x^n])^(p-1)/(d+d*ProductLog[a*x^n]),x] /;
FreeQ[{a,c,d},x] && GtQ[n,0] && GtQ[n*(p-1)+1,0]
```

6:  $\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $n > 0 \wedge n p + 1 < 0$

Rule: If  $n > 0 \wedge n p + 1 < 0$ , then

$$\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{x (c \operatorname{ProductLog}[a x^n])^p}{d(n p + 1)} - \frac{1}{c(n p + 1)} \int \frac{(c \operatorname{ProductLog}[a x^n])^{p+1}}{d + d \operatorname{ProductLog}[a x^n]} dx$$

Program code:

```
Int[(c.*ProductLog[a.*x.^n.])^p./(d+d.*ProductLog[a.*x.^n.]),x_Symbol] :=
  x*(c*ProductLog[a*x^n])^p/(d*(n*p+1)) -
  1/(c*(n*p+1))*Int[(c*ProductLog[a*x^n])^(p+1)/(d+d*ProductLog[a*x^n]),x] /;
FreeQ[{a,c,d},x] && GtQ[n,0] && LtQ[n*p+1,0]
```

7:  $\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \text{ when } n \in \mathbb{Z}^-$

Derivation: Integration by substitution

Basis:  $\int f[x] dx = -\operatorname{Subst}\left[\int \frac{f[\frac{1}{x}]}{x^2} dx, x, \frac{1}{x}\right]$

Rule: If  $n \in \mathbb{Z}^-$ , then

$$\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow -\operatorname{Subst}\left[\int \frac{(c \operatorname{ProductLog}[a x^{-n}])^p}{x^2 (d + d \operatorname{ProductLog}[a x^{-n}])} dx, x, \frac{1}{x}\right]$$

Program code:

```
Int[(c.*ProductLog[a.*x^n])^p./(d+d.*ProductLog[a.*x^n]),x_Symbol]:=  
-Subst[Int[(c*ProductLog[a*x^(-n)])^p/(x^(2*(d+d*ProductLog[a*x^(-n)]))),x],x,1/x]/;  
FreeQ[{a,c,d,p},x] && ILtQ[n,0]
```

3.  $\int \frac{x^m}{d + d \operatorname{ProductLog}[a x]} dx$

1:  $\int \frac{x^m}{d + d \operatorname{ProductLog}[a x]} dx \text{ when } m > 0$

Rule: If  $m > 0$ , then

$$\int \frac{x^m}{d + d \operatorname{ProductLog}[a x]} dx \rightarrow \frac{x^{m+1}}{d (m+1) \operatorname{ProductLog}[a x]} - \frac{m}{m+1} \int \frac{x^m}{\operatorname{ProductLog}[a x] (d + d \operatorname{ProductLog}[a x])} dx$$

Program code:

```
Int[x^m./(d+d.*ProductLog[a.*x]),x_Symbol]:=  
x^(m+1)/(d*(m+1)*ProductLog[a*x])-  
m/(m+1)*Int[x^m/(ProductLog[a*x]*(d+d*ProductLog[a*x])),x]/;  
FreeQ[{a,d},x] && GtQ[m,0]
```

2.  $\int \frac{x^m}{d + d \operatorname{ProductLog}[ax]} dx$  when  $m < 0$

1:  $\int \frac{1}{x(d + d \operatorname{ProductLog}[ax])} dx$

Rule:

$$\int \frac{1}{x(d + d \operatorname{ProductLog}[ax])} dx \rightarrow \frac{\operatorname{Log}[\operatorname{ProductLog}[ax]]}{d}$$

Program code:

```
Int[1/(x_*(d+d_*ProductLog[a_.*x_])),x_Symbol] :=
  Log[ProductLog[a*x]]/d /;
FreeQ[{a,d},x]
```

2:  $\int \frac{x^m}{d + d \operatorname{ProductLog}[ax]} dx$  when  $m < -1$

Rule: If  $m < -1$ , then

$$\int \frac{x^m}{d + d \operatorname{ProductLog}[ax]} dx \rightarrow \frac{x^{m+1}}{d(m+1)} - \int \frac{x^m \operatorname{ProductLog}[ax]}{d + d \operatorname{ProductLog}[ax]} dx$$

Program code:

```
Int[x_^m_./(d_+d_*ProductLog[a_.*x_]),x_Symbol] :=
  x^(m+1)/(d*(m+1)) -
  Int[x^m*ProductLog[a*x]/(d+d*ProductLog[a*x]),x] /;
FreeQ[{a,d},x] && LtQ[m,-1]
```

3:  $\int \frac{x^m}{d + d \operatorname{ProductLog}[a x]} dx \text{ when } m \notin \mathbb{Z}$

Rule: If  $m \notin \mathbb{Z}$ , then

$$\int \frac{x^m}{d + d \operatorname{ProductLog}[a x]} dx \rightarrow \frac{x^m \operatorname{Gamma}[m+1, -(m+1) \operatorname{ProductLog}[a x]]}{a d (m+1) e^{m \operatorname{ProductLog}[a x]} (- (m+1) \operatorname{ProductLog}[a x])^m}$$

Program code:

```
Int[x^m_./ (d_+d_.*ProductLog[a_.*x_]),x_Symbol] :=
  x^m*Gamma[m+1,-(m+1)*ProductLog[a*x]]/
  (a*d*(m+1)*E^(m*ProductLog[a*x])*(-(m+1)*ProductLog[a*x])^m) /;
FreeQ[{a,d,m},x] && Not[IntegerQ[m]]
```

4.  $\int \frac{x^n}{d + d \operatorname{ProductLog}[a x^n]} dx$

1:  $\int \frac{1}{x (d + d \operatorname{ProductLog}[a x^n])} dx$

Rule:

$$\int \frac{1}{x (d + d \operatorname{ProductLog}[a x^n])} dx \rightarrow \frac{\operatorname{Log}[\operatorname{ProductLog}[a x^n]]}{d n}$$

Program code:

```
Int[1/(x_*(d_+d_.*ProductLog[a_.*x_`^n_])),x_Symbol] :=
  Log[ProductLog[a*x^n]]/(d*n) /;
FreeQ[{a,d,n},x]
```

**2:**  $\int \frac{x^m}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $m \in \mathbb{Z} \wedge n \in \mathbb{Z}^- \wedge m \neq -1$

Derivation: Integration by substitution

Basis:  $\int f[x] dx = -\operatorname{Subst}\left[\int \frac{f[\frac{1}{x}]}{x^2} dx, x, \frac{1}{x}\right]$

Rule: If  $m \in \mathbb{Z} \wedge n \in \mathbb{Z}^- \wedge m \neq -1$ , then

$$\int \frac{x^m}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow -\operatorname{Subst}\left[\int \frac{1}{x^{m+2} (d + d \operatorname{ProductLog}[a x^{-n}])} dx, x, \frac{1}{x}\right]$$

Program code:

```
Int[x^m_./ (d_+d_.*ProductLog[a_.*x_^n_]),x_Symbol] :=
  -Subst[Int[1/(x^(m+2)*(d+d*ProductLog[a*x^(-n)])),x],x,1/x] /;
FreeQ[{a,d},x] && IntegerQ[m] && ILtQ[n,0] && NeQ[m,-1]
```

5.  $\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$

**1:**  $\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{x (d + d \operatorname{ProductLog}[a x^n])} dx$

Rule:

$$\int \frac{(c \operatorname{ProductLog}[a x^n])^p}{x (d + d \operatorname{ProductLog}[a x^n])} dx \rightarrow \frac{(c \operatorname{ProductLog}[a x^n])^p}{d n p}$$

Program code:

```
Int[(c_.*ProductLog[a_.*x_^n_.])^p_./ (x_* (d_+d_.*ProductLog[a_.*x_^n_.])),x_Symbol] :=
  (c*ProductLog[a*x^n])^p/(d*n*p) /;
FreeQ[{a,c,d,n,p},x]
```

2.  $\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $m \neq -1$

1:  $\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $m \neq -1 \wedge m + n (p - 1) = -1$

Rule: If  $m \neq -1 \wedge m + n (p - 1) = -1$ , then

$$\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{c x^{m+1} (c \operatorname{ProductLog}[a x^n])^{p-1}}{d (m+1)}$$

Program code:

```
Int[x_^m_.*(c_.*ProductLog[a_.*x_^n_.])^p_./ (d_+d_.*ProductLog[a_.*x_^n_.]),x_Symbol] :=
  c*x^(m+1)*(c*ProductLog[a*x^n])^(p-1)/(d*(m+1)) ;
FreeQ[{a,c,d,m,n,p},x] && NeQ[m,-1] && EqQ[m+n*(p-1),-1]
```

2:  $\int \frac{x^m \operatorname{ProductLog}[a x^n]^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $p \in \mathbb{Z} \wedge m + n p = -1$

Rule: If  $p \in \mathbb{Z} \wedge m + n p = -1$ , then

$$\int \frac{x^m \operatorname{ProductLog}[a x^n]^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{a^p \operatorname{ExpIntegralEi}[-p \operatorname{ProductLog}[a x^n]]}{d^n}$$

Program code:

```
Int[x_^m_.*ProductLog[a_.*x_^n_.]^p_./ (d_+d_.*ProductLog[a_.*x_^n_.]),x_Symbol] :=
  a^p*ExpIntegralEi[-p*ProductLog[a*x^n]]/(d^n) ;
FreeQ[{a,d,m,n},x] && IntegerQ[p] && EqQ[m+n*p,-1]
```

3.  $\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $m \neq -1 \wedge p - \frac{1}{2} \in \mathbb{Z} \wedge m + n (p - \frac{1}{2}) + 1 = 0$

1:  $\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $m \neq -1 \wedge p - \frac{1}{2} \in \mathbb{Z} \wedge m + n (p - \frac{1}{2}) = -1 \wedge \frac{c}{p - \frac{1}{2}} > 0$

Rule: If  $m \neq -1 \wedge p - \frac{1}{2} \in \mathbb{Z} \wedge m + n (p - \frac{1}{2}) = -1 \wedge \frac{c}{p - \frac{1}{2}} > 0$ , then

$$\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{a^{p-\frac{1}{2}} c^{p-\frac{1}{2}}}{d^n} \sqrt{\frac{\pi c}{p - \frac{1}{2}}} \operatorname{Erf}\left[\frac{\sqrt{c \operatorname{ProductLog}[a x^n]}}{\sqrt{\frac{c}{p - \frac{1}{2}}}}\right]$$

Program code:

```
Int[x^m.*(c.*ProductLog[a.*x^n.])^p/(d+d.*ProductLog[a.*x^n.]),x_Symbol] :=
  a^(p-1/2)*c^(p-1/2)*Rt[Pi*c/(p-1/2),2]*Erf[Sqrt[c*ProductLog[a*x^n]]/Rt[c/(p-1/2),2]]/(d*n) /;
FreeQ[{a,c,d,m,n},x] && NeQ[m,-1] && IntegerQ[p-1/2] && EqQ[m+n*(p-1/2),-1] && PosQ[c/(p-1/2)]
```

2:  $\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $m \neq -1 \wedge p - \frac{1}{2} \in \mathbb{Z} \wedge m + n (p - \frac{1}{2}) = -1 \wedge \frac{c}{p - \frac{1}{2}} < 0$

Rule: If  $m \neq -1 \wedge p - \frac{1}{2} \in \mathbb{Z} \wedge m + n (p - \frac{1}{2}) = -1 \wedge \frac{c}{p - \frac{1}{2}} < 0$ , then

$$\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{a^{p-\frac{1}{2}} c^{p-\frac{1}{2}}}{d^n} \sqrt{-\frac{\pi c}{p - \frac{1}{2}}} \operatorname{Erfi}\left[\frac{\sqrt{c \operatorname{ProductLog}[a x^n]}}{\sqrt{-\frac{c}{p - \frac{1}{2}}}}\right]$$

Program code:

```
Int[x^m.*(c.*ProductLog[a.*x^n.])^p/(d+d.*ProductLog[a.*x^n.]),x_Symbol] :=
  a^(p-1/2)*c^(p-1/2)*Rt[-Pi*c/(p-1/2),2]*Erfi[Sqrt[c*ProductLog[a*x^n]]/Rt[-c/(p-1/2),2]]/(d*n) /;
FreeQ[{a,c,d,m,n},x] && NeQ[m,-1] && IntegerQ[p-1/2] && EqQ[m+n*(p-1/2),-1] && NegQ[c/(p-1/2)]
```

4:  $\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $m \neq -1 \wedge p + \frac{m+1}{n} > 1$

Rule: If  $m \neq -1 \wedge p + \frac{m+1}{n} > 1$ , then

$$\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{c x^{m+1} (c \operatorname{ProductLog}[a x^n])^{p-1}}{d (m+1)} - \frac{c (m+n(p-1)+1)}{m+1} \int \frac{x^m (c \operatorname{ProductLog}[a x^n])^{p-1}}{d + d \operatorname{ProductLog}[a x^n]} dx$$

Program code:

```
Int[x^m_.*(c_.*ProductLog[a_.*x_^n_.])^p_./ (d_+d_.*ProductLog[a_.*x_^n_.]),x_Symbol] :=
  c*x^(m+1)*(c*ProductLog[a*x^n])^(p-1)/(d*(m+1)) -
  c*(m+n*(p-1)+1)/(m+1)*Int[x^m*(c*ProductLog[a*x^n])^(p-1)/(d+d*ProductLog[a*x^n]),x] /;
FreeQ[{a,c,d,m,n,p},x] && NeQ[m,-1] && GtQ[Simplify[p+(m+1)/n],1]
```

5:  $\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx$  when  $m \neq -1 \wedge p + \frac{m+1}{n} < 0$

Rule: If  $m \neq -1 \wedge p + \frac{m+1}{n} < 0$ , then

$$\int \frac{x^m (c \operatorname{ProductLog}[a x^n])^p}{d + d \operatorname{ProductLog}[a x^n]} dx \rightarrow \frac{x^{m+1} (c \operatorname{ProductLog}[a x^n])^p}{d (m+n p+1)} - \frac{m+1}{c (m+n p+1)} \int \frac{x^m (c \operatorname{ProductLog}[a x^n])^{p+1}}{d + d \operatorname{ProductLog}[a x^n]} dx$$

Program code:

```
Int[x^m_.*(c_.*ProductLog[a_.*x_^n_.])^p_./ (d_+d_.*ProductLog[a_.*x_^n_.]),x_Symbol] :=
  x^(m+1)*(c*ProductLog[a*x^n])^p/(d*(m+n*p+1)) -
  (m+1)/(c*(m+n*p+1))*Int[x^m*(c*ProductLog[a*x^n])^(p+1)/(d+d*ProductLog[a*x^n]),x] /;
FreeQ[{a,c,d,m,n,p},x] && NeQ[m,-1] && LtQ[Simplify[p+(m+1)/n],0]
```

6:  $\int \frac{x^m (c \operatorname{ProductLog}[ax])^p}{d + d \operatorname{ProductLog}[ax]} dx \text{ when } m \neq -1$

Rule: If  $m \neq -1$ , then

$$\int \frac{x^m (c \operatorname{ProductLog}[ax])^p}{d + d \operatorname{ProductLog}[ax]} dx \rightarrow \frac{x^m \Gamma[m+1, -(m+1) \operatorname{ProductLog}[ax]] (c \operatorname{ProductLog}[ax])^p}{a d (m+1) e^{m \operatorname{ProductLog}[ax]} (-m-1)^{m+p} \operatorname{ProductLog}[ax]^{m+p}}$$

Program code:

```
Int[x^m_.*(c_.*ProductLog[a_.*x_])^p_./ (d_+d_.*ProductLog[a_.*x_]),x_Symbol]:=  
x^m*Gamma[m+p+1,-(m+1)*ProductLog[a*x]]*(c*ProductLog[a*x])^p/  
(a*d*(m+1)*E^(m*ProductLog[a*x])*(-(m+1)*ProductLog[a*x])^(m+p)) /;  
FreeQ[{a,c,d,m,p},x] && NeQ[m,-1]
```

7:  $\int \frac{x^m (c \operatorname{ProductLog}[ax^n])^p}{d + d \operatorname{ProductLog}[ax^n]} dx \text{ when } m \neq -1 \wedge m \in \mathbb{Z} \wedge n \in \mathbb{Z}^-$

Derivation: Integration by substitution

Basis:  $\int f[x] dx = -\operatorname{Subst}\left[\int \frac{f[\frac{1}{x}]}{x^2} dx, x, \frac{1}{x}\right]$

Rule: If  $m \neq -1 \wedge m \in \mathbb{Z} \wedge n \in \mathbb{Z}^-$ , then

$$\int \frac{x^m (c \operatorname{ProductLog}[ax^n])^p}{d + d \operatorname{ProductLog}[ax^n]} dx \rightarrow -\operatorname{Subst}\left[\int \frac{(c \operatorname{ProductLog}[ax^{-n}])^p}{x^{m+2} (d + d \operatorname{ProductLog}[ax^{-n}])} dx, x, \frac{1}{x}\right]$$

Program code:

```
Int[x^m_.*(c_.*ProductLog[a_.*x_^-n_])^p_./ (d_+d_.*ProductLog[a_.*x_^-n_]),x_Symbol]:=  
-Subst[Int[(c*ProductLog[a*x^(-n)])^p/(x^(m+2)*(d+d*ProductLog[a*x^(-n)])),x],x,1/x] /;  
FreeQ[{a,c,d,p},x] && NeQ[m,-1] && IntegerQ[m] && LtQ[n,0]
```

5:  $\int f[\text{ProductLog}[x]] dx$

Author: Rob Corless 2009-07-10

Derivation: Legendre substitution for inverse functions

Basis:  $f[\text{ProductLog}[x]] = (\text{ProductLog}[z] + 1) e^{\text{ProductLog}[z]} f[\text{ProductLog}[x]] \text{ProductLog}'[z]$

Rule:

$$\int f[\text{ProductLog}[x]] dx \rightarrow \text{Subst} \left[ \int (x+1) e^x f[x] dx, x, \text{ProductLog}[x] \right]$$

Program code:

```
Int[u_,x_Symbol] :=
  Subst[Int[SimplifyIntegrand[(x+1)*E^x*SubstFor[ProductLog[x],u,x],x],x,ProductLog[x]] /;
FunctionOfQ[ProductLog[x],u,x]
```