

Rules for integrands of the form $(a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2)^k$

0: $\int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2)^k dx$ when $b c - a d \neq 0 \wedge A b^2 - a b B + a^2 C = 0$

- Derivation: Algebraic simplification

Basis: If $A b^2 - a b B + a^2 C = 0$, then $A + B z + C z^2 = \frac{(a+b z) (b B-a C+b C z)}{b^2}$

- Rule: If $b c - a d \neq 0 \wedge A b^2 - a b B + a^2 C = 0$, then

$$\begin{aligned} & \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2)^k dx \rightarrow \\ & \frac{1}{b^2} \int (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n (b B - a C + b C \sin[e + f x]) dx \end{aligned}$$

- Program code:

```
Int[(a_.+b_.*sin[e_._+f_._*x_])^m_.* (c_.+d_.*sin[e_._+f_._*x_])^n_.* (A_.+B_.*sin[e_._+f_._*x_]+C_.*sin[e_._+f_._*x_]^2),x_Symbol]:=1/b^2*Int[(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^n*(b*B-a*C+b*C*Sin[e+f*x]),x]/;FreeQ[{a,b,c,d,e,f,A,B,C,m,n},x] && NeQ[b*c-a*d,0] && EqQ[A*b^2-a*b*B+a^2*C,0]
```

```
Int[(a_.+b_.*sin[e_._+f_._*x_])^m_.* (c_.+d_.*sin[e_._+f_._*x_])^n_.* (A_.+C_.*sin[e_._+f_._*x_]^2),x_Symbol]:=-C/b^2*Int[(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^n*(a-b*Sin[e+f*x]),x]/;FreeQ[{a,b,c,d,e,f,A,C,m,n},x] && NeQ[b*c-a*d,0] && EqQ[A*b^2+a^2*C,0]
```

$$1. \int (a + b \sin[e + f x])^m (c + d \sin[e + f x]) (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } bc - ad \neq 0 \wedge a^2 - b^2 \neq 0$$

$$1: \int (a + b \sin[e + f x])^m (c + d \sin[e + f x]) (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } bc - ad \neq 0 \wedge a^2 - b^2 \neq 0 \wedge m < -1$$

Derivation: Algebraic expansion, nondegenerate sine recurrence 1c with
 $c \rightarrow 1, d \rightarrow 0, A \rightarrow c, B \rightarrow d, C \rightarrow 0, n \rightarrow 0, p \rightarrow 0$ and algebraic simplification

Basis: $A + B z + C z^2 = \frac{Ab^2 - abB + a^2C}{b^2} + \frac{(a+bz)(bB - aC + bCz)}{b^2}$

Rule: If $bc - ad \neq 0 \wedge a^2 - b^2 \neq 0 \wedge m < -1$, then

$$\begin{aligned} & \int (a + b \sin[e + f x])^m (c + d \sin[e + f x]) (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \rightarrow \\ & \frac{Ab^2 - abB + a^2C}{b^2} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x]) dx + \frac{1}{b^2} \int (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x]) (bB - aC + bC \sin[e + f x]) dx \rightarrow \\ & - \frac{(bc - ad) (Ab^2 - abB + a^2C) \cos[e + f x] (a + b \sin[e + f x])^{m+1}}{b^2 f (m+1) (a^2 - b^2)} - \frac{1}{b^2 (m+1) (a^2 - b^2)} \int (a + b \sin[e + f x])^{m+1} . \\ & (b(m+1) ((bB - aC) (bc - ad) - Ab(aC - bd)) + \\ & (bB (a^2 d + b^2 d (m+1) - abc (m+2)) + (bc - ad) (Ab^2 (m+2) + C (a^2 + b^2 (m+1)))) \sin[e + f x] - \\ & bC d (m+1) (a^2 - b^2) \sin[e + f x]^2) dx \end{aligned}$$

Program code:

```

Int[(a_.+b_.*sin[e_._+f_._*x_])^m*(c_.+d_.*sin[e_._+f_._*x_])* (A_.+B_.*sin[e_._+f_._*x_]+C_.*sin[e_._+f_._*x_]^2),x_Symbol]:= 
-(b*c-a*d)*(A*b^2-a*b*B+a^2*C)*Cos[e+f*x]*(a+b*Sin[e+f*x])^(m+1)/(b^2*f*(m+1)*(a^2-b^2))- 
1/(b^2*(m+1)*(a^2-b^2))*Int[(a+b*Sin[e+f*x])^(m+1)* 
Simp[b*(m+1)*((b*B-a*C)*(b*c-a*d)-A*b*(a*c-b*d))+ 
(b*B*(a^2*d+b^2*d*(m+1)-a*b*c*(m+2))+(b*c-a*d)*(A*b^2*(m+2)+C*(a^2+b^2*(m+1))))*Sin[e+f*x]- 
b*C*d*(m+1)*(a^2-b^2)*Sin[e+f*x]^2,x]/; 
FreeQ[{a,b,c,d,e,f,A,B,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && LtQ[m,-1]

```

```

Int[(a_+b_.*sin[e_.+f_.*x_])^m*(c_+d_.*sin[e_.+f_.*x_])* (A_+B_.*sin[e_.+f_.*x_]+C_.*sin[e_.+f_.*x_]^2),x_Symbol]:= 
-(b*c-a*d)*(A*b^2+a^2*C)*Cos[e+f*x]*(a+b*Sin[e+f*x])^(m+1)/(b^2*f*(m+1)*(a^2-b^2)) + 
1/(b^2*(m+1)*(a^2-b^2))*Int[(a+b*Sin[e+f*x])^(m+1)* 
Simp[b*(m+1)*(a*C*(b*c-a*d)+A*b*(a*c-b*d))- 
((b*c-a*d)*(A*b^2*(m+2)+C*(a^2+b^2*(m+1)))*Sin[e+f*x]+ 
b*C*d*(m+1)*(a^2-b^2)*Sin[e+f*x]^2,x]/; 
FreeQ[{a,b,c,d,e,f,A,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && LtQ[m,-1]

```

2: $\int (a + b \sin[e + f x])^m (c + d \sin[e + f x]) (A + B \sin[e + f x] + C \sin[e + f x]^2) dx$ when $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge m \neq -1$

Derivation: Algebraic expansion, nondegenerate sine recurrence 1b with

$c \rightarrow 0$, $d \rightarrow 1$, $A \rightarrow a c$, $B \rightarrow b c + a d$, $C \rightarrow b d$, $m \rightarrow m + 1$, $n \rightarrow 0$, $p \rightarrow 0$ and algebraic simplification

Basis: $A + B z + C z^2 = \frac{C(a+b z)^2}{b^2} + \frac{A b^2 - a^2 C + b (b B - 2 a C)}{b^2} z$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge m \neq -1$, then

$$\begin{aligned} & \int (a + b \sin[e + f x])^m (c + d \sin[e + f x]) (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \rightarrow \\ & \frac{C}{b^2} \int (a + b \sin[e + f x])^{m+2} (c + d \sin[e + f x]) dx + \frac{1}{b^2} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x]) (A b^2 - a^2 C + b (b B - 2 a C) \sin[e + f x]) dx \rightarrow \\ & -\frac{C d \cos[e + f x] \sin[e + f x] (a + b \sin[e + f x])^{m+1}}{b f (m + 3)} + \frac{1}{b (m + 3)} \int (a + b \sin[e + f x])^m \\ & (a C d + A b c (m + 3) + b (B c (m + 3) + d (C (m + 2) + A (m + 3))) \sin[e + f x] - (2 a C d - b (c C + B d) (m + 3)) \sin[e + f x]^2) dx \end{aligned}$$

Program code:

```

Int[(a_+b_.*sin[e_.+f_.*x_])^m*(c_+d_.*sin[e_.+f_.*x_])* (A_+B_.*sin[e_.+f_.*x_]+C_.*sin[e_.+f_.*x_]^2),x_Symbol]:= 
-C*d*Cos[e+f*x]*Sin[e+f*x]*(a+b*Sin[e+f*x])^(m+1)/(b*f*(m+3)) + 
1/(b*(m+3))*Int[(a+b*Sin[e+f*x])^m* 
Simp[a*C*d+A*b*c*(m+3)+b*(B*c*(m+3)+d*(C*(m+2)+A*(m+3)))*Sin[e+f*x]- (2*a*C*d-b*(c*C+B*d)*(m+3))*Sin[e+f*x]^2,x]/; 
FreeQ[{a,b,c,d,e,f,A,B,C,m},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && Not[LtQ[m,-1]]

```

```

Int[(a_+b_.*sin[e_+f_.*x_])^m_.*{(c_+d_.*sin[e_+f_.*x_])*{(A_+C_.*sin[e_+f_.*x_]^2)},x_Symbol]:=

-C*d*Cos[e+f*x]*Sin[e+f*x]*(a+b*Sin[e+f*x])^(m+1)/(b*f*(m+3)) +
1/(b*(m+3))*Int[(a+b*Sin[e+f*x])^m*  

Simp[a*C*d+A*b*c*(m+3)+b*d*(C*(m+2)+A*(m+3))*Sin[e+f*x]-(2*a*C*d-b*c*C*(m+3))*Sin[e+f*x]^2,x]/;
FreeQ[{a,b,c,d,e,f,A,C,m},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && Not[LtQ[m,-1]]

```

$$2. \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } b c + a d = 0 \wedge a^2 - b^2 = 0$$

$$1: \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge m < -\frac{1}{2}$$

Derivation: Algebraic expansion, singly degenerate sine recurrence 2b with $A \rightarrow 1$, $B \rightarrow 0$, $p \rightarrow 0$ and algebraic simplification

Basis: If $a^2 - b^2 = 0$, then $A + B z + C z^2 = \frac{a A - b B + a C}{a} + \frac{(a+b z)(b B - a C + b C z)}{b^2}$

Rule: If $b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge m < -\frac{1}{2}$, then

$$\int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \rightarrow$$

$$\frac{a A - b B + a C}{a} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n dx + \frac{1}{b^2} \int (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n (b B - a C + b C \sin[e + f x]) dx \rightarrow$$

$$\frac{(a A - b B + a C) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1}}{2 b c f (2 m + 1)} -$$

$$\frac{1}{2 b c d (2 m + 1)} \int (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n .$$

$$(A (c^2 (m + 1) + d^2 (2 m + n + 2)) - B c d (m - n - 1) - C (c^2 m - d^2 (n + 1)) + d ((A c + B d) (m + n + 2) - c C (3 m - n)) \sin[e + f x]) dx$$

Program code:

```

Int[(a_+b_.*sin[e_+f_.*x_])^m*(c_+d_.*sin[e_+f_.*x_])^n_*(A_+B_.*sin[e_+f_.*x_]+C_.*sin[e_+f_.*x_]^2),x_Symbol]:= 
(a*A-b*B+a*C)*Cos[e+f*x]*(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(2*b*c*f*(2*m+1))- 
1/(2*b*c*d*(2*m+1))*Int[(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^n* 
Simp[A*(c^2*(m+1)+d^2*(2*m+n+2))-B*c*d*(m-n-1)-C*(c^2*m-d^2*(n+1))+d*((A*c+B*d)*(m+n+2)-c*C*(3*m-n))*Sin[e+f*x],x],x]/; 
FreeQ[{a,b,c,d,e,f,A,B,C,m,n},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && (LtQ[m,-1/2] || EqQ[m+n+2,0] && NeQ[2*m+1,0])

```

```

Int[(a_+b_.*sin[e_._+f_._*x_])^m*(c_._+d_.*sin[e_._+f_._*x_])^n*(A_._+C_._*sin[e_._+f_._*x_]^2),x_Symbol] :=
  (a*A+a*C)*Cos[e+f*x]*(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(2*b*c*f*(2*m+1)) -
  1/(2*b*c*d*(2*m+1))*Int[(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^n*(
    Simp[A*(c^2*(m+1)+d^2*(2*m+n+2))-C*(c^2*m-d^2*(n+1))+d*(A*c*(m+n+2)-c*C*(3*m-n))*Sin[e+f*x],x],x];
FreeQ[{a,b,c,d,e,f,A,C,m,n},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && (LtQ[m,-1/2] || EqQ[m+n+2,0] && NeQ[2*m+1,0])

```

2. $\int (a + b \sin(e + f x))^m (c + d \sin(e + f x))^n (A + B \sin(e + f x) + C \sin(e + f x)^2) dx$ when $b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge m \neq -\frac{1}{2}$

1: $\int \frac{(a + b \sin(e + f x))^m (A + B \sin(e + f x) + C \sin(e + f x)^2)}{\sqrt{c + d \sin(e + f x)}} dx$ when $b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge m \neq -\frac{1}{2}$

Derivation: Algebraic expansion and doubly degenerate sine recurrence 2b with $n \rightarrow -\frac{1}{2}$, $p \rightarrow 0$

Basis: $A + B z + C z^2 = \frac{c(e+f z+g z^2)}{g} - \frac{c e - A g + (C f - B g) z}{g}$

Rule: If $b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge m \neq -\frac{1}{2}$, then

$$\int \frac{(a + b \sin(e + f x))^m (A + B \sin(e + f x) + C \sin(e + f x)^2)}{\sqrt{c + d \sin(e + f x)}} dx \rightarrow$$

$$-\frac{2 C \cos(e + f x) (a + b \sin(e + f x))^{m+1}}{b f (2 m + 3) \sqrt{c + d \sin(e + f x)}} + \int \frac{(a + b \sin(e + f x))^m (A + C + B \sin(e + f x))}{\sqrt{c + d \sin(e + f x)}} dx$$

Program code:

```

Int[(a_._+b_._*sin[e_._+f_._*x_])^m*(A_._+B_._*sin[e_._+f_._*x_]+C_._*sin[e_._+f_._*x_]^2)/Sqrt[c_._+d_._*sin[e_._+f_._*x_]],x_Symbol] :=
  -2*C*Cos[e+f*x]*(a+b*Sin[e+f*x])^(m+1)/(b*f*(2*m+3)*Sqrt[c+d*Sin[e+f*x]]) +
  Int[(a+b*Sin[e+f*x])^m*Simp[A+C+B*Sin[e+f*x],x]/Sqrt[c+d*Sin[e+f*x]],x];
FreeQ[{a,b,c,d,e,f,A,B,C,m},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && Not[LtQ[m,-1/2]]

Int[(a_._+b_._*sin[e_._+f_._*x_])^m*(A_._+C_._*sin[e_._+f_._*x_]^2)/Sqrt[c_._+d_._*sin[e_._+f_._*x_]],x_Symbol] :=
  -2*C*Cos[e+f*x]*(a+b*Sin[e+f*x])^(m+1)/(b*f*(2*m+3)*Sqrt[c+d*Sin[e+f*x]]) +
  (A+C)*Int[(a+b*Sin[e+f*x])^m/Sqrt[c+d*Sin[e+f*x]],x];
FreeQ[{a,b,c,d,e,f,A,C,m},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && Not[LtQ[m,-1/2]]

```

2: $\int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx$ when $b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge m \neq -\frac{1}{2} \wedge m + n + 2 \neq 0$

Derivation: Nondegenerate sine recurrence 1b with $p \rightarrow 0$ and $a^2 - b^2 = 0$

Derivation: Algebraic expansion and singly degenerate sine recurrence 2c with $A \rightarrow c$, $B \rightarrow d$, $n \rightarrow n + 1$, $p \rightarrow 0$

Basis: $A + B z + C z^2 = \frac{c (c+d z)^2}{d^2} + \frac{a d^2 - c^2 C - d (2 c C - B d) z}{d^2}$

Rule: If $b c + a d = 0 \wedge a^2 - b^2 = 0 \wedge m \neq -\frac{1}{2} \wedge m + n + 2 \neq 0$, then

$$\begin{aligned} & \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \rightarrow \\ & \frac{c}{d^2} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+2} dx + \frac{1}{d^2} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A d^2 - c^2 C - d (2 c C - B d) \sin[e + f x]) dx \rightarrow \\ & - \frac{c \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1}}{d f (m + n + 2)} + \\ & \frac{1}{b d (m + n + 2)} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A b d (m + n + 2) + C (a c m + b d (n + 1)) + (b B d (m + n + 2) - b c C (2 m + 1)) \sin[e + f x]) dx \end{aligned}$$

Program code:

```
Int[(a+b.*sin[e.+f.*x_])^m .*(c.+d.*sin[e.+f.*x_])^n .*(A.+B.*sin[e.+f.*x_]+C.*sin[e.+f.*x_]^2),x_Symbol]:=  
-C*Cos[e+f*x]* (a+b*Sin[e+f*x])^m* (c+d*Sin[e+f*x])^(n+1)/(d*f*(m+n+2)) +  
1/(b*d*(m+n+2))*Int[(a+b*Sin[e+f*x])^m* (c+d*Sin[e+f*x])^n*  
Simp[A*b*d*(m+n+2)+C*(a*c*m+b*d*(n+1))+(b*B*d*(m+n+2)-b*c*C*(2*m+1))*Sin[e+f*x],x],x];  
FreeQ[{a,b,c,d,e,f,A,B,C,m,n},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && Not[LtQ[m,-1/2]] && NeQ[m+n+2,0]
```

```
Int[(a+b.*sin[e.+f.*x_])^m .*(c.+d.*sin[e.+f.*x_])^n .*(A.+C.*sin[e.+f.*x_]^2),x_Symbol]:=  
-C*Cos[e+f*x]* (a+b*Sin[e+f*x])^m* (c+d*Sin[e+f*x])^(n+1)/(d*f*(m+n+2)) +  
1/(b*d*(m+n+2))*Int[(a+b*Sin[e+f*x])^m* (c+d*Sin[e+f*x])^n*  
Simp[A*b*d*(m+n+2)+C*(a*c*m+b*d*(n+1))-b*c*C*(2*m+1)*Sin[e+f*x],x],x];  
FreeQ[{a,b,c,d,e,f,A,C,m,n},x] && EqQ[b*c+a*d,0] && EqQ[a^2-b^2,0] && Not[EqQ[m,-1/2]] && NeQ[m+n+2,0]
```

$$3. \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 = 0 \wedge c^2 - d^2 \neq 0$$

1: $\int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 = 0 \wedge c^2 - d^2 \neq 0 \wedge m < -\frac{1}{2}$

Derivation: Algebraic expansion, singly degenerate sine recurrence 2b with $A \rightarrow 1$, $B \rightarrow 0$, $p \rightarrow 0$ and algebraic simplification

Basis: If $a^2 - b^2 = 0$, then $A + B z + C z^2 = \frac{a A - b B + a C}{a} + \frac{(a+b z)(b B - a C + b C z)}{b^2}$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 = 0 \wedge m < -\frac{1}{2}$, then

$$\int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \rightarrow$$

$$\frac{a A - b B + a C}{a} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n dx + \frac{1}{b^2} \int (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n (b B - a C + b C \sin[e + f x]) dx \rightarrow$$

$$\frac{(a A - b B + a C) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1}}{f (b c - a d) (2 m + 1)} +$$

$$\frac{1}{b (b c - a d) (2 m + 1)} \int (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n .$$

$$(A (a c (m + 1) - b d (2 m + n + 2)) + B (b c m + a d (n + 1)) - C (a c m + b d (n + 1)) + (d (a A - b B) (m + n + 2) + C (b c (2 m + 1) - a d (m - n - 1))) \sin[e + f x]) dx$$

Program code:

```

Int[(a_+b_.*sin[e_.+f_.*x_])^m*(c_.+d_.*sin[e_.+f_.*x_])^n_.*(A_.+B_.*sin[e_.+f_.*x_]+C_.*sin[e_.+f_.*x_]^2),x_Symbol]:= 
(a*A-b*B+a*C)*Cos[e+f*x]*(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(f*(b*c-a*d)*(2*m+1)) + 
1/(b*(b*c-a*d)*(2*m+1))*Int[(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^n* 
Simp[A*(a*c*(m+1)-b*d*(2*m+n+2))+B*(b*c*m+a*d*(n+1))-C*(a*c*m+b*d*(n+1))+ 
(d*(a*A-b*B)*(m+n+2)+C*(b*c*(2*m+1)-a*d*(m-n-1)))*Sin[e+f*x],x],x] /; 
FreeQ[{a,b,c,d,e,f,A,B,C,n},x] && NeQ[b*c-a*d,0] && EqQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && LtQ[m,-1/2]

```

```

Int[(a_+b_.*sin[e_.+f_.*x_])^m_(c_._+d_.*sin[e_._+f_._*x_])^n_.* (A_._+C_._*sin[e_._+f_._*x_]^2),x_Symbol] :=  

a*(A+C)*Cos[e+f*x]*(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(f*(b*c-a*d)*(2*m+1)) +  

1/(b*(b*c-a*d)*(2*m+1))*Int[(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^n*  

Simp[A*(a*c*(m+1)-b*d*(2*m+n+2))-C*(a*c*m+b*d*(n+1))+  

(a*A*d*(m+n+2)+C*(b*c*(2*m+1)-a*d*(m-n-1)))*Sin[e+f*x],x],x];  

FreeQ[{a,b,c,d,e,f,A,C,n},x] && NeQ[b*c-a*d,0] && EqQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && LtQ[m,-1/2]

```

2. $\int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx$ when $b c - a d \neq 0 \wedge a^2 - b^2 = 0 \wedge c^2 - d^2 \neq 0 \wedge m \neq -\frac{1}{2}$

1:

$$\int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 = 0 \wedge c^2 - d^2 \neq 0 \wedge m \neq -\frac{1}{2} \wedge (n < -1 \vee m + n + 2 = 0)$$

Derivation: Algebraic expansion and singly degenerate sine recurrence 1c with $A \rightarrow 1$, $B \rightarrow 0$, $p \rightarrow 0$

Basis: $A + B z + C z^2 = \frac{c^2 C - B c d + A d^2}{d^2} - \frac{(c+d z)(c C - B d - C d z)}{d^2}$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 = 0 \wedge c^2 - d^2 \neq 0 \wedge m \neq -\frac{1}{2} \wedge (n < -1 \vee m + n + 2 = 0)$, then

$$\begin{aligned} & \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \rightarrow \\ & \frac{c^2 C - B c d + A d^2}{d^2} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n dx - \frac{1}{d^2} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1} (c C - B d - C d \sin[e + f x]) dx \rightarrow \\ & - \frac{(c^2 C - B c d + A d^2) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1}}{d f (n+1) (c^2 - d^2)} + \\ & \frac{1}{b d (n+1) (c^2 - d^2)} \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1} \cdot \\ & (A d (a d m + b c (n+1)) + (c C - B d) (a c m + b d (n+1)) + b (d (B c - A d) (m+n+2) - C (c^2 (m+1) + d^2 (n+1))) \sin[e + f x]) dx \end{aligned}$$

Program code:

```
Int[(a+b.*sin[e.+f.*x_])^m.*(c.+d.*sin[e._+f._*x_])^n.*(A._+B._.*sin[e._+f._*x_]+C._.*sin[e._+f._*x_]^2),x_Symbol]:= -(c^2*C-B*c*d+A*d^2)*Cos[e+f*x]* (a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(d*f*(n+1)*(c^2-d^2)) + 1/(b*d*(n+1)*(c^2-d^2))*Int[(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)*Simp[A*d*(a*d*m+b*c*(n+1))+(c*C-B*d)*(a*c*m+b*d*(n+1))+b*(d*(B*c-A*d)*(m+n+2)-C*(c^2*(m+1)+d^2*(n+1)))*Sin[e+f*x],x]/; FreeQ[{a,b,c,d,e,f,A,B,C,m},x] && NeQ[b*c-a*d,0] && EqQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && Not[LtQ[m,-1/2]] && (LtQ[n,-1] || EqQ[m+n+2,0])
```

```

Int[(a+b.*sin[e_+f_.*x_])^m_.*(c_+d_.*sin[e_+f_.*x_])^n_.*(A_+B_.*sin[e_+f_.*x_]+C_.*sin[e_+f_.*x_]^2),x_Symbol] :=
-(c^2*C+A*d^2)*Cos[e+f*x]*(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(d*f*(n+1)*(c^2-d^2)) +
1/(b*d*(n+1)*(c^2-d^2))*Int[(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)*
Simp[A*d*(a*d*m+b*c*(n+1))+c*C*(a*c*m+b*d*(n+1))-b*(A*d^2*(m+n+2)+C*(c^2*(m+1)+d^2*(n+1)))*Sin[e+f*x],x],x];
FreeQ[{a,b,c,d,e,f,A,C,m},x] && NeQ[b*c-a*d,0] && EqQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && Not[LtQ[m,-1/2]] && (LtQ[n,-1] || EqQ[m+n+2,0])

```

$$2: \int (a + b \sin(e + f x))^m (c + d \sin(e + f x))^n (A + B \sin(e + f x) + C \sin(e + f x)^2) dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 = 0 \wedge c^2 - d^2 \neq 0 \wedge m \neq -\frac{1}{2} \wedge m + n + 2 \neq 0$$

Derivation: Nondegenerate sine recurrence 1b with $p \rightarrow 0$ and $a^2 - b^2 = 0$

Derivation: Algebraic expansion and singly degenerate sine recurrence 2c with $A \rightarrow c$, $B \rightarrow d$, $n \rightarrow n + 1$, $p \rightarrow 0$

$$\text{Basis: } A + B z + C z^2 = \frac{c(c+d z)^2}{d^2} + \frac{ad^2 - c^2 C - d(2cC - Bd)}{d^2} z$$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 = 0 \wedge c^2 - d^2 \neq 0 \wedge m \neq -\frac{1}{2} \wedge m + n + 2 \neq 0$, then

$$\begin{aligned}
& \int (a + b \sin(e + f x))^m (c + d \sin(e + f x))^n (A + B \sin(e + f x) + C \sin(e + f x)^2) dx \rightarrow \\
& \frac{c}{d^2} \int (a + b \sin(e + f x))^m (c + d \sin(e + f x))^{n+2} dx + \frac{1}{d^2} \int (a + b \sin(e + f x))^m (c + d \sin(e + f x))^n (A d^2 - c^2 C - d(2cC - Bd) \sin(e + f x)) dx \rightarrow \\
& -\frac{c \cos(e + f x) (a + b \sin(e + f x))^m (c + d \sin(e + f x))^{n+1}}{d f (m + n + 2)} + \\
& \frac{1}{b d (m + n + 2)} \int (a + b \sin(e + f x))^m (c + d \sin(e + f x))^n (A b d (m + n + 2) + C (a c m + b d (n + 1)) + (C (a d m - b c (m + 1)) + b B d (m + n + 2)) \sin(e + f x)) dx
\end{aligned}$$

Program code:

```

Int[(a+b.*sin[e_+f_.*x_])^m_.*(c_+d_.*sin[e_+f_.*x_])^n_.*(A_+B_.*sin[e_+f_.*x_]+C_.*sin[e_+f_.*x_]^2),x_Symbol] :=
-C*Cos[e+f*x]*(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(d*f*(m+n+2)) +
1/(b*d*(m+n+2))*Int[(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^n*,
Simp[A*b*d*(m+n+2)+C*(a*c*m+b*d*(n+1))+(C*(a*d*m-b*c*(m+1))+b*B*d*(m+n+2))*Sin[e+f*x],x],x];
FreeQ[{a,b,c,d,e,f,A,B,C,m,n},x] && NeQ[b*c-a*d,0] && EqQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && Not[LtQ[m,-1/2]] && NeQ[m+n+2,0]

```

```

Int[(a_+b_.*sin[e_._+f_._*x_])^m_.* (c_._+d_.*sin[e_._+f_._*x_])^n_.* (A_._+C_._*sin[e_._+f_._*x_]^2),x_Symbol] :=  

-C*Cos[e+f*x]* (a+b*Sin[e+f*x])^m* (c+d*Sin[e+f*x])^(n+1)/(d*f*(m+n+2)) +  

1/(b*d*(m+n+2))*Int[(a+b*Sin[e+f*x])^m* (c+d*Sin[e+f*x])^n*  

Simp[A*b*d*(m+n+2)+C*(a*c*m+b*d*(n+1))+C*(a*d*m-b*c*(m+1))*Sin[e+f*x],x],x]/;  

FreeQ[{a,b,c,d,e,f,A,C,m,n},x] && NeQ[b*c-a*d,0] && EqQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && Not[LtQ[m,-1/2]] && NeQ[m+n+2,0]

```

$$4. \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$$

$$1. \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0 \wedge m > 0$$

$$1: \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0 \wedge m > 0 \wedge n < -1$$

Derivation: Nondegenerate sine recurrence 1a with $p \rightarrow 0$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0 \wedge m > 0 \wedge n < -1$, then

$$\begin{aligned} & \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \rightarrow \\ & - \frac{(c^2 C - B c d + A d^2) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1}}{d f (n+1) (c^2 - d^2)} + \\ & \frac{1}{d (n+1) (c^2 - d^2)} \int (a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1} \cdot \\ & (A d (b d m + a c (n+1)) + (c C - B d) (b c m + a d (n+1)) - \\ & (d (A (a d (n+2) - b c (n+1)) + B (b d (n+1) - a c (n+2))) - C (b c d (n+1) - a (c^2 + d^2 (n+1)))) \sin[e + f x] + \\ & b (d (B c - A d) (m+n+2) - C (c^2 (m+1) + d^2 (n+1))) \sin[e + f x]^2) dx \end{aligned}$$

Program code:

```

Int[(a_.+b_.*sin[e_._+f_._*x_])^m_*(c_.+d_.*sin[e_._+f_._*x_])^n_*(A_.+B_.*sin[e_._+f_._*x_]+C_.*sin[e_._+f_._*x_]^2),x_Symbol]:=
-(c^2*C-B*c*d+A*d^2)*Cos[e+f*x]*(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(d*f*(n+1)*(c^2-d^2)) +
1/(d*(n+1)*(c^2-d^2))*Int[(a+b*Sin[e+f*x])^(m-1)*(c+d*Sin[e+f*x])^(n+1)*
Simp[A*d*(b*d*m+a*c*(n+1))+(c*C-B*d)*(b*c*m+a*d*(n+1)) -
(d*(A*(a*d*(n+2)-b*c*(n+1))+B*(b*d*(n+1)-a*c*(n+2)))-C*(b*c*d*(n+1)-a*(c^2+d^2*(n+1)))*Sin[e+f*x] +
b*(d*(B*c-A*d)*(m+n+2)-C*(c^2*(m+1)+d^2*(n+1)))*Sin[e+f*x]^2,x]/;
FreeQ[{a,b,c,d,e,f,A,B,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && GtQ[m,0] && LtQ[n,-1]

```

```

Int[ (a_._+b_._*sin[e_._+f_._*x_])^m_.* (c_._+d_._*sin[e_._+f_._*x_])^n_.* (A_._+B_._*sin[e_._+f_._*x_]+C_._*sin[e_._+f_._*x_]^2),x_Symbol] :=
- (c^2*C+A*d^2)*Cos[e+f*x]* (a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(d*f*(n+1)*(c^2-d^2)) +
1/(d*(n+1)*(c^2-d^2))*Int[ (a+b*Sin[e+f*x])^(m-1)*(c+d*Sin[e+f*x])^(n+1)*
Simp[A*d*(b*d*m+a*c*(n+1))+c*c*(b*c*m+a*d*(n+1))-*
(A*d*(a*d*(n+2)-b*c*(n+1))-C*(b*c*d*(n+1)-a*(c^2+d^2*(n+1)))*Sin[e+f*x]-
b*(A*d^2*(m+n+2)+C*(c^2*(m+1)+d^2*(n+1)))*Sin[e+f*x]^2,x] /;
FreeQ[{a,b,c,d,e,f,A,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && GtQ[m,0] && LtQ[n,-1]

```

$$2: \int (a + b \sin(e + f x))^m (c + d \sin(e + f x))^n (A + B \sin(e + f x) + C \sin(e + f x)^2) dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0 \wedge m > 0 \wedge n \neq -1$$

Derivation: Nondegenerate sine recurrence 1b with $p \rightarrow 0$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0 \wedge m > 0 \wedge n \neq -1$, then

$$\int (a + b \sin(e + f x))^m (c + d \sin(e + f x))^n (A + B \sin(e + f x) + C \sin(e + f x)^2) dx \rightarrow$$

$$-\frac{c \cos(e + f x) (a + b \sin(e + f x))^m (c + d \sin(e + f x))^{n+1}}{d f (m + n + 2)} +$$

$$\frac{1}{d (m + n + 2)} \int (a + b \sin(e + f x))^{m-1} (c + d \sin(e + f x))^n.$$

$$(a A d (m + n + 2) + C (b c m + a d (n + 1)) + (d (A b + a B) (m + n + 2) - C (a c - b d (m + n + 1))) \sin(e + f x) + (C (a d m - b c (m + 1)) + b B d (m + n + 2)) \sin(e + f x)^2) dx$$

Program code:

```

Int[ (a_._+b_._*sin[e_._+f_._*x_])^m_.* (c_._+d_._*sin[e_._+f_._*x_])^n_.* (A_._+B_._*sin[e_._+f_._*x_]+C_._*sin[e_._+f_._*x_]^2),x_Symbol] :=
-C*Cos[e+f*x]* (a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(d*f*(m+n+2)) +
1/(d*(m+n+2))*Int[ (a+b*Sin[e+f*x])^(m-1)*(c+d*Sin[e+f*x])^n* *
Simp[a*A*d*(m+n+2)+C*(b*c*m+a*d*(n+1))+*
(d*(A*b+a*B)*(m+n+2)-C*(a*c-b*d*(m+n+1)))*Sin[e+f*x]+
(C*(a*d*m-b*c*(m+1))+b*B*d*(m+n+2))*Sin[e+f*x]^2,x] /;
FreeQ[{a,b,c,d,e,f,A,B,C,n},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && GtQ[m,0] &&
Not[IGtQ[n,0]] && (Not[IntegerQ[m]] || EqQ[a,0] && NeQ[c,0]])

```

```

Int[(a_+b_.*sin[e_.+f_.*x_])^m_.*(c_._+d_.*sin[e_._+f_._*x_])^n_.*(A_._+C_._*sin[e_._+f_._*x_]^2),x_Symbol] :=
-C*Cos[e+f*x]* (a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^(n+1)/(d*f*(m+n+2)) +
1/(d*(m+n+2))*Int[(a+b*Sin[e+f*x])^(m-1)*(c+d*Sin[e+f*x])^n*
Simp[a*A*d*(m+n+2)+C*(b*c*m+a*d*(n+1))+(A*b*d*(m+n+2)-C*(a*c-b*d*(m+n+1)))*Sin[e+f*x]+C*(a*d*m-b*c*(m+1))*Sin[e+f*x]^2,x],x];
FreeQ[{a,b,c,d,e,f,A,C,n},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && GtQ[m,0] &&
Not[IGtQ[n,0] && (Not[IntegerQ[m]] || EqQ[a,0] && NeQ[c,0])]

```

2. $\int (a + b \sin(e + f x))^m (c + d \sin(e + f x))^n (A + B \sin(e + f x) + C \sin(e + f x)^2) dx$ when $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0 \wedge m < -1$

1. $\int \frac{A + B \sin(e + f x) + C \sin(e + f x)^2}{(a + b \sin(e + f x))^{3/2} \sqrt{c + d \sin(e + f x)}} dx$ when $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$
- 1: $\int \frac{A + B \sin(e + f x) + C \sin(e + f x)^2}{(a + b \sin(e + f x))^{3/2} \sqrt{d \sin(e + f x)}} dx$ when $a^2 - b^2 \neq 0$

Derivation: Algebraic expansion

Basis: $\frac{A+B z+C z^2}{(a+b z)^{3/2} \sqrt{d z}} = \frac{C \sqrt{d z}}{b d \sqrt{a+b z}} + \frac{A b + (b B - a C) z}{b (a+b z)^{3/2} \sqrt{d z}}$

Rule: If $a^2 - b^2 \neq 0$, then

$$\int \frac{A + B \sin(e + f x) + C \sin(e + f x)^2}{(a + b \sin(e + f x))^{3/2} \sqrt{d \sin(e + f x)}} dx \rightarrow \frac{C}{b d} \int \frac{\sqrt{d \sin(e + f x)}}{\sqrt{a + b \sin(e + f x)}} dx + \frac{1}{b} \int \frac{A b + (b B - a C) \sin(e + f x)}{(a + b \sin(e + f x))^{3/2} \sqrt{d \sin(e + f x)}} dx$$

Program code:

```

Int[(A_._+B_._*sin[e_._+f_._*x_]+C_._*sin[e_._+f_._*x_]^2)/((a_._+b_._*sin[e_._+f_._*x_])^(3/2)*Sqrt[d_._*sin[e_._+f_._*x_]]),x_Symbol] :=
C/(b*d)*Int[Sqrt[d*Sin[e+f*x]]/Sqrt[a+b*Sin[e+f*x]],x] +
1/b*Int[(A*b+(b*B-a*C)*Sin[e+f*x])/((a+b*Sin[e+f*x])^(3/2)*Sqrt[d*Sin[e+f*x]]),x] ;
FreeQ[{a,b,d,e,f,A,B,C},x] && NeQ[a^2-b^2,0]

```

```

Int[ (A_+C_.*sin[e_+f_.*x_]^2)/((a_+b_.*sin[e_+f_.*x_])^(3/2)*Sqrt[d_.*sin[e_+f_.*x_]]),x_Symbol] :=
C/(b*d)*Int[Sqrt[d*Sin[e+f*x]]/Sqrt[a+b*Sin[e+f*x]],x] +
1/b^2*Int[(A*b-a*C*Sin[e+f*x])/((a+b*Sin[e+f*x])^(3/2)*Sqrt[d*Sin[e+f*x]]),x] /;
FreeQ[{a,b,d,e,f,A,C},x] && NeQ[a^2-b^2,0]

```

2:
$$\int \frac{A + B \sin[e + f x] + C \sin[e + f x]^2}{(a + b \sin[e + f x])^{3/2} \sqrt{c + d \sin[e + f x]}} dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$$

Derivation: Algebraic expansion

Basis: $\frac{A+Bz+Cz^2}{(a+bz)^{3/2}} = \frac{C\sqrt{a+bz}}{b^2} + \frac{Ab^2-a^2C+b(bB-2aC)z}{b^2(a+bz)^{3/2}}$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$, then

$$\int \frac{A + B \sin[e + f x] + C \sin[e + f x]^2}{(a + b \sin[e + f x])^{3/2} \sqrt{c + d \sin[e + f x]}} dx \rightarrow \frac{C}{b^2} \int \frac{\sqrt{a + b \sin[e + f x]}}{\sqrt{c + d \sin[e + f x]}} dx + \frac{1}{b^2} \int \frac{A b^2 - a^2 C + b (b B - 2 a C) \sin[e + f x]}{(a + b \sin[e + f x])^{3/2} \sqrt{c + d \sin[e + f x]}} dx$$

Program code:

```

Int[ (A_+B_.*sin[e_+f_.*x_]+C_.*sin[e_+f_.*x_]^2)/((a_+b_.*sin[e_+f_.*x_])^(3/2)*Sqrt[c_+d_.*sin[e_+f_.*x_]]),x_Symbol] :=
C/b^2*Int[Sqrt[a+b*Sin[e+f*x]]/Sqrt[c+d*Sin[e+f*x]],x] +
1/b^2*Int[(A*b^2-a^2*C+b*(b*B-2*a*C)*Sin[e+f*x])/((a+b*Sin[e+f*x])^(3/2)*Sqrt[c+d*Sin[e+f*x]]),x] /;
FreeQ[{a,b,c,d,e,f,A,B,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]

```

```

Int[ (A_+C_.*sin[e_+f_.*x_]^2)/((a_+b_.*sin[e_+f_.*x_])^(3/2)*Sqrt[c_+d_.*sin[e_+f_.*x_]]),x_Symbol] :=
C/b^2*Int[Sqrt[a+b*Sin[e+f*x]]/Sqrt[c+d*Sin[e+f*x]],x] +
1/b^2*Int[(A*b^2-a^2*C-2*a*b*C*Sin[e+f*x])/((a+b*Sin[e+f*x])^(3/2)*Sqrt[c+d*Sin[e+f*x]]),x] /;
FreeQ[{a,b,c,d,e,f,A,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]

```

$$2: \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \text{ when } b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0 \wedge m < -1$$

Derivation: Nondegenerate sine recurrence 1c with $p \rightarrow 0$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0 \wedge m < -1$, then

$$\begin{aligned} & \int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \rightarrow \\ & - \frac{(A b^2 - a b B + a^2 C) \cos[e + f x] (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^{n+1}}{f (m+1) (b c - a d) (a^2 - b^2)} + \\ & \frac{1}{(m+1) (b c - a d) (a^2 - b^2)} \int (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n \cdot \\ & ((m+1) (b c - a d) (a A - b B + a C) + d (A b^2 - a b B + a^2 C) (m+n+2) - \\ & (c (A b^2 - a b B + a^2 C) + (m+1) (b c - a d) (A b - a B + b C)) \sin[e + f x] - \\ & d (A b^2 - a b B + a^2 C) (m+n+3) \sin[e + f x]^2) dx \end{aligned}$$

Program code:

```
Int[(a..+b..*sin[e..+f..*x..])^m*(c..+d..*sin[e..+f..*x..])^n*(A..+B..*sin[e..+f..*x..]+C..*sin[e..+f..*x..]^2),x_Symbol]:=-
(A*b^2-a*b*B+a^2*C)*Cos[e+f*x]*(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^(n+1)/(f*(m+1)*(b*c-a*d)*(a^2-b^2))+
1/((m+1)*(b*c-a*d)*(a^2-b^2))*Int[(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^n*
Simp[(m+1)*(b*c-a*d)*(a*A-b*B+a*C)+d*(A*b^2-a*b*B+a^2*C)*(m+n+2)-
(c*(A*b^2-a*b*B+a^2*C)+(m+1)*(b*c-a*d)*(A*b-a*B+b*C))*Sin[e+f*x]-
d*(A*b^2-a*b*B+a^2*C)*(m+n+3)*Sin[e+f*x]^2,x],x]/;
FreeQ[{a,b,c,d,e,f,A,B,C,n},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && LtQ[m,-1] &&
(EqQ[a,0] && IntegerQ[m] && Not[IntegerQ[n]] || Not[IntegerQ[2*n]] && LtQ[n,-1] && (IntegerQ[n] && Not[IntegerQ[m]] || EqQ[a,0]))
```

```
Int[(a..+b..*sin[e..+f..*x..])^m*(c..+d..*sin[e..+f..*x..])^n*(A..+C..*sin[e..+f..*x..]^2),x_Symbol]:=-
(A*b^2+a^2*C)*Cos[e+f*x]*(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^(n+1)/(f*(m+1)*(b*c-a*d)*(a^2-b^2))+
1/((m+1)*(b*c-a*d)*(a^2-b^2))*Int[(a+b*Sin[e+f*x])^(m+1)*(c+d*Sin[e+f*x])^n*
Simp[a*(m+1)*(b*c-a*d)*(A+C)+d*(A*b^2+a^2*C)*(m+n+2)-
(c*(A*b^2+a^2*C)+b*(m+1)*(b*c-a*d)*(A+C))*Sin[e+f*x]-
d*(A*b^2+a^2*C)*(m+n+3)*Sin[e+f*x]^2,x],x]/;
FreeQ[{a,b,c,d,e,f,A,C,n},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0] && LtQ[m,-1] &&
(EqQ[a,0] && IntegerQ[m] && Not[IntegerQ[n]] || Not[IntegerQ[2*n]] && LtQ[n,-1] && (IntegerQ[n] && Not[IntegerQ[m]] || EqQ[a,0]))
```

3: $\int \frac{A + B \sin[e + f x] + C \sin[e + f x]^2}{(a + b \sin[e + f x]) (c + d \sin[e + f x])} dx$ when $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$

Derivation: Algebraic expansion

Basis: $\frac{A+B z+C z^2}{(a+b z) (c+d z)} = \frac{C}{b d} + \frac{A b^2-a b B+a^2 C}{b (b c-a d) (a+b z)} - \frac{c^2 C-B c d+A d^2}{d (b c-a d) (c+d z)}$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$, then

$$\begin{aligned} & \int \frac{A + B \sin[e + f x] + C \sin[e + f x]^2}{(a + b \sin[e + f x]) (c + d \sin[e + f x])} dx \rightarrow \\ & \frac{C x}{b d} + \frac{A b^2 - a b B + a^2 C}{b (b c - a d)} \int \frac{1}{a + b \sin[e + f x]} dx - \frac{c^2 C - B c d + A d^2}{d (b c - a d)} \int \frac{1}{c + d \sin[e + f x]} dx \end{aligned}$$

Program code:

```
Int[(A_..+B_..*sin[e_..+f_..*x_]+C_..*sin[e_..+f_..*x_]^2)/((a_+b_..*sin[e_..+f_..*x_])*(c_..+d_..*sin[e_..+f_..*x_])),x_Symbol]:=  
Cx/(b*d)+  
(A*b^2-a*b*B+a^2*C)/(b*(b*c-a*d))*Int[1/(a+b*Sin[e+f*x]),x]-  
(c^2*C-B*c*d+A*d^2)/(d*(b*c-a*d))*Int[1/(c+d*Sin[e+f*x]),x];;  
FreeQ[{a,b,c,d,e,f,A,B,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]
```

```
Int[(A_..+C_..*sin[e_..+f_..*x_]^2)/((a_+b_..*sin[e_..+f_..*x_])*(c_..+d_..*sin[e_..+f_..*x_])),x_Symbol]:=  
Cx/(b*d)+  
(A*b^2+a^2*C)/(b*(b*c-a*d))*Int[1/(a+b*Sin[e+f*x]),x]-  
(c^2*C+A*d^2)/(d*(b*c-a*d))*Int[1/(c+d*Sin[e+f*x]),x];;  
FreeQ[{a,b,c,d,e,f,A,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]
```

4: $\int \frac{A + B \sin[e + f x] + C \sin[e + f x]^2}{\sqrt{a + b \sin[e + f x]} (c + d \sin[e + f x])} dx$ when $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$

Derivation: Algebraic expansion

Basis: $\frac{A+B z+C z^2}{\sqrt{a+b z}} = \frac{C \sqrt{a+b z}}{b d} - \frac{a c C - A b d + (b c C - b B d + a C d) z}{b d \sqrt{a+b z}}$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$, then

$$\begin{aligned} & \int \frac{A + B \sin[e + f x] + C \sin[e + f x]^2}{\sqrt{a + b \sin[e + f x]} (c + d \sin[e + f x])} dx \rightarrow \\ & \frac{C}{b d} \int \sqrt{a + b \sin[e + f x]} dx - \frac{1}{b d} \int \frac{a c C - A b d + (b c C - b B d + a C d) \sin[e + f x]}{\sqrt{a + b \sin[e + f x]} (c + d \sin[e + f x])} dx \end{aligned}$$

Program code:

```
Int[(A_..+B_..*sin[e_..+f_..*x_]+C_..*sin[e_..+f_..*x_]^2)/(Sqrt[a_..+b_..*sin[e_..+f_..*x_]]*(c_..+d_..*sin[e_..+f_..*x_])),x_Symbol]:=  
C/(b*d)*Int[Sqrt[a+b*Sin[e+f*x]],x]-  
1/(b*d)*Int[Simp[a*c*C-A*b*d+(b*c*C-b*B*d+a*C*d)*Sin[e+f*x],x]/(Sqrt[a+b*Sin[e+f*x]]*(c+d*Sin[e+f*x])),x];  
FreeQ[{a,b,c,d,e,f,A,B,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]
```

```
Int[(A_..+C_..*sin[e_..+f_..*x_]^2)/(Sqrt[a_..+b_..*sin[e_..+f_..*x_]]*(c_..+d_..*sin[e_..+f_..*x_])),x_Symbol]:=  
C/(b*d)*Int[Sqrt[a+b*Sin[e+f*x]],x]-  
1/(b*d)*Int[Simp[a*c*C-A*b*d+(b*c*C+a*C*d)*Sin[e+f*x],x]/(Sqrt[a+b*Sin[e+f*x]]*(c+d*Sin[e+f*x])),x];  
FreeQ[{a,b,c,d,e,f,A,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]
```

5: $\int \frac{A + B \sin[e + f x] + C \sin[e + f x]^2}{\sqrt{a + b \sin[e + f x]} \sqrt{c + d \sin[e + f x]}} dx$ when $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$

Derivation: Nondegenerate sine recurrence 1b with $m \rightarrow -\frac{1}{2}$, $n \rightarrow -\frac{1}{2}$, $p \rightarrow 0$

Note: If one of the square root factors does not have a constant term, it is better to raise that factor to the 3/2 power.

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$, then

$$\int \frac{A + B \sin[e + f x] + C \sin[e + f x]^2}{\sqrt{a + b \sin[e + f x]} \sqrt{c + d \sin[e + f x]}} dx \rightarrow$$

$$-\frac{C \cos[e + f x] \sqrt{c + d \sin[e + f x]}}{d f \sqrt{a + b \sin[e + f x]}} +$$

$$\frac{1}{2 d} \int \left((2 a A d - C (b c - a d) - 2 (a c C - d (A b + a B)) \sin[e + f x] + (2 b B d - C (b c + a d)) \sin[e + f x]^2) / ((a + b \sin[e + f x])^{3/2} \sqrt{c + d \sin[e + f x]}) \right) dx$$

Program code:

```
Int[(A_..+B_..*sin[e_..+f_..*x_]+C_..*sin[e_..+f_..*x_]^2)/(Sqrt[a_..+b_..*sin[e_..+f_..*x_]]*Sqrt[c_..+d_..*sin[e_..+f_..*x_]]),x_Symbol]:=
-C*Cos[e+f*x]*Sqrt[c+d*Sin[e+f*x]]/(d*f*Sqrt[a+b*Sin[e+f*x]]) +
1/(2*d)*Int[1/((a+b*Sin[e+f*x])^(3/2)*Sqrt[c+d*Sin[e+f*x]])*
Simp[2*a*A*d-C*(b*c-a*d)-2*(a*c*C-d*(A*b+a*B))*Sin[e+f*x]+(2*b*B*d-C*(b*c+a*d))*Sin[e+f*x]^2,x] /;
FreeQ[{a,b,c,d,e,f,A,B,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]
```

```
Int[(A_..+C_..*sin[e_..+f_..*x_]^2)/(Sqrt[a_..+b_..*sin[e_..+f_..*x_]]*Sqrt[c_..+d_..*sin[e_..+f_..*x_]]),x_Symbol]:=
-C*Cos[e+f*x]*Sqrt[c+d*Sin[e+f*x]]/(d*f*Sqrt[a+b*Sin[e+f*x]]) +
1/(2*d)*Int[1/((a+b*Sin[e+f*x])^(3/2)*Sqrt[c+d*Sin[e+f*x]])*
Simp[2*a*A*d-C*(b*c-a*d)-2*(a*c*C-A*b*d)*Sin[e+f*x]-C*(b*c+a*d)*Sin[e+f*x]^2,x] /;
FreeQ[{a,b,c,d,e,f,A,C},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]
```

6: $\int \frac{(d \sin[e+f x])^n (A + B \sin[e+f x] + C \sin[e+f x]^2)}{a + b \sin[e+f x]} dx$ when $a^2 - b^2 \neq 0$

Derivation: Algebraic expansion

Basis: $\frac{a+bz+cz^2}{a+bz} = \frac{bB-aC}{b^2} + \frac{Cz}{b} + \frac{Ab^2-abB+a^2C}{b^2(a+bz)}$

Rule: If $a^2 - b^2 \neq 0$, then

$$\begin{aligned} & \int \frac{(d \sin[e+f x])^n (A + B \sin[e+f x] + C \sin[e+f x]^2)}{a + b \sin[e+f x]} dx \rightarrow \\ & \frac{bB-aC}{b^2} \int (d \sin[e+f x])^n dx + \frac{C}{bd} \int (d \sin[e+f x])^{n+1} dx + \frac{Ab^2-abB+a^2C}{b^2} \int \frac{(d \sin[e+f x])^n}{a + b \sin[e+f x]} dx \end{aligned}$$

Program code:

```
Int[(d.*sin[e..+f..*x_])^n.*(A..+B..*sin[e..+f..*x_]+C..*sin[e..+f..*x_]^2)/(a+b..*sin[e..+f..*x_]),x_Symbol]:=  
  (b*B-a*C)/b^2*Int[(d*Sin[e+f*x])^n,x] +  
  C/(b*d)*Int[(d*Sin[e+f*x])^(n+1),x] +  
  (A*b^2-a*b*B+a^2*C)/b^2*Int[(d*Sin[e+f*x])^n/(a+b*Sin[e+f*x]),x] /;  
 FreeQ[{a,b,d,e,f,A,B,C,n},x] && NeQ[a^2-b^2,0]
```

```
Int[(d.*sin[e..+f..*x_])^n.*(A..+C..*sin[e..+f..*x_]^2)/(a+b..*sin[e..+f..*x_]),x_Symbol]:=  
  -a*C/b^2*Int[(d*Sin[e+f*x])^n,x] +  
  C/(b*d)*Int[(d*Sin[e+f*x])^(n+1),x] +  
  (A*b^2+a^2*C)/b^2*Int[(d*Sin[e+f*x])^n/(a+b*Sin[e+f*x]),x] /;  
 FreeQ[{a,b,d,e,f,A,C,n},x] && NeQ[a^2-b^2,0]
```

U: $\int (a + b \sin[e+f x])^m (c + d \sin[e+f x])^n (A + B \sin[e+f x] + C \sin[e+f x]^2) dx$ when $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$

Rule: If $b c - a d \neq 0 \wedge a^2 - b^2 \neq 0 \wedge c^2 - d^2 \neq 0$, then

$$\int (a + b \sin[e+f x])^m (c + d \sin[e+f x])^n (A + B \sin[e+f x] + C \sin[e+f x]^2) dx \rightarrow$$

$$\int (a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx$$

Program code:

```
Int[ (a_+b_.*sin[e_+f_.*x_])^m*(c_+d_.*sin[e_+f_.*x_])^n*(A_+B_.*sin[e_+f_.*x_]+C_.*sin[e_+f_.*x_]^2),x_Symbol] :=  
Unintegrible[(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^n*(A+B*Sin[e+f*x]+C*Sin[e+f*x]^2),x] /;  
FreeQ[{a,b,c,d,e,f,A,B,C,m,n},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]
```

```
Int[ (a_+b_.*sin[e_+f_.*x_])^m*(c_+d_.*sin[e_+f_.*x_])^n*(A_+C_.*sin[e_+f_.*x_]^2),x_Symbol] :=  
Unintegrible[(a+b*Sin[e+f*x])^m*(c+d*Sin[e+f*x])^n*(A+C*Sin[e+f*x]^2),x] /;  
FreeQ[{a,b,c,d,e,f,A,C,m,n},x] && NeQ[b*c-a*d,0] && NeQ[a^2-b^2,0] && NeQ[c^2-d^2,0]
```

Rules for integrands of the form $(b \sin[e + f x]^p)^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2)$

1: $\int (b \sin[e + f x]^p)^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx$ when $m \notin \mathbb{Z}$

Derivation: Piecewise constant extraction

Basis: $\partial_x \frac{(b \sin[e + f x]^p)^m}{(b \sin[e + f x])^{mp}} = 0$

Rule: If $m \notin \mathbb{Z}$, then

$$\int (b \sin[e + f x]^p)^m (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx \rightarrow \\ \frac{(b \sin[e + f x]^p)^m}{(b \sin[e + f x])^{mp}} \int (b \sin[e + f x])^{mp} (c + d \sin[e + f x])^n (A + B \sin[e + f x] + C \sin[e + f x]^2) dx$$

Program code:

```
Int[(b_.*sin[e_._+f_._*x_]^p_)^m_*(c_._+d_._*sin[e_._+f_._*x_])^n_.*(A_._+B_._*sin[e_._+f_._*x_]+C_._*sin[e_._+f_._*x_]^2),x_Symbol]:=\\
(b*Sin[e+f*x]^p)^m/(b*Sin[e+f*x])^(m*p)*Int[(b*Sin[e+f*x])^(m*p)*(c+d*Sin[e+f*x])^n*(A+B*Sin[e+f*x]+C*Sin[e+f*x]^2),x]/;
FreeQ[{b,c,d,e,f,A,B,C,m,n,p},x] && Not[IntegerQ[m]]
```

```
Int[(b_.*cos[e_._+f_._*x_]^p_)^m_*(c_._+d_._*cos[e_._+f_._*x_])^n_.*(A_._+B_._*cos[e_._+f_._*x_]+C_._*cos[e_._+f_._*x_]^2),x_Symbol]:=\\
(b*Cos[e+f*x]^p)^m/(b*Cos[e+f*x])^(m*p)*Int[(b*Cos[e+f*x])^(m*p)*(c+d*Cos[e+f*x])^n*(A+B*Cos[e+f*x]+C*Cos[e+f*x]^2),x]/;
FreeQ[{b,c,d,e,f,A,B,C,m,n,p},x] && Not[IntegerQ[m]]
```

```
Int[(b_.*sin[e_._+f_._*x_]^p_)^m_*(c_._+d_._*sin[e_._+f_._*x_])^n_.*(A_._+C_._*sin[e_._+f_._*x_]^2),x_Symbol]:=\\
(b*Sin[e+f*x]^p)^m/(b*Sin[e+f*x])^(m*p)*Int[(b*Sin[e+f*x])^(m*p)*(c+d*Sin[e+f*x])^n*(A+C*Sin[e+f*x]^2),x]/;
FreeQ[{b,c,d,e,f,A,C,m,n,p},x] && Not[IntegerQ[m]]
```

```
Int[(b_.*cos[e_._+f_._*x_]^p_)^m_*(c_._+d_._*cos[e_._+f_._*x_])^n_.*(A_._+C_._*cos[e_._+f_._*x_]^2),x_Symbol]:=\\
(b*Cos[e+f*x]^p)^m/(b*Cos[e+f*x])^(m*p)*Int[(b*Cos[e+f*x])^(m*p)*(c+d*Cos[e+f*x])^n*(A+C*Cos[e+f*x]^2),x]/;
FreeQ[{b,c,d,e,f,A,C,m,n,p},x] && Not[IntegerQ[m]]
```

