

## Rules for normalizing to known sine integrands

1.  $\int u (c \operatorname{Trig}[a + b x])^m (d \operatorname{Trig}[a + b x])^n dx$  when `KnownSineIntegrandQ[u, x]`

1.  $\int u (c \operatorname{Tan}[a + b x])^m (d \operatorname{Trig}[a + b x])^n dx$  when `KnownSineIntegrandQ[u, x]`

1:  $\int u (c \operatorname{Tan}[a + b x])^m (d \operatorname{Sin}[a + b x])^n dx$  when `KnownSineIntegrandQ[u, x] \wedge m \notin \mathbb{Z}`

Derivation: Piecewise constant extraction

Basis:  $\partial_x \frac{(c \operatorname{Tan}[a+b x])^m (d \operatorname{Cos}[a+b x])^m}{(d \operatorname{Sin}[a+b x])^m} = 0$

Rule: If `KnownSineIntegrandQ[u, x] \wedge m \notin \mathbb{Z}`, then

$$\int u (c \operatorname{Tan}[a + b x])^m (d \operatorname{Sin}[a + b x])^n dx \rightarrow \frac{(c \operatorname{Tan}[a + b x])^m (d \operatorname{Cos}[a + b x])^m}{(d \operatorname{Sin}[a + b x])^m} \int \frac{u (d \operatorname{Sin}[a + b x])^{m+n}}{(d \operatorname{Cos}[a + b x])^m} dx$$

Program code:

```
Int[u_*(c_.*tan[a_._+b_._*x_])^m_.*(d_._*sin[a_._+b_._*x_])^n_.,x_Symbol]:=  
  (c*Tan[a+b*x])^m*(d*Cos[a+b*x])^m/(d*Sin[a+b*x])^m*Int[ActivateTrig[u]*(d*Sin[a+b*x])^(m+n)/(d*Cos[a+b*x])^m,x]/;  
FreeQ[{a,b,c,d,m,n},x] && KnownSineIntegrandQ[u,x] && Not[IntegerQ[m]]
```

2:  $\int u (c \tan[a + bx])^m (d \cos[a + bx])^n dx$  when KnownSineIntegrandQ[u, x]  $\wedge m \notin \mathbb{Z}$

Derivation: Piecewise constant extraction

Basis:  $\partial_x \frac{(c \tan[a + bx])^m (d \cos[a + bx])^n}{(d \sin[a + bx])^m} = 0$

Rule: If KnownSineIntegrandQ[u, x]  $\wedge m \notin \mathbb{Z}$ , then

$$\int u (c \tan[a + bx])^m (d \cos[a + bx])^n dx \rightarrow \frac{(c \tan[a + bx])^m (d \cos[a + bx])^n}{(d \sin[a + bx])^m} \int \frac{u (d \sin[a + bx])^m}{(d \cos[a + bx])^{m-n}} dx$$

Program code:

```
Int[u_*(c_.*tan[a_._+b_._*x_])^m_.*(d_._*cos[a_._+b_._*x_])^n_.,x_Symbol]:=  
  (c*Tan[a+b*x])^m*(d*Cos[a+b*x])^n/(d*Sin[a+b*x])^m*Int[ActivateTrig[u]*(d*Sin[a+b*x])^m/(d*Cos[a+b*x])^(m-n),x];;  
FreeQ[{a,b,c,d,m,n},x] && KnownSineIntegrandQ[u,x] && Not[IntegerQ[m]]
```

2.  $\int u (\cot[a + bx])^m (\sin[a + bx])^n dx$  when `KnownSineIntegrandQ[u, x]`

1:  $\int u (\cot[a + bx])^m (\sin[a + bx])^n dx$  when `KnownSineIntegrandQ[u, x] & m \notin \mathbb{Z}`

Derivation: Piecewise constant extraction

Basis:  $\partial_x \frac{(\cot[a+bx])^m (\sin[a+bx])^m}{(\cos[a+bx])^m} = 0$

Rule: If `KnownSineIntegrandQ[u, x] & m \notin \mathbb{Z}`, then

$$\int u (\cot[a + bx])^m (\sin[a + bx])^n dx \rightarrow \frac{(\cot[a + bx])^m (\sin[a + bx])^m}{(\cos[a + bx])^m} \int \frac{u (\cos[a + bx])^m}{(\sin[a + bx])^{m-n}} dx$$

Program code:

```
Int[u_*(c_.*cot[a_.+b_.*x_])^m_.* (d_.*sin[a_.+b_.*x_])^n_.,x_Symbol] :=
  (c*Cot[a+b*x])^m*(d*Sin[a+b*x])^m/(d*Cos[a+b*x])^m*Int[ActivateTrig[u]*(d*Cos[a+b*x])^m/(d*Sin[a+b*x])^(m-n),x] /;
FreeQ[{a,b,c,d,m,n},x] && KnownSineIntegrandQ[u,x] && Not[IntegerQ[m]]
```

2:  $\int u (\cot[a + bx])^m (\cos[a + bx])^n dx$  when  $\text{KnownSineIntegrandQ}[u, x] \wedge m \notin \mathbb{Z}$

Derivation: Piecewise constant extraction

Basis:  $\partial_x \frac{(\cot[a+bx])^m (\sin[a+bx])^n}{(\cos[a+bx])^m} = 0$

Rule: If  $\text{KnownSineIntegrandQ}[u, x] \wedge m \notin \mathbb{Z}$ , then

$$\int u (\cot[a + bx])^m (\cos[a + bx])^n dx \rightarrow \frac{(\cot[a + bx])^m (\sin[a + bx])^n}{(\cos[a + bx])^m} \int \frac{u (\cos[a + bx])^{m+n}}{(\sin[a + bx])^m} dx$$

Program code:

```
Int[u_*(c_.*cot[a_._+b_._*x_])^m_.*(d_._*cos[a_._+b_._*x_])^n_.,x_Symbol]:=  
  (c* Cot[a+b*x])^m* (d* Sin[a+b*x])^n/(d* Cos[a+b*x])^m* Int[ActivateTrig[u]* (d* Cos[a+b*x])^(m+n)/(d* Sin[a+b*x])^m,x] /;  
 FreeQ[{a,b,c,d,m,n},x] && KnownSineIntegrandQ[u,x] && Not[IntegerQ[m]]
```

3:  $\int u (\csc[a + bx])^m (\sin[a + bx])^n dx$  when KnownSineIntegrandQ[u, x]

Derivation: Piecewise constant extraction

Basis:  $\partial_x ((\csc[a + bx])^m (\sin[a + bx])^n) = 0$

Rule: If KnownSineIntegrandQ[u, x], then

$$\int u (\csc[a + bx])^m (\sin[a + bx])^n dx \rightarrow (\csc[a + bx])^m (\sin[a + bx])^n \int u (\sin[a + bx])^{n-m} dx$$

Program code:

```
Int[u_*(c_.*sec[a_._+b_._*x_])^m_.*(d_.*cos[a_._+b_._*x_])^n_.,x_Symbol] :=
  (c*Sec[a+b*x])^m*(d*Cos[a+b*x])^m*Int[ActivateTrig[u]*(d*Cos[a+b*x])^(n-m),x] /;
FreeQ[{a,b,c,d,m,n},x] && KnownSineIntegrandQ[u,x]
```

4:  $\int u (\csc[a + bx])^m (\sin[a + bx])^n dx$  when KnownSineIntegrandQ[u, x]

Derivation: Piecewise constant extraction

Basis:  $\partial_x ((\csc[a + bx])^m (\sin[a + bx])^n) = 0$

Rule: If KnownSineIntegrandQ[u, x], then

$$\int u (\csc[a + bx])^m (\sin[a + bx])^n dx \rightarrow (\csc[a + bx])^m (\sin[a + bx])^n \int u (\sin[a + bx])^{n-m} dx$$

Program code:

```
Int[u_*(c_.*sec[a_._+b_._*x_])^m_.*(d_.*cos[a_._+b_._*x_])^n_.,x_Symbol] :=
  (c*Csc[a+b*x])^m*(d*Sin[a+b*x])^m*Int[ActivateTrig[u]*(d*Sin[a+b*x])^(n-m),x] /;
FreeQ[{a,b,c,d,m,n},x] && KnownSineIntegrandQ[u,x]
```

2.  $\int u (c \operatorname{Trig}[a + b x])^m dx$  when  $m \notin \mathbb{Z} \wedge \operatorname{KnownSineIntegrandQ}[u, x]$

1:  $\int u (c \operatorname{Tan}[a + b x])^m dx$  when  $m \notin \mathbb{Z} \wedge \operatorname{KnownSineIntegrandQ}[u, x]$

Derivation: Piecewise constant extraction

Basis:  $\partial_x \frac{(c \operatorname{Tan}[a+b x])^m (c \operatorname{Cos}[a+b x])^m}{(c \operatorname{Sin}[a+b x])^m} = 0$

Rule: If  $m \notin \mathbb{Z} \wedge \operatorname{KnownSineIntegrandQ}[u, x]$ , then

$$\int u (c \operatorname{Tan}[a + b x])^m dx \rightarrow \frac{(c \operatorname{Tan}[a + b x])^m (c \operatorname{Cos}[a + b x])^m}{(c \operatorname{Sin}[a + b x])^m} \int \frac{u (c \operatorname{Sin}[a + b x])^m}{(c \operatorname{Cos}[a + b x])^m} dx$$

Program code:

```
Int[u_*(c_.*tan[a_.+b_.*x_])^m_,x_Symbol]:=  
  (c*Tan[a+b*x])^m*(c*Cos[a+b*x])^m/(c*Sin[a+b*x])^m*Int[ActivateTrig[u]*(c*Sin[a+b*x])^m/(c*Cos[a+b*x])^m,x] /;  
 FreeQ[{a,b,c,m},x] && Not[IntegerQ[m]] && KnownSineIntegrandQ[u,x]
```

2:  $\int u (\cot[a + bx])^m dx$  when  $m \notin \mathbb{Z} \wedge \text{KnownSineIntegrandQ}[u, x]$

Derivation: Piecewise constant extraction

$$\text{Basis: } \partial_x \frac{(\cot[a+bx])^m (\sin[a+bx])^m}{(\cos[a+bx])^m} = 0$$

Rule: If  $m \notin \mathbb{Z} \wedge \text{KnownSineIntegrandQ}[u, x]$ , then

$$\int u (\cot[a+bx])^m dx \rightarrow \frac{(\cot[a+bx])^m (\sin[a+bx])^m}{(\cos[a+bx])^m} \int \frac{u (\cos[a+bx])^m}{(\sin[a+bx])^m} dx$$

Program code:

```
Int[u_*(c_.*cot[a_._+b_._*x_])^m_.,x_Symbol]:=  
  (c*Cos[a+b*x])^m*(c*Sin[a+b*x])^m/(c*Cos[a+b*x])^m*Int[ActivateTrig[u]*(c*Cos[a+b*x])^m/(c*Sin[a+b*x])^m,x]/;  
  FreeQ[{a,b,c,m},x] && Not[IntegerQ[m]] && KnownSineIntegrandQ[u,x]
```

3:  $\int u (\csc[a + bx])^m dx$  when  $m \notin \mathbb{Z} \wedge \text{KnownSineIntegrandQ}[u, x]$

Derivation: Piecewise constant extraction

Basis:  $\partial_x ((\csc[a + bx])^m (\csc[a + bx])^m) = 0$

Rule: If  $m \notin \mathbb{Z} \wedge \text{KnownSineIntegrandQ}[u, x]$ , then

$$\int u (\csc[a + bx])^m dx \rightarrow (\csc[a + bx])^m (\csc[a + bx])^m \int \frac{u}{(\csc[a + bx])^m} dx$$

Program code:

```
Int[u_*(c_.*sec[a_+b_.*x_])^m_,x_Symbol]:=  
  (c*Sec[a+b*x])^m*(c*Cos[a+b*x])^m*Int[ActivateTrig[u]/(c*Cos[a+b*x])^m,x] /;  
  FreeQ[{a,b,c,m},x] && Not[IntegerQ[m]] && KnownSineIntegrandQ[u,x]
```

4:  $\int u (\csc[a + bx])^m dx$  when  $m \notin \mathbb{Z} \wedge \text{KnownSineIntegrandQ}[u, x]$

Derivation: Piecewise constant extraction

Basis:  $\partial_x ((\csc[a + bx])^m (\sin[a + bx])^m) = 0$

Rule: If  $m \notin \mathbb{Z} \wedge \text{KnownSineIntegrandQ}[u, x]$ , then

$$\int u (\csc[a + bx])^m dx \rightarrow (\csc[a + bx])^m (\sin[a + bx])^m \int \frac{u}{(\sin[a + bx])^m} dx$$

Program code:

```
Int[u_*(c_.*csc[a_._+b_._*x_])^m_.,x_Symbol] :=
  (c*csc[a+b*x])^m*(c*sin[a+b*x])^m*Int[ActivateTrig[u]/(c*sin[a+b*x])^m,x] /;
FreeQ[{a,b,c,m},x] && Not[IntegerQ[m]] && KnownSineIntegrandQ[u,x]
```

3.  $\int u (A + B \csc[a + bx]) dx$  when `KnownSineIntegrandQ[u, x]`

1:  $\int u (c \sin[a + bx])^n (A + B \csc[a + bx]) dx$  when `KnownSineIntegrandQ[u, x]`

- Derivation: Algebraic normalization

- Rule: If `KnownSineIntegrandQ[u, x]`, then

$$\int u (c \sin[a + bx])^n (A + B \csc[a + bx]) dx \rightarrow c \int u (c \sin[a + bx])^{n-1} (B + A \sin[a + bx]) dx$$

- Program code:

```
Int[u_*(c_.*sin[a_._+b_._*x_])^n_.* (A_._+B_._.*csc[a_._+b_._*x_]),x_Symbol] :=
  c*Int[ActivateTrig[u]* (c*Sin[a+b*x])^(n-1)* (B+A*Sin[a+b*x]),x] /;
FreeQ[{a,b,c,A,B,n},x] && KnownSineIntegrandQ[u,x]
```

```
Int[u_*(c_.*cos[a_._+b_._*x_])^n_.* (A_._+B_._.*sec[a_._+b_._*x_]),x_Symbol] :=
  c*Int[ActivateTrig[u]* (c*Cos[a+b*x])^(n-1)* (B+A*Cos[a+b*x]),x] /;
FreeQ[{a,b,c,A,B,n},x] && KnownSineIntegrandQ[u,x]
```

2:  $\int u (A + B \csc[a + b x]) dx$  when KnownSineIntegrandQ[u, x]

- Derivation: Algebraic normalization

- Rule: If KnownSineIntegrandQ[u, x], then

$$\int u (A + B \csc[a + b x]) dx \rightarrow \int \frac{(B + A \sin[a + b x])}{\sin[a + b x]} dx$$

- Program code:

```
Int[u_*(A_+B_.*csc[a_.+b_.*x_]),x_Symbol] :=
  Int[ActivateTrig[u]*(B+A*Sin[a+b*x])/Sin[a+b*x],x] /;
FreeQ[{a,b,A,B},x] && KnownSineIntegrandQ[u,x]
```

```
Int[u_*(A_+B_.*sec[a_.+b_.*x_]),x_Symbol] :=
  Int[ActivateTrig[u]*(B+A*Cos[a+b*x])/Cos[a+b*x],x] /;
FreeQ[{a,b,A,B},x] && KnownSineIntegrandQ[u,x]
```

$$4. \int u (A + B \csc[a + bx] + C \csc[a + bx]^2) dx \text{ when KnownSineIntegrandQ}[u, x]$$

1:  $\int u (c \sin[a + bx])^n (A + B \csc[a + bx] + C \csc[a + bx]^2) dx \text{ when KnownSineIntegrandQ}[u, x]$

Derivation: Algebraic normalization

Rule: If `KnownSineIntegrandQ[u, x]`, then

$$\int u (c \sin[a + bx])^n (A + B \csc[a + bx] + C \csc[a + bx]^2) dx \rightarrow c^2 \int u (c \sin[a + bx])^{n-2} (C + B \sin[a + bx] + A \sin[a + bx]^2) dx$$

Program code:

```
Int[u_.*(c_.*sin[a_._+b_._*x_])^n_.*(A_._+B_._*csc[a_._+b_._*x_]+C_._*csc[a_._+b_._*x_]^2),x_Symbol] :=  
  c^2*Int[ActivateTrig[u]*(c*Sin[a+b*x])^(n-2)*(C+B*Sin[a+b*x]+A*Sin[a+b*x]^2),x] /;  
FreeQ[{a,b,c,A,B,C,n},x] && KnownSineIntegrandQ[u,x]
```

```
Int[u_.*(c_.*cos[a_._+b_._*x_])^n_.*(A_._+B_._*sec[a_._+b_._*x_]+C_._*sec[a_._+b_._*x_]^2),x_Symbol] :=  
  c^2*Int[ActivateTrig[u]*(c*Cos[a+b*x])^(n-2)*(C+B*Cos[a+b*x]+A*Cos[a+b*x]^2),x] /;  
FreeQ[{a,b,c,A,B,C,n},x] && KnownSineIntegrandQ[u,x]
```

```
Int[u_.*(c_.*sin[a_._+b_._*x_])^n_.*(A_._+C_._*csc[a_._+b_._*x_]^2),x_Symbol] :=  
  c^2*Int[ActivateTrig[u]*(c*Sin[a+b*x])^(n-2)*(C+A*Sin[a+b*x]^2),x] /;  
FreeQ[{a,b,c,A,C,n},x] && KnownSineIntegrandQ[u,x]
```

```
Int[u_.*(c_.*cos[a_._+b_._*x_])^n_.*(A_._+C_._*sec[a_._+b_._*x_]^2),x_Symbol] :=  
  c^2*Int[ActivateTrig[u]*(c*Cos[a+b*x])^(n-2)*(C+A*Cos[a+b*x]^2),x] /;  
FreeQ[{a,b,c,A,C,n},x] && KnownSineIntegrandQ[u,x]
```

2:  $\int u (A + B \csc[a + b x] + C \csc[a + b x]^2) dx$  when KnownSineIntegrandQ[u, x]

Derivation: Algebraic normalization

Rule: If KnownSineIntegrandQ[u, x], then

$$\int u (A + B \csc[a + b x] + C \csc[a + b x]^2) dx \rightarrow \int \frac{(C + B \sin[a + b x] + A \sin[a + b x]^2)}{\sin[a + b x]^2} dx$$

Program code:

```
Int[u_*(A_._+B_._*csc[a_._+b_._*x_]+C_._*csc[a_._+b_._*x_]^2),x_Symbol]:=  
  Int[ActivateTrig[u]*(C+B*Sin[a+b*x]+A*Sin[a+b*x]^2)/Sin[a+b*x]^2,x] /;  
FreeQ[{a,b,A,B,C},x] && KnownSineIntegrandQ[u,x]
```

```
Int[u_*(A_._+B_._*sec[a_._+b_._*x_]+C_._*sec[a_._+b_._*x_]^2),x_Symbol]:=  
  Int[ActivateTrig[u]*(C+B*Cos[a+b*x]+A*Cos[a+b*x]^2)/Cos[a+b*x]^2,x] /;  
FreeQ[{a,b,A,B,C},x] && KnownSineIntegrandQ[u,x]
```

```
Int[u_*(A_._+C_._*csc[a_._+b_._*x_]^2),x_Symbol]:=  
  Int[ActivateTrig[u]*(C+A*Sin[a+b*x]^2)/Sin[a+b*x]^2,x] /;  
FreeQ[{a,b,A,C},x] && KnownSineIntegrandQ[u,x]
```

```
Int[u_*(A_._+C_._*sec[a_._+b_._*x_]^2),x_Symbol]:=  
  Int[ActivateTrig[u]*(C+A*Cos[a+b*x]^2)/Cos[a+b*x]^2,x] /;  
FreeQ[{a,b,A,C},x] && KnownSineIntegrandQ[u,x]
```

5:  $\int u (A + B \sin[a + b x] + C \csc[a + b x]) dx$

Derivation: Algebraic normalization

Rule:

$$\int u (A + B \sin[a + bx] + C \csc[a + bx]) dx \rightarrow \int \frac{(C + A \sin[a + bx] + B \sin[a + bx]^2)}{\sin[a + bx]} dx$$

Program code:

```
Int[u_*(A_.*B_.*sin[a_._+b_._*x_]+C_.*csc[a_._+b_._*x_]),x_Symbol]:=  
  Int[ActivateTrig[u]*(C+A*Sin[a+b*x]+B*Sin[a+b*x]^2)/Sin[a+b*x],x] /;  
FreeQ[{a,b,A,B,C},x]
```

```
Int[u_*(A_.*B_.*cos[a_._+b_._*x_]+C_.*sec[a_._+b_._*x_]),x_Symbol]:=  
  Int[ActivateTrig[u]*(C+A*Cos[a+b*x]+B*Cos[a+b*x]^2)/Cos[a+b*x],x] /;  
FreeQ[{a,b,A,B,C},x]
```

6:  $\int u (A \sin[a + bx]^n + B \sin[a + bx]^{n+1} + C \sin[a + bx]^{n+2}) dx$

Derivation: Algebraic normalization

Rule:

$$\int u (A \sin[a + bx]^n + B \sin[a + bx]^{n+1} + C \sin[a + bx]^{n+2}) dx \rightarrow \int u \sin[a + bx]^n (A + B \sin[a + bx] + C \sin[a + bx]^2) dx$$

Program code:

```
Int[u_*(A_.*sin[a_._+b_._*x_]^n_.+B_.*sin[a_._+b_._*x_]^n1_.+C_.*sin[a_._+b_._*x_]^n2_),x_Symbol]:=  
  Int[ActivateTrig[u]*Sin[a+b*x]^n*(A+B*Sin[a+b*x]+C*Sin[a+b*x]^2),x] /;  
FreeQ[{a,b,A,B,C,n},x] && EqQ[n1,n+1] && EqQ[n2,n+2]
```

```
Int[u_*(A_.*cos[a_._+b_._*x_]^n_.+B_.*cos[a_._+b_._*x_]^n1_.+C_.*cos[a_._+b_._*x_]^n2_),x_Symbol]:=  
  Int[ActivateTrig[u]*Cos[a+b*x]^n*(A+B*Cos[a+b*x]+C*Cos[a+b*x]^2),x] /;  
FreeQ[{a,b,A,B,C,n},x] && EqQ[n1,n+1] && EqQ[n2,n+2]
```