

Rules for integrands of the form $(a + b \sec[c + d x^n])^p$

1: $\int (a + b \sec[c + d x^n])^p dx$ when $\frac{1}{n} \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}$

▪ **Derivation: Integration by substitution**

▪ **Basis:** If $-1 \leq n \leq 1 \wedge n \neq 0$, then $F[x^n] = \frac{1}{n} \text{Subst}[x^{\frac{1}{n}-1} F[x], x, x^n] \partial_x x^n$

▪ **Note:** If $\frac{1}{n} \in \mathbb{Z}^-$, resulting integrand is not integrable.

▪ **Rule:** If $\frac{1}{n} \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}$, then

$$\int (a + b \sec[c + d x^n])^p dx \rightarrow \frac{1}{n} \text{Subst}\left[\int x^{\frac{1}{n}-1} (a + b \sec[c + d x])^p dx, x, x^n\right]$$

▪ **Program code:**

```
Int[(a_.+b_.*Sec[c_.+d_.*x_^n_])^p_.,x_Symbol] :=
  1/n*Subst[Int[x^(1/n-1)*(a+b*Sec[c+d*x])^p,x],x,x^n] /;
FreeQ[{a,b,c,d,p},x] && IGtQ[1/n,0] && IntegerQ[p]
```

```
Int[(a_.+b_.*Csc[c_.+d_.*x_^n_])^p_.,x_Symbol] :=
  1/n*Subst[Int[x^(1/n-1)*(a+b*Csc[c+d*x])^p,x],x,x^n] /;
FreeQ[{a,b,c,d,p},x] && IGtQ[1/n,0] && IntegerQ[p]
```

X: $\int (a + b \sec[c + d x^n])^p dx$

▪ **Rule:**

$$\int (a + b \sec[c + d x^n])^p dx \rightarrow \int (a + b \sec[c + d x^n])^p dx$$

▪ **Program code:**

```
Int[(a_.+b_.*Sec[c_.+d_.*x_^n_])^p_.,x_Symbol] :=
  Unintegrable[(a+b*Sec[c+d*x^n])^p,x] /;
FreeQ[{a,b,c,d,n,p},x]
```

```
Int[(a_.+b_.*Csc[c_.+d_.*x_^n_])^p_.,x_Symbol] :=
  Unintegrable[(a+b*Csc[c+d*x^n])^p,x] /;
FreeQ[{a,b,c,d,n,p},x]
```

S: $\int (a + b \sec[c + d u^n])^p dx$ when $u = e + f x$

Derivation: Integration by substitution

Rule: If $u = e + f x$, then

$$\int (a + b \sec[c + d u^n])^p dx \rightarrow \frac{1}{f} \text{Subst}\left[\int (a + b \sec[c + d x^n])^p dx, x, u\right]$$

Program code:

```
Int[(a_.+b_.*Sec[c_.+d_.*u_^n_])^p_,x_Symbol] :=
  1/Coefficient[u,x,1]*Subst[Int[(a+b*Sec[c+d*x^n])^p,x],x,u] /;
FreeQ[{a,b,c,d,n,p},x] && LinearQ[u,x] && NeQ[u,x]
```

```
Int[(a_.+b_.*Csc[c_.+d_.*u_^n_])^p_,x_Symbol] :=
  1/Coefficient[u,x,1]*Subst[Int[(a+b*Csc[c+d*x^n])^p,x],x,u] /;
FreeQ[{a,b,c,d,n,p},x] && LinearQ[u,x] && NeQ[u,x]
```

N: $\int (a + b \sec[u])^p dx$ when $u = c + d x^n$

Derivation: Algebraic normalization

Rule: If $u = c + d x^n$, then

$$\int (a + b \sec[u])^p dx \rightarrow \int (a + b \sec[c + d x^n])^p dx$$

Program code:

```
Int[(a_.+b_.*Sec[u_])^p_,x_Symbol] :=
  Int[(a+b*Sec[ExpandToSum[u,x]])^p,x] /;
FreeQ[{a,b,p},x] && BinomialQ[u,x] && Not[BinomialMatchQ[u,x]]
```

```
Int[(a_.+b_.*Csc[u_])^p_,x_Symbol] :=
  Int[(a+b*Csc[ExpandToSum[u,x]])^p,x] /;
FreeQ[{a,b,p},x] && BinomialQ[u,x] && Not[BinomialMatchQ[u,x]]
```

Rules for integrands of the form $(e x)^m (a+b \sec [c+d x^n])^p$

1. $\int x^m (a+b \sec [c+d x^n])^p dx$

1: $\int x^m (a+b \sec [c+d x^n])^p dx$ when $\frac{m+1}{n} \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}$

Derivation: Integration by substitution

▪ **Basis:** If $\frac{m+1}{n} \in \mathbb{Z}$, then $x^m F[x^n] = \frac{1}{n} \text{Subst} \left[x^{\frac{m+1}{n}-1} F[x], x, x^n \right] \partial_x x^n$

▪ **Note:** If $\frac{m+1}{n} \in \mathbb{Z}^-$, resulting integrand is not integrable.▪ **Rule:** If $\frac{m+1}{n} \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}$, then

$$\int x^m (a+b \sec [c+d x^n])^p dx \rightarrow \frac{1}{n} \text{Subst} \left[\int x^{\frac{m+1}{n}-1} (a+b \sec [c+d x])^p dx, x, x^n \right]$$

Program code:

```
Int[x^m.*(a.+b.*Sec[c.+d.*x^n])^p.,x_Symbol] :=
  1/n*Subst[Int[x^(Simplify[(m+1)/n]-1)*(a+b*Sec[c+d*x])^p,x],x,x^n] /;
FreeQ[{a,b,c,d,m,n,p},x] && IGtQ[Simplify[(m+1)/n],0] && IntegerQ[p]
```

```
Int[x^m.*(a.+b.*Csc[c.+d.*x^n])^p.,x_Symbol] :=
  1/n*Subst[Int[x^(Simplify[(m+1)/n]-1)*(a+b*Csc[c+d*x])^p,x],x,x^n] /;
FreeQ[{a,b,c,d,m,n,p},x] && IGtQ[Simplify[(m+1)/n],0] && IntegerQ[p]
```

X: $\int x^m (a+b \sec [c+d x^n])^p dx$

Rule:

$$\int x^m (a+b \sec [c+d x^n])^p dx \rightarrow \int x^m (a+b \sec [c+d x^n])^p dx$$

Program code:

```
Int[x^m.*(a.+b.*Sec[c.+d.*x^n])^p.,x_Symbol] :=
  Unintegrable[x^m*(a+b*Sec[c+d*x^n])^p,x] /;
FreeQ[{a,b,c,d,m,n,p},x]
```

```
Int[x^m.*(a.+b.*Csc[c.+d.*x^n])^p.,x_Symbol] :=
  Unintegrable[x^m*(a+b*Csc[c+d*x^n])^p,x] /;
  FreeQ[{a,b,c,d,m,n,p},x]
```

$$2: \int (e x)^m (a + b \sec[c + d x^n])^p dx$$

Derivation: Piecewise constant extraction

▪ **Basis:** $\partial_x \frac{(e x)^m}{x^m} = 0$

– **Rule:**

$$\int (e x)^m (a + b \sec[c + d x^n])^p dx \rightarrow \frac{e^{\text{IntPart}[m]} (e x)^{\text{FracPart}[m]}}{x^{\text{FracPart}[m]}} \int x^m (a + b \sec[c + d x^n])^p dx$$

Program code:

```
Int[(e*x_)^m.*(a.+b.*Sec[c.+d.*x^n])^p.,x_Symbol] :=
  e^IntPart[m]*(e*x)^FracPart[m]/x^FracPart[m]*Int[x^m*(a+b*Sec[c+d*x^n])^p,x] /;
  FreeQ[{a,b,c,d,e,m,n,p},x]
```

```
Int[(e*x_)^m.*(a.+b.*Csc[c.+d.*x^n])^p.,x_Symbol] :=
  e^IntPart[m]*(e*x)^FracPart[m]/x^FracPart[m]*Int[x^m*(a+b*Csc[c+d*x^n])^p,x] /;
  FreeQ[{a,b,c,d,e,m,n,p},x]
```

$$N: \int (e x)^m (a + b \sec[u])^p dx \text{ when } u = c + d x^n$$

Derivation: Algebraic normalization

▪ **Rule:** If $u = c + d x^n$, then

$$\int (e x)^m (a + b \sec[u])^p dx \rightarrow \int (e x)^m (a + b \sec[c + d x^n])^p dx$$

▪ **Program code:**

```
Int[(e*x_)^m.*(a.+b.*Sec[u])^p.,x_Symbol] :=
  Int[(e*x)^m*(a+b*Sec[ExpandToSum[u,x]])^p,x] /;
  FreeQ[{a,b,e,m,p},x] && BinomialQ[u,x] && Not[BinomialMatchQ[u,x]]
```

```

Int[(e*x_)^m.*(a_.+b_.*Csc[u_])^p_,x_Symbol] :=
  Int[(e*x)^m*(a+b*Csc[ExpandToSum[u,x]])^p,x] /;
FreeQ[{a,b,e,m,p},x] && BinomialQ[u,x] && Not[BinomialMatchQ[u,x]]

```

Rules for integrands of the form $x^m \sec[a + b x^n]^p \sin[a + b x^n]$

1: $\int x^m \sec[a + b x^n]^p \sin[a + b x^n] dx$ when $n \in \mathbb{Z} \wedge m - n \geq 0 \wedge p \neq 1$

- Derivation: Integration by parts

- Rule: If $n \in \mathbb{Z} \wedge m - n \geq 0 \wedge p \neq 1$, then

$$\int x^m \sec[a + b x^n]^p \sin[a + b x^n] dx \rightarrow \frac{x^{m-n+1} \sec[a + b x^n]^{p-1}}{b n (p-1)} - \frac{m-n+1}{b n (p-1)} \int x^{m-n} \sec[a + b x^n]^{p-1} dx$$

- Program code:

```

Int[x^m_*Sec[a_.+b_.*x_^n_]^p_*Sin[a_.+b_.*x_^n_],x_Symbol] :=
  x^(m-n+1)*Sec[a+b*x^n]^(p-1)/(b*n*(p-1)) -
  (m-n+1)/(b*n*(p-1))*Int[x^(m-n)*Sec[a+b*x^n]^(p-1),x] /;
FreeQ[{a,b,p},x] && IntegerQ[n] && GeQ[m-n,0] && NeQ[p,1]

```

```

Int[x^m_*Csc[a_.+b_.*x_^n_]^p_*Cos[a_.+b_.*x_^n_],x_Symbol] :=
  -x^(m-n+1)*Csc[a+b*x^n]^(p-1)/(b*n*(p-1)) +
  (m-n+1)/(b*n*(p-1))*Int[x^(m-n)*Csc[a+b*x^n]^(p-1),x] /;
FreeQ[{a,b,p},x] && IntegerQ[n] && GeQ[m-n,0] && NeQ[p,1]

```