

Rules for integrands of the form $u \operatorname{Trig}[d (a + b \operatorname{Log}[c x^n])]^p$

$$1. \int u \sin[d (a + b \operatorname{Log}[c x^n])]^p dx$$

$$1. \int \sin[d (a + b \operatorname{Log}[c x^n])]^p dx$$

$$1. \int \sin[d (a + b \operatorname{Log}[c x^n])]^p dx \text{ when } p \in \mathbb{Z}^+ \wedge b^2 d^2 n^2 p^2 + 1 \neq 0$$

$$1: \int \sin[d (a + b \operatorname{Log}[c x^n])] dx \text{ when } b^2 d^2 n^2 + 1 \neq 0$$

▪ **Rule:** If $b^2 d^2 n^2 + 1 \neq 0$, then

$$\int \sin[d (a + b \operatorname{Log}[c x^n])] dx \rightarrow \frac{x \sin[d (a + b \operatorname{Log}[c x^n])]}{b^2 d^2 n^2 + 1} - \frac{b d n x \cos[d (a + b \operatorname{Log}[c x^n])]}{b^2 d^2 n^2 + 1}$$

▪ **Program code:**

```
Int[Sin[d.*(a_.+b_.*Log[c.*x_^n_.]),x_Symbol] :=
  x*Sin[d*(a+b*Log[c*x^n])]/(b^2*d^2*n^2+1) -
  b*d*n*x*Cos[d*(a+b*Log[c*x^n])]/(b^2*d^2*n^2+1) /;
FreeQ[{a,b,c,d,n},x] && NeQ[b^2*d^2*n^2+1,0]
```

```
Int[Cos[d.*(a_.+b_.*Log[c.*x_^n_.]),x_Symbol] :=
  x*Cos[d*(a+b*Log[c*x^n])]/(b^2*d^2*n^2+1) +
  b*d*n*x*Sin[d*(a+b*Log[c*x^n])]/(b^2*d^2*n^2+1) /;
FreeQ[{a,b,c,d,n},x] && NeQ[b^2*d^2*n^2+1,0]
```

$$2: \int \sin[d(a + b \log[cx^n])]^p dx \text{ when } p-1 \in \mathbb{Z}^+ \wedge b^2 d^2 n^2 p^2 + 1 \neq 0$$

▪ **Rule:** If $p-1 \in \mathbb{Z}^+ \wedge b^2 d^2 n^2 p^2 + 1 \neq 0$, then

$$\int \sin[d(a + b \log[cx^n])]^p dx \rightarrow \frac{x \sin[d(a + b \log[cx^n])]^p}{b^2 d^2 n^2 p^2 + 1} - \frac{b d n p x \cos[d(a + b \log[cx^n])] \sin[d(a + b \log[cx^n])]^{p-1}}{b^2 d^2 n^2 p^2 + 1} + \frac{b^2 d^2 n^2 p (p-1)}{b^2 d^2 n^2 p^2 + 1} \int \sin[d(a + b \log[cx^n])]^{p-2} dx$$

▪ **Program code:**

```
Int[Sin[d.*(a.+b.*Log[c.*x.^n.])]^p_,x_Symbol] :=
  x*Sin[d*(a+b*Log[c*x^n])]^p/(b^2*d^2*n^2*p^2+1) -
  b*d*n*p*x*Cos[d*(a+b*Log[c*x^n])]*Sin[d*(a+b*Log[c*x^n])]^(p-1)/(b^2*d^2*n^2*p^2+1) +
  b^2*d^2*n^2*p*(p-1)/(b^2*d^2*n^2*p^2+1)*Int[Sin[d*(a+b*Log[c*x^n])]^(p-2),x] /;
FreeQ[{a,b,c,d,n},x] && IGtQ[p,1] && NeQ[b^2*d^2*n^2*p^2+1,0]
```

```
Int[Cos[d.*(a.+b.*Log[c.*x.^n.])]^p_,x_Symbol] :=
  x*Cos[d*(a+b*Log[c*x^n])]^p/(b^2*d^2*n^2*p^2+1) +
  b*d*n*p*x*Cos[d*(a+b*Log[c*x^n])]^(p-1)*Sin[d*(a+b*Log[c*x^n])]/(b^2*d^2*n^2*p^2+1) +
  b^2*d^2*n^2*p*(p-1)/(b^2*d^2*n^2*p^2+1)*Int[Cos[d*(a+b*Log[c*x^n])]^(p-2),x] /;
FreeQ[{a,b,c,d,n},x] && IGtQ[p,1] && NeQ[b^2*d^2*n^2*p^2+1,0]
```

$$2. \int \sin[d (a + b \text{Log}[x])]^p dx$$

$$1: \int \sin[d (a + b \text{Log}[x])]^p dx \text{ when } p \in \mathbb{Z}^+ \wedge b^2 d^2 p^2 + 1 = 0$$

Derivation: Algebraic expansion

- Basis: If $b^2 d^2 p^2 + 1 = 0 \wedge p \in \mathbb{Z}$, then $\sin[d (a + b \text{Log}[x])]^p = \frac{1}{2^p b^p d^p p^p} \left(e^{a b d^2 p} x^{-\frac{1}{p}} - e^{-a b d^2 p} x^{\frac{1}{p}} \right)^p$
- Basis: If $b^2 d^2 p^2 + 1 = 0 \wedge p \in \mathbb{Z}$, then $\cos[d (a + b \text{Log}[x])]^p = \frac{1}{2^p} \left(e^{a b d^2 p} x^{-\frac{1}{p}} + e^{-a b d^2 p} x^{\frac{1}{p}} \right)^p$

Note: The above identities need to be formally derived, and possibly the domain of p expanded.

Rule: If $p \in \mathbb{Z}^+ \wedge b^2 d^2 p^2 + 1 = 0$, then

$$\int \sin[d (a + b \text{Log}[x])]^p dx \rightarrow \frac{1}{2^p b^p d^p p^p} \int \text{ExpandIntegrand}\left[\left(e^{a b d^2 p} x^{-\frac{1}{p}} - e^{-a b d^2 p} x^{\frac{1}{p}} \right)^p, x \right] dx$$

Program code:

```
Int[Sin[d.*(a_.+b_.*Log[x_])]^p_.,x_Symbol] :=
  1/(2^p*b^p*d^p*p^p)*Int[ExpandIntegrand[(E^(a*b*d^2*p)*x^(-1/p)-E^(-a*b*d^2*p)*x^(1/p))^p,x],x] /;
FreeQ[{a,b,d},x] && IGtQ[p,0] && EqQ[b^2*d^2*p^2+1,0]
```

```
Int[Cos[d.*(a_.+b_.*Log[x_])]^p_.,x_Symbol] :=
  1/2^p*Int[ExpandIntegrand[(E^(a*b*d^2*p)*x^(-1/p)+E^(-a*b*d^2*p)*x^(1/p))^p,x],x] /;
FreeQ[{a,b,d},x] && IGtQ[p,0] && EqQ[b^2*d^2*p^2+1,0]
```

$$\mathbf{x}: \int \sin[d (a + b \operatorname{Log}[x])]^p dx \text{ when } p \in \mathbb{Z}$$

Derivation: Algebraic expansion

- **Basis:** $\sin[d (a + b \operatorname{Log}[x])] = \frac{1 - e^{2 i a d} x^{2 i b d}}{-2 i e^{i a d} x^{i b d}}$
- **Basis:** $\cos[d (a + b \operatorname{Log}[x])] = \frac{1 + e^{2 i a d} x^{2 i b d}}{2 e^{i a d} x^{i b d}}$

Rule: If $p \in \mathbb{Z}$, then

$$\int \sin[d (a + b \operatorname{Log}[x])]^p dx \rightarrow \frac{1}{(-2 i)^p e^{i a d p}} \int \frac{(1 - e^{2 i a d} x^{2 i b d})^p}{x^{i b d p}} dx$$

Program code:

```
(* Int[Sin[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
  1/((-2*I)^p*E^(I*a*d*p))*Int[(1-E^(2*I*a*d))*x^(2*I*b*d)]^p/x^(I*b*d*p),x] /;
FreeQ[{a,b,d},x] && IntegerQ[p] *)
```

```
(* Int[Cos[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
  1/(2^p*E^(I*a*d*p))*Int[(1+E^(2*I*a*d))*x^(2*I*b*d)]^p/x^(I*b*d*p),x] /;
FreeQ[{a,b,d},x] && IntegerQ[p] *)
```

$$2: \int \sin[d(a+b \operatorname{Log}[x])]^p dx \text{ when } p \notin \mathbb{Z}$$

Derivation: Piecewise constant extraction

- **Basis:** $\partial_x \frac{\sin[d(a+b \operatorname{Log}[x])]^p x^{i b d p}}{(1-e^{2 i a d} x^{2 i b d})^p} = 0$
- **Basis:** $\partial_x \frac{\cos[d(a+b \operatorname{Log}[x])]^p x^{i b d p}}{(1+e^{2 i a d} x^{2 i b d})^p} = 0$

Rule: If $p \notin \mathbb{Z}$, then

$$\int \sin[d(a+b \operatorname{Log}[x])]^p dx \rightarrow \frac{\sin[d(a+b \operatorname{Log}[x])]^p x^{i b d p}}{(1-e^{2 i a d} x^{2 i b d})^p} \int \frac{(1-e^{2 i a d} x^{2 i b d})^p}{x^{i b d p}} dx$$

Program code:

```
Int[Sin[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
  Sin[d*(a+b*Log[x])]^p*x^(I*b*d*p)/(1-E^(2*I*a*d)*x^(2*I*b*d))^p*
  Int[(1-E^(2*I*a*d)*x^(2*I*b*d))^p/x^(I*b*d*p),x] /;
FreeQ[{a,b,d,p},x] && Not[IntegerQ[p]]
```

```
Int[Cos[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
  Cos[d*(a+b*Log[x])]^p*x^(I*b*d*p)/(1+E^(2*I*a*d)*x^(2*I*b*d))^p*
  Int[(1+E^(2*I*a*d)*x^(2*I*b*d))^p/x^(I*b*d*p),x] /;
FreeQ[{a,b,d,p},x] && Not[IntegerQ[p]]
```

$$3: \int \sin[d (a + b \text{Log}[c x^n])]^p dx$$

Derivation: Piecewise constant extraction and integration by substitution

- **Basis:** $\partial_x \frac{x}{(c x^n)^{1/n}} = 0$

- **Basis:** $\frac{F[c x^n]}{x} = \frac{1}{n} \text{Subst}\left[\frac{F[x]}{x}, x, c x^n\right] \partial_x (c x^n)$

- **Rule:**

$$\int \sin[d (a + b \text{Log}[c x^n])]^p dx \rightarrow \frac{x}{(c x^n)^{1/n}} \int \frac{(c x^n)^{1/n} \sin[d (a + b \text{Log}[c x^n])]^p}{x} dx$$

$$\rightarrow \frac{x}{n (c x^n)^{1/n}} \text{Subst}\left[\int x^{1/n-1} \sin[d (a + b \text{Log}[x])]^p dx, x, c x^n\right]$$

```
Int[Sin[d.*(a.+b.*Log[c.*x.^n.])]^p.,x_Symbol] :=
  x/(n*(c*x^n)^(1/n))*Subst[Int[x^(1/n-1)*Sin[d*(a+b*Log[x])]^p,x],x,c*x^n] /;
FreeQ[{a,b,c,d,n,p},x] && (NeQ[c,1] || NeQ[n,1])
```

```
Int[Cos[d.*(a.+b.*Log[c.*x.^n.])]^p.,x_Symbol] :=
  x/(n*(c*x^n)^(1/n))*Subst[Int[x^(1/n-1)*Cos[d*(a+b*Log[x])]^p,x],x,c*x^n] /;
FreeQ[{a,b,c,d,n,p},x] && (NeQ[c,1] || NeQ[n,1])
```

$$2. \int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])]^p dx$$

$$1. \int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])]^p dx \text{ when } p \in \mathbb{Z}^+ \wedge b^2 d^2 n^2 p^2 + (m+1)^2 \neq 0$$

$$1: \int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])] dx \text{ when } b^2 d^2 n^2 + (m+1)^2 \neq 0$$

Rule: If $b^2 d^2 n^2 + (m+1)^2 \neq 0$, then

$$\int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])] dx \rightarrow \frac{(m+1) (e x)^{m+1} \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])]}{b^2 d^2 e n^2 + e (m+1)^2} - \frac{b d n (e x)^{m+1} \operatorname{Cos}[d (a + b \operatorname{Log}[c x^n])]}{b^2 d^2 e n^2 + e (m+1)^2}$$

Program code:

```
Int[(e.*x_)^m_.*Sin[d_.*(a_.*b_.*Log[c_.*x_^n_.])],x_Symbol] :=
(m+1)*(e*x)^(m+1)*Sin[d*(a+b*Log[c*x^n])]/(b^2*d^2*e*n^2+e*(m+1)^2) -
b*d*n*(e*x)^(m+1)*Cos[d*(a+b*Log[c*x^n])]/(b^2*d^2*e*n^2+e*(m+1)^2) /;
FreeQ[{a,b,c,d,e,m,n},x] && NeQ[b^2*d^2*n^2+(m+1)^2,0]
```

```
Int[(e.*x_)^m_.*Cos[d_.*(a_.*b_.*Log[c_.*x_^n_.])],x_Symbol] :=
(m+1)*(e*x)^(m+1)*Cos[d*(a+b*Log[c*x^n])]/(b^2*d^2*e*n^2+e*(m+1)^2) +
b*d*n*(e*x)^(m+1)*Sin[d*(a+b*Log[c*x^n])]/(b^2*d^2*e*n^2+e*(m+1)^2) /;
FreeQ[{a,b,c,d,e,m,n},x] && NeQ[b^2*d^2*n^2+(m+1)^2,0]
```

$$2: \int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])]^p dx \text{ when } p - 1 \in \mathbb{Z}^+ \wedge b^2 d^2 n^2 p^2 + (m + 1)^2 \neq 0$$

Rule: If $p - 1 \in \mathbb{Z}^+ \wedge b^2 d^2 n^2 p^2 + (m + 1)^2 \neq 0$, then

$$\int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])]^p dx \rightarrow \frac{(m + 1) (e x)^{m+1} \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])]^p}{b^2 d^2 e n^2 p^2 + e (m + 1)^2} - \frac{b d n p (e x)^{m+1} \operatorname{Cos}[d (a + b \operatorname{Log}[c x^n])] \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])]^{p-1}}{b^2 d^2 e n^2 p^2 + e (m + 1)^2} + \frac{b^2 d^2 n^2 p (p - 1)}{b^2 d^2 n^2 p^2 + (m + 1)^2} \int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])]^{p-2} dx$$

Program code:

```
Int[(e_.*x_)^m_.*Sin[d_.*(a_.+b_.*Log[c_.*x_^n_.])]^p_,x_Symbol] :=
(m+1)*(e*x)^(m+1)*Sin[d*(a+b*Log[c*x^n])]^p/(b^2*d^2*e*n^2*p^2+e*(m+1)^2) -
b*d*n*p*(e*x)^(m+1)*Cos[d*(a+b*Log[c*x^n])]*Sin[d*(a+b*Log[c*x^n])]^(p-1)/(b^2*d^2*e*n^2*p^2+e*(m+1)^2) +
b^2*d^2*n^2*p*(p-1)/(b^2*d^2*n^2*p^2+(m+1)^2)*Int[(e*x)^m*Sin[d*(a+b*Log[c*x^n])]^(p-2),x] /;
FreeQ[{a,b,c,d,e,m,n},x] && IGtQ[p,1] && NeQ[b^2*d^2*n^2*p^2+(m+1)^2,0]
```

```
Int[(e_.*x_)^m_.*Cos[d_.*(a_.+b_.*Log[c_.*x_^n_.])]^p_,x_Symbol] :=
(m+1)*(e*x)^(m+1)*Cos[d*(a+b*Log[c*x^n])]^p/(b^2*d^2*e*n^2*p^2+e*(m+1)^2) +
b*d*n*p*(e*x)^(m+1)*Sin[d*(a+b*Log[c*x^n])]*Cos[d*(a+b*Log[c*x^n])]^(p-1)/(b^2*d^2*e*n^2*p^2+e*(m+1)^2) +
b^2*d^2*n^2*p*(p-1)/(b^2*d^2*n^2*p^2+(m+1)^2)*Int[(e*x)^m*Cos[d*(a+b*Log[c*x^n])]^(p-2),x] /;
FreeQ[{a,b,c,d,e,m,n},x] && IGtQ[p,1] && NeQ[b^2*d^2*n^2*p^2+(m+1)^2,0]
```

$$2. \int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[x])]^p dx$$

$$1: \int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[x])]^p dx \text{ when } p \in \mathbb{Z}^+ \wedge b^2 d^2 p^2 + (m + 1)^2 = 0$$

Derivation: Algebraic expansion

- Basis: If $b^2 d^2 p^2 + (m + 1)^2 = 0 \wedge p \in \mathbb{Z}$, then $\operatorname{Sin}[d (a + b \operatorname{Log}[x])]^p = \frac{(m+1)^p}{2^p b^p d^p p^p} \left(e^{\frac{a b d^2 p}{m+1} x^{-\frac{m+1}{p}}} - e^{-\frac{a b d^2 p}{m+1} x^{\frac{m+1}{p}}} \right)^p$
- Basis: If $b^2 d^2 p^2 + (m + 1)^2 = 0 \wedge p \in \mathbb{Z}$, then $\operatorname{Cos}[d (a + b \operatorname{Log}[x])]^p = \frac{1}{2^p} \left(e^{\frac{a b d^2 p}{m+1} x^{-\frac{m+1}{p}}} + e^{-\frac{a b d^2 p}{m+1} x^{\frac{m+1}{p}}} \right)^p$

Note: The above identities need to be formally derived, and possibly the domain of p expanded.

Rule: If $p \in \mathbb{Z}^+ \wedge b^2 d^2 p^2 + (m + 1)^2 = 0$, then

$$\int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[x])]^p dx \rightarrow \frac{(m+1)^p}{2^p b^p d^p p^p} \int \operatorname{ExpandIntegrand}\left[(e x)^m \left(e^{\frac{abd^2 p}{m+1} x^{-\frac{m+1}{p}}} - e^{-\frac{abd^2 p}{m+1} x^{\frac{m+1}{p}}}\right)^p, x\right] dx$$

Program code:

```
Int[(e.*x_)^m_.*Sin[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
(m+1)^p/(2^p*b^p*d^p*p^p)*
Int[ExpandIntegrand[(e*x)^m*(E^(a*b*d^2*p/(m+1))*x^(-(m+1)/p)-E^(-a*b*d^2*p/(m+1))*x^((m+1)/p))^p,x],x] /;
FreeQ[{a,b,d,e,m},x] && IGtQ[p,0] && EqQ[b^2*d^2*p^2+(m+1)^2,0]
```

```
Int[(e.*x_)^m_.*Cos[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
1/2^p*Int[ExpandIntegrand[(e*x)^m*(E^(a*b*d^2*p/(m+1))*x^(-(m+1)/p)+E^(-a*b*d^2*p/(m+1))*x^((m+1)/p))^p,x],x] /;
FreeQ[{a,b,d,e,m},x] && IGtQ[p,0] && EqQ[b^2*d^2*p^2+(m+1)^2,0]
```

x: $\int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[x])]^p dx$ when $p \in \mathbb{Z}$

Derivation: Algebraic expansion

- Basis: $\operatorname{Sin}[d (a + b \operatorname{Log}[x])] = \frac{1 - e^{2 i a d} x^{2 i b d}}{-2 i e^{i a d} x^{i b d}}$
- Basis: $\operatorname{Cos}[d (a + b \operatorname{Log}[x])] = \frac{1 + e^{2 i a d} x^{2 i b d}}{2 e^{i a d} x^{i b d}}$

Rule: If $p \in \mathbb{Z}$, then

$$\int (e x)^m \operatorname{Sin}[d (a + b \operatorname{Log}[x])]^p dx \rightarrow \frac{1}{(-2 i)^p e^{i a d p}} \int \frac{(e x)^m (1 - e^{2 i a d} x^{2 i b d})^p}{x^{i b d p}} dx$$

Program code:

```
(* Int[(e.*x_)^m_.*Sin[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
1/((-2*I)^p*E^(I*a*d*p))*Int[(e*x)^m*(1-E^(2*I*a*d))*x^(2*I*b*d))^p/x^(I*b*d*p),x] /;
FreeQ[{a,b,d,e,m},x] && IntegerQ[p] *)
```

```
(* Int[(e.*x_)^m_.*Cos[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
1/(2^p*E^(I*a*d*p))*Int[(e*x)^m*(1+E^(2*I*a*d))*x^(2*I*b*d))^p/x^(I*b*d*p),x] /;
FreeQ[{a,b,d,e,m},x] && IntegerQ[p] *)
```

$$2: \int (e x)^m \text{Sin}[d (a + b \text{Log}[x])]^p dx \text{ when } p \notin \mathbb{Z}$$

Derivation: Piecewise constant extraction

- **Basis:** $\partial_x \frac{\text{Sin}[d (a+b \text{Log}[x])]^p x^{i b d p}}{(1-e^{2 i a d} x^{2 i b d})^p} = 0$
- **Basis:** $\partial_x \frac{\text{Cos}[d (a+b \text{Log}[x])]^p x^{i b d p}}{(1+e^{2 i a d} x^{2 i b d})^p} = 0$

Rule: If $p \notin \mathbb{Z}$, then

$$\int (e x)^m \text{Sin}[d (a + b \text{Log}[x])]^p dx \rightarrow \frac{\text{Sin}[d (a + b \text{Log}[x])]^p x^{i b d p}}{(1 - e^{2 i a d} x^{2 i b d})^p} \int \frac{(e x)^m (1 - e^{2 i a d} x^{2 i b d})^p}{x^{i b d p}} dx$$

Program code:

```
Int[(e.*x_)^m_.*Sin[d_.*(a_+b_.*Log[x_])]^p_,x_Symbol] :=
  Sin[d*(a+b*Log[x])]^p*x^(I*b*d*p)/(1-E^(2*I*a*d)*x^(2*I*b*d))^p*
  Int[(e*x)^m*(1-E^(2*I*a*d)*x^(2*I*b*d))^p/x^(I*b*d*p),x] /;
FreeQ[{a,b,d,e,m,p},x] && Not[IntegerQ[p]]
```

```
Int[(e.*x_)^m_.*Cos[d_.*(a_+b_.*Log[x_])]^p_,x_Symbol] :=
  Cos[d*(a+b*Log[x])]^p*x^(I*b*d*p)/(1+E^(2*I*a*d)*x^(2*I*b*d))^p*
  Int[(e*x)^m*(1+E^(2*I*a*d)*x^(2*I*b*d))^p/x^(I*b*d*p),x] /;
FreeQ[{a,b,d,e,m,p},x] && Not[IntegerQ[p]]
```

$$3: \int (e x)^m \text{Sin}[d (a + b \text{Log}[c x^n])]^p dx$$

Derivation: Piecewise constant extraction and integration by substitution

Basis: $\partial_x \frac{x}{(c x^n)^{1/n}} = 0$

- **Basis:** $\frac{F[c x^n]}{x} = \frac{1}{n} \text{Subst}\left[\frac{F[x]}{x}, x, c x^n\right] \partial_x (c x^n)$

Rule:

$$\int (e x)^m \text{Sin}[d (a + b \text{Log}[c x^n])]^p dx \rightarrow \frac{(e x)^{m+1}}{e (c x^n)^{(m+1)/n}} \int \frac{(c x^n)^{(m+1)/n} \text{Sin}[d (a + b \text{Log}[c x^n])]^p}{x} dx$$

$$\rightarrow \frac{(e x)^{m+1}}{e n (c x^n)^{(m+1)/n}} \operatorname{Subst}\left[\int x^{(m+1)/n-1} \sin[d(a+b \operatorname{Log}[x])]^p dx, x, c x^n\right]$$

```
Int[(e.*x_)^m.*Sin[d.*(a.+b.*Log[c.*x_^n.])]^p.,x_Symbol] :=
  (e*x)^(m+1)/(e*n*(c*x^n)^((m+1)/n))*Subst[Int[x^((m+1)/n-1)*Sin[d*(a+b*Log[x])]^p,x],x,c*x^n] /;
FreeQ[{a,b,c,d,e,m,n,p},x] && (NeQ[c,1] || NeQ[n,1])
```

```
Int[(e.*x_)^m.*Cos[d.*(a.+b.*Log[c.*x_^n.])]^p.,x_Symbol] :=
  (e*x)^(m+1)/(e*n*(c*x^n)^((m+1)/n))*Subst[Int[x^((m+1)/n-1)*Cos[d*(a+b*Log[x])]^p,x],x,c*x^n] /;
FreeQ[{a,b,c,d,e,m,n,p},x] && (NeQ[c,1] || NeQ[n,1])
```

3: $\int (h(e + f \operatorname{Log}[g x^m]))^q \sin[d(a + b \operatorname{Log}[c x^n])] dx$

Derivation: Algebraic expansion and piecewise constant extraction

Basis: $\sin[d(a + b \operatorname{Log}[z])] = \frac{i}{2} e^{-i a d} z^{-i b d} - \frac{i}{2} e^{i a d} z^{i b d}$

Basis: $\cos[d(a + b \operatorname{Log}[z])] = \frac{1}{2} e^{-i a d} z^{-i b d} + \frac{1}{2} e^{i a d} z^{i b d}$

Rule:

$$\int (h(e + f \operatorname{Log}[g x^m]))^q \sin[d(a + b \operatorname{Log}[c x^n])] dx \rightarrow$$

$$\frac{i e^{-i a d} (c x^n)^{-i b d}}{2 x^{-i b d n}} \int x^{-i b d n} (h(e + f \operatorname{Log}[g x^m]))^q dx - \frac{i e^{i a d} (c x^n)^{i b d}}{2 x^{i b d n}} \int x^{i b d n} (h(e + f \operatorname{Log}[g x^m]))^q dx$$

Program code:

```
Int[(h.*(e.+f.*Log[g.*x_^m.]))^q.*Sin[d.*(a.+b.*Log[c.*x_^n.])],x_Symbol] :=
  I*E^(-I*a*d)*(c*x^n)^(-I*b*d)/(2*x^(-I*b*d*n))*Int[x^(-I*b*d*n)*(h*(e+f*Log[g*x^m]))^q,x] -
  I*E^(I*a*d)*(c*x^n)^(I*b*d)/(2*x^(I*b*d*n))*Int[x^(I*b*d*n)*(h*(e+f*Log[g*x^m]))^q,x] /;
FreeQ[{a,b,c,d,e,f,g,h,m,n,q},x]
```

```
Int[(h.*(e.+f.*Log[g.*x_^m.]))^q.*Cos[d.*(a.+b.*Log[c.*x_^n.])],x_Symbol] :=
  E^(-I*a*d)*(c*x^n)^(-I*b*d)/(2*x^(-I*b*d*n))*Int[x^(-I*b*d*n)*(h*(e+f*Log[g*x^m]))^q,x] +
  E^(I*a*d)*(c*x^n)^(I*b*d)/(2*x^(I*b*d*n))*Int[x^(I*b*d*n)*(h*(e+f*Log[g*x^m]))^q,x] /;
FreeQ[{a,b,c,d,e,f,g,h,m,n,q},x]
```

$$4: \int (i x)^r (h(e + f \operatorname{Log}[g x^m]))^q \operatorname{Sin}[d(a + b \operatorname{Log}[c x^n])] dx$$

Derivation: Algebraic expansion and piecewise constant extraction

■ **Basis:** $\operatorname{Sin}[d(a + b \operatorname{Log}[z])] = \frac{i}{2} e^{-i a d} z^{-i b d} - \frac{i}{2} e^{i a d} z^{i b d}$

■ **Basis:** $\operatorname{Cos}[d(a + b \operatorname{Log}[z])] = \frac{1}{2} e^{-i a d} z^{-i b d} + \frac{1}{2} e^{i a d} z^{i b d}$

■ **Rule:**

$$\int (i x)^r (h(e + f \operatorname{Log}[g x^m]))^q \operatorname{Sin}[d(a + b \operatorname{Log}[c x^n])] dx \rightarrow \frac{i e^{-i a d} (i x)^r (c x^n)^{-i b d}}{2 x^{r-i b d n}} \int x^{r-i b d n} (h(e + f \operatorname{Log}[g x^m]))^q dx - \frac{i e^{i a d} (i x)^r (c x^n)^{i b d}}{2 x^{r+i b d n}} \int x^{r+i b d n} (h(e + f \operatorname{Log}[g x^m]))^q dx$$

Program code:

```
Int[(i.*x_)^r.*(h.*(e.+f.*Log[g.*x^m.]))^q.*Sin[d.*(a.+b.*Log[c.*x^n.])],x_Symbol] :=
  I*E^(-I*a*d)*(i*x)^r*(c*x^n)^(-I*b*d)/(2*x^(r-I*b*d*n))*Int[x^(r-I*b*d*n)*(h*(e+f*Log[g*x^m]))^q,x] -
  I*E^(I*a*d)*(i*x)^r*(c*x^n)^(I*b*d)/(2*x^(r+I*b*d*n))*Int[x^(r+I*b*d*n)*(h*(e+f*Log[g*x^m]))^q,x] /;
FreeQ[{a,b,c,d,e,f,g,h,i,m,n,q,r},x]
```

```
Int[(i.*x_)^r.*(h.*(e.+f.*Log[g.*x^m.]))^q.*Cos[d.*(a.+b.*Log[c.*x^n.])],x_Symbol] :=
  E^(-I*a*d)*(i*x)^r*(c*x^n)^(-I*b*d)/(2*x^(r-I*b*d*n))*Int[x^(r-I*b*d*n)*(h*(e+f*Log[g*x^m]))^q,x] +
  E^(I*a*d)*(i*x)^r*(c*x^n)^(I*b*d)/(2*x^(r+I*b*d*n))*Int[x^(r+I*b*d*n)*(h*(e+f*Log[g*x^m]))^q,x] /;
FreeQ[{a,b,c,d,e,f,g,h,i,m,n,q,r},x]
```

$$2. \int \operatorname{Sec}[d(a+b \operatorname{Log}[cx^n])]^p dx$$

$$1. \int \operatorname{Sec}[d(a+b \operatorname{Log}[cx^n])]^p dx$$

$$1. \int \operatorname{Sec}[d(a+b \operatorname{Log}[x])]^p dx$$

$$1: \int \operatorname{Sec}[d(a+b \operatorname{Log}[x])]^p dx \text{ when } p \in \mathbb{Z}$$

Derivation: Algebraic expansion

- **Basis:** $\operatorname{Sec}[d(a+b \operatorname{Log}[x])] = \frac{2e^{i a d} x^{i b d}}{1+e^{2 i a d} x^{2 i b d}}$
- **Basis:** $\operatorname{Csc}[d(a+b \operatorname{Log}[x])] = -\frac{2ie^{i a d} x^{i b d}}{1-e^{2 i a d} x^{2 i b d}}$

Rule: If $p \in \mathbb{Z}$, then

$$\int \operatorname{Sec}[d(a+b \operatorname{Log}[x])]^p dx \rightarrow 2^p e^{i a d p} \int \frac{x^{i b d p}}{(1+e^{2 i a d} x^{2 i b d})^p} dx$$

Program code:

```
Int[Sec[d.*(a_.+b_.*Log[x_])]^p_.,x_Symbol] :=
  2^p*E^(I*a*d*p)*Int[x^(I*b*d*p)/(1+E^(2*I*a*d)*x^(2*I*b*d))^p,x] /;
FreeQ[{a,b,d},x] && IntegerQ[p]
```

```
Int[Csc[d.*(a_.+b_.*Log[x_])]^p_.,x_Symbol] :=
  (-2*I)^p*E^(I*a*d*p)*Int[x^(I*b*d*p)/(1-E^(2*I*a*d)*x^(2*I*b*d))^p,x] /;
FreeQ[{a,b,d},x] && IntegerQ[p]
```

$$2: \int \operatorname{Sec}[d(a+b \operatorname{Log}[x])]^p dx \text{ when } p \notin \mathbb{Z}$$

Derivation: Algebraic expansion and piecewise constant extraction

- **Basis:** $\partial_x \frac{\operatorname{Sec}[d(a+b \operatorname{Log}[x])]^p (1+e^{2 i a d} x^{2 i b d})^p}{x^{i b d p}} = 0$
- **Basis:** $\partial_x \frac{\operatorname{Csc}[d(a+b \operatorname{Log}[x])]^p (1-e^{2 i a d} x^{2 i b d})^p}{x^{i b d p}} = 0$

Rule: If $p \notin \mathbb{Z}$, then

$$\int \text{Sec}[d(a+b \text{Log}[x])]^p dx \rightarrow \frac{\text{Sec}[d(a+b \text{Log}[x])]^p (1+e^{2iad} x^{2ibd})^p}{x^{ibd p}} \int \frac{x^{ibd p}}{(1+e^{2iad} x^{2ibd})^p} dx$$

Program code:

```
Int[Sec[d.*(a.+b.*Log[x_])]^p_.,x_Symbol] :=
  Sec[d*(a+b*Log[x])]^p*(1+E^(2*I*a*d)*x^(2*I*b*d))^p/x^(I*b*d*p)*
  Int[x^(I*b*d*p)/(1+E^(2*I*a*d)*x^(2*I*b*d))^p,x] /;
FreeQ[{a,b,d,p},x] && Not[IntegerQ[p]]
```

```
Int[Csc[d.*(a.+b.*Log[x_])]^p_.,x_Symbol] :=
  Csc[d*(a+b*Log[x])]^p*(1-E^(2*I*a*d)*x^(2*I*b*d))^p/x^(I*b*d*p)*
  Int[x^(I*b*d*p)/(1-E^(2*I*a*d)*x^(2*I*b*d))^p,x] /;
FreeQ[{a,b,d,p},x] && Not[IntegerQ[p]]
```

2: $\int \text{Sec}[d(a+b \text{Log}[c x^n])]^p dx$

Derivation: Piecewise constant extraction and integration by substitution

Basis: $\partial_x \frac{x}{(c x^n)^{1/n}} = 0$

Basis: $\frac{F[c x^n]}{x} = \frac{1}{n} \text{Subst}\left[\frac{F[x]}{x}, x, c x^n\right] \partial_x (c x^n)$

Rule:

$$\int \text{Sec}[d(a+b \text{Log}[c x^n])]^p dx \rightarrow \frac{x}{(c x^n)^{1/n}} \int \frac{(c x^n)^{1/n} \text{Sec}[d(a+b \text{Log}[c x^n])]^p}{x} dx$$

$$\rightarrow \frac{x}{n (c x^n)^{1/n}} \text{Subst}\left[\int x^{1/n-1} \text{Sec}[d(a+b \text{Log}[x])]^p dx, x, c x^n\right]$$

```
Int[Sec[d.*(a.+b.*Log[c.*x_^n_])]^p_.,x_Symbol] :=
  x/(n*(c*x^n)^(1/n))*Subst[Int[x^(1/n-1)*Sec[d*(a+b*Log[x])]^p,x],x,c*x^n] /;
FreeQ[{a,b,c,d,n,p},x] && (NeQ[c,1] || NeQ[n,1])
```

```
Int[Csc[d.*(a.+b.*Log[c.*x_^n_])]^p_.,x_Symbol] :=
  x/(n*(c*x^n)^(1/n))*Subst[Int[x^(1/n-1)*Csc[d*(a+b*Log[x])]^p,x],x,c*x^n] /;
FreeQ[{a,b,c,d,n,p},x] && (NeQ[c,1] || NeQ[n,1])
```

$$2. \int (e x)^m \operatorname{Sec}[d (a + b \operatorname{Log}[c x^n])]^p dx$$

$$1. \int (e x)^m \operatorname{Sec}[d (a + b \operatorname{Log}[x])]^p dx$$

$$1: \int (e x)^m \operatorname{Sec}[d (a + b \operatorname{Log}[x])]^p dx \text{ when } p \in \mathbb{Z}$$

Derivation: Algebraic expansion

- **Basis:** $\operatorname{Sec}[d (a + b \operatorname{Log}[x])] = \frac{2 e^{i a d} x^{i b d}}{1 + e^{2 i a d} x^{2 i b d}}$
- **Basis:** $\operatorname{Csc}[d (a + b \operatorname{Log}[x])] = -\frac{2 i e^{i a d} x^{i b d}}{1 - e^{2 i a d} x^{2 i b d}}$

Rule: If $p \in \mathbb{Z}$, then

$$\int (e x)^m \operatorname{Sec}[d (a + b \operatorname{Log}[x])]^p dx \rightarrow 2^p e^{i a d p} \int \frac{(e x)^m x^{i b d p}}{(1 + e^{2 i a d} x^{2 i b d})^p} dx$$

Program code:

```
Int[(e_.**x_)^m_.*Sec[d_.*(a_.+b_.*Log[x_])]^p_.,x_Symbol] :=
  2^p*E^(I*a*d*p)*Int[(e*x)^m*x^(I*b*d*p)/(1+E^(2*I*a*d)*x^(2*I*b*d))^p,x] /;
FreeQ[{a,b,d,e,m},x] && IntegerQ[p]
```

```
Int[(e_.**x_)^m_.*Csc[d_.*(a_.+b_.*Log[x_])]^p_.,x_Symbol] :=
  (-2*I)^p*E^(I*a*d*p)*Int[(e*x)^m*x^(I*b*d*p)/(1-E^(2*I*a*d)*x^(2*I*b*d))^p,x] /;
FreeQ[{a,b,d,e,m},x] && IntegerQ[p]
```

$$2: \int (e x)^m \operatorname{Sec}[d (a + b \operatorname{Log}[x])]^p dx \text{ when } p \notin \mathbb{Z}$$

Derivation: Algebraic expansion and piecewise constant extraction

- **Basis:** $\partial_x \frac{\operatorname{Sec}[d (a+b \operatorname{Log}[x])]^p (1+e^{2 i a d} x^{2 i b d})^p}{x^{i b d p}} = 0$
- **Basis:** $\partial_x \frac{\operatorname{Csc}[d (a+b \operatorname{Log}[x])]^p (1-e^{2 i a d} x^{2 i b d})^p}{x^{i b d p}} = 0$

Rule: If $p \notin \mathbb{Z}$, then

$$\int (e x)^m \operatorname{Sec}[d (a + b \operatorname{Log}[x])]^p dx \rightarrow \frac{\operatorname{Sec}[d (a + b \operatorname{Log}[x])]^p (1 + e^{2 i a d} x^{2 i b d})^p}{x^{i b d p}} \int \frac{(e x)^m x^{i b d p}}{(1 + e^{2 i a d} x^{2 i b d})^p} dx$$

Program code:

```
Int[(e.*x_)^m_.*Sec[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
  Sec[d*(a+b*Log[x])]^p*(1+E^(2*I*a*d)*x^(2*I*b*d))^p/x^(I*b*d*p)*
  Int[(e*x)^m*x^(I*b*d*p)/(1+E^(2*I*a*d)*x^(2*I*b*d))^p,x] /;
FreeQ[{a,b,d,e,m,p},x] && Not[IntegerQ[p]]
```

```
Int[(e.*x_)^m_.*Csc[d.*(a_.+b_.*Log[x_])]^p_,x_Symbol] :=
  Csc[d*(a+b*Log[x])]^p*(1-E^(2*I*a*d)*x^(2*I*b*d))^p/x^(I*b*d*p)*
  Int[(e*x)^m*x^(I*b*d*p)/(1-E^(2*I*a*d)*x^(2*I*b*d))^p,x] /;
FreeQ[{a,b,d,e,m,p},x] && Not[IntegerQ[p]]
```


$$2: \int (e x)^m \operatorname{Sec}[d (a + b \operatorname{Log}[c x^n])]^p dx$$

Derivation: Piecewise constant extraction and integration by substitution

- **Basis:** $\partial_x \frac{x}{(c x^n)^{1/n}} = 0$

- **Basis:** $\frac{F[c x^n]}{x} = \frac{1}{n} \operatorname{Subst}\left[\frac{F[x]}{x}, x, c x^n\right] \partial_x (c x^n)$

- **Rule:**

$$\int (e x)^m \operatorname{Sec}[d (a + b \operatorname{Log}[c x^n])]^p dx \rightarrow \frac{(e x)^{m+1}}{e (c x^n)^{(m+1)/n}} \int \frac{(c x^n)^{(m+1)/n} \operatorname{Sec}[d (a + b \operatorname{Log}[c x^n])]^p}{x} dx$$

$$\rightarrow \frac{(e x)^{m+1}}{e n (c x^n)^{(m+1)/n}} \operatorname{Subst}\left[\int x^{(m+1)/n-1} \operatorname{Sec}[d (a + b \operatorname{Log}[x])]^p dx, x, c x^n\right]$$

```
Int[(e.*x_)^m.*Sec[d.*(a.+b.*Log[c.*x_^n.])]^p.,x_Symbol] :=
  (e*x)^(m+1)/(e*n*(c*x^n)^((m+1)/n))*Subst[Int[x^((m+1)/n-1)*Sec[d*(a+b*Log[x])]^p,x],x,c*x^n] /;
  FreeQ[{a,b,c,d,e,m,n,p},x] && (NeQ[c,1] || NeQ[n,1])
```

```
Int[(e.*x_)^m.*Csc[d.*(a.+b.*Log[c.*x_^n.])]^p.,x_Symbol] :=
  (e*x)^(m+1)/(e*n*(c*x^n)^((m+1)/n))*Subst[Int[x^((m+1)/n-1)*Csc[d*(a+b*Log[x])]^p,x],x,c*x^n] /;
  FreeQ[{a,b,c,d,e,m,n,p},x] && (NeQ[c,1] || NeQ[n,1])
```

$$3. \int \operatorname{Sin}[a x^n \operatorname{Log}[b x]] \operatorname{Log}[b x] dx$$

$$1: \int \operatorname{Sin}[a x \operatorname{Log}[b x]] \operatorname{Log}[b x] dx$$

- **Rule:**

$$\int \operatorname{Sin}[a x \operatorname{Log}[b x]] \operatorname{Log}[b x] dx \rightarrow -\frac{\operatorname{Cos}[a x \operatorname{Log}[b x]]}{a} - \int \operatorname{Sin}[a x \operatorname{Log}[b x]] dx$$

- **Program code:**

```
Int[Sin[a.*x_*Log[b.*x_*]]*Log[b.*x_],x_Symbol] :=
  -Cos[a*x*Log[b*x]]/a - Int[Sin[a*x*Log[b*x]],x] /;
  FreeQ[{a,b},x]
```

```
Int[Cos[a_.*x_*Log[b_.*x_]]*Log[b_.*x_],x_Symbol] :=
  Sin[a*x*Log[b*x]]/a - Int[Cos[a*x*Log[b*x]],x] /;
FreeQ[{a,b},x]
```

2: $\int x^m \operatorname{Sin}[a x^n \operatorname{Log}[b x]] \operatorname{Log}[b x] dx$ when $m = n - 1$

Rule: If $m = n - 1$, then

$$\int x^m \operatorname{Sin}[a x^n \operatorname{Log}[b x]] \operatorname{Log}[b x] dx \rightarrow -\frac{\operatorname{Cos}[a x^n \operatorname{Log}[b x]]}{a n} - \frac{1}{n} \int x^m \operatorname{Sin}[a x^n \operatorname{Log}[b x]] dx$$

Program code:

```
Int[x_^m_.*Sin[a_.*x_^n_.*Log[b_.*x_]]*Log[b_.*x_],x_Symbol] :=
  -Cos[a*x^n*Log[b*x]]/(a*n) - 1/n*Int[x^m*Sin[a*x^n*Log[b*x]],x] /;
FreeQ[{a,b,m,n},x] && EqQ[m,n-1]
```

```
Int[x_^m_.*Cos[a_.*x_^n_.*Log[b_.*x_]]*Log[b_.*x_],x_Symbol] :=
  Sin[a*x^n*Log[b*x]]/(a*n) - 1/n*Int[x^m*Cos[a*x^n*Log[b*x]],x] /;
FreeQ[{a,b,m,n},x] && EqQ[m,n-1]
```