

Rules for integrands of the form $F^{c(a+bx)}$ Hyper $[d + ex]^n$

$$1. \int F^{c(a+bx)} \sinh[d + ex]^n dx$$

$$1. \int F^{c(a+bx)} \sinh[d + ex]^n dx \text{ when } e^2 n^2 - b^2 c^2 \text{Log}[F]^2 \neq 0 \wedge n > 0$$

$$1: \int F^{c(a+bx)} \sinh[d + ex] dx \text{ when } e^2 - b^2 c^2 \text{Log}[F]^2 \neq 0$$

Reference: CRC 533h

Reference: CRC 538h

Rule: If $e^2 - b^2 c^2 \text{Log}[F]^2 \neq 0$, then

$$\int F^{c(a+bx)} \sinh[d + ex] dx \rightarrow -\frac{bc \text{Log}[F] F^{c(a+bx)} \sinh[d + ex]}{e^2 - b^2 c^2 \text{Log}[F]^2} + \frac{e F^{c(a+bx)} \cosh[d + ex]}{e^2 - b^2 c^2 \text{Log}[F]^2}$$

Program code:

```
Int[F^(c.*(a.+b.*x_))*Sinh[d.+e.*x_],x_Symbol] :=
-b*c*Log[F]*F^(c*(a+b*x))*Sinh[d+e*x]/(e^2-b^2*c^2*Log[F]^2) +
e*F^(c*(a+b*x))*Cosh[d+e*x]/(e^2-b^2*c^2*Log[F]^2) /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2-b^2*c^2*Log[F]^2,0]
```

```
Int[F^(c.*(a.+b.*x_))*Cosh[d.+e.*x_],x_Symbol] :=
-b*c*Log[F]*F^(c*(a+b*x))*Cosh[d+e*x]/(e^2-b^2*c^2*Log[F]^2) +
e*F^(c*(a+b*x))*Sinh[d+e*x]/(e^2-b^2*c^2*Log[F]^2) /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2-b^2*c^2*Log[F]^2,0]
```

$$2: \int F^{c(a+bx)} \sinh[d + ex]^n dx \text{ when } e^2 n^2 - b^2 c^2 \text{Log}[F]^2 \neq 0 \wedge n > 1$$

Reference: CRC 542h

Reference: CRC 543h

Rule: If $e^2 n^2 - b^2 c^2 \text{Log}[F]^2 \neq 0 \wedge n > 1$, then

$$\int F^{c(a+bx)} \operatorname{Sinh}[d+ex]^n dx \rightarrow -\frac{bc \operatorname{Log}[F] F^{c(a+bx)} \operatorname{Sinh}[d+ex]^n}{e^2 n^2 - b^2 c^2 \operatorname{Log}[F]^2} + \frac{en F^{c(a+bx)} \operatorname{Cosh}[d+ex] \operatorname{Sinh}[d+ex]^{n-1}}{e^2 n^2 - b^2 c^2 \operatorname{Log}[F]^2} - \frac{n(n-1)e^2}{e^2 n^2 - b^2 c^2 \operatorname{Log}[F]^2} \int F^{c(a+bx)} \operatorname{Sinh}[d+ex]^{n-2} dx$$

Program code:

```
Int[F^(c.*(a.+b.*x_))*Sinh[d.+e.*x_]^n,x_Symbol] :=
-b*c*Log[F]*F^(c*(a+b*x))*Sinh[d+e*x]^n/(e^2*n^2-b^2*c^2*Log[F]^2) +
e*n*F^(c*(a+b*x))*Cosh[d+e*x]*Sinh[d+e*x]^(n-1)/(e^2*n^2-b^2*c^2*Log[F]^2) -
n*(n-1)*e^2/(e^2*n^2-b^2*c^2*Log[F]^2)*Int[F^(c*(a+b*x))*Sinh[d+e*x]^(n-2),x] /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2*n^2-b^2*c^2*Log[F]^2,0] && GtQ[n,1]
```

```
Int[F^(c.*(a.+b.*x_))*Cosh[d.+e.*x_]^n,x_Symbol] :=
-b*c*Log[F]*F^(c*(a+b*x))*Cosh[d+e*x]^n/(e^2*n^2-b^2*c^2*Log[F]^2) +
e*n*F^(c*(a+b*x))*Sinh[d+e*x]*Cosh[d+e*x]^(n-1)/(e^2*n^2-b^2*c^2*Log[F]^2) +
n*(n-1)*e^2/(e^2*n^2-b^2*c^2*Log[F]^2)*Int[F^(c*(a+b*x))*Cosh[d+e*x]^(n-2),x] /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2*n^2-b^2*c^2*Log[F]^2,0] && GtQ[n,1]
```

2: $\int F^{c(a+bx)} \operatorname{Sinh}[d+ex]^n dx$ when $e^2(n+2)^2 - b^2 c^2 \operatorname{Log}[F]^2 = 0 \wedge n \neq -1 \wedge n \neq -2$

Reference: CRC 551h when $e^2(n+2)^2 - b^2 c^2 \operatorname{Log}[F]^2 = 0$

Reference: CRC 552h when $e^2(n+2)^2 - b^2 c^2 \operatorname{Log}[F]^2 = 0$

Rule: If $e^2(n+2)^2 - b^2 c^2 \operatorname{Log}[F]^2 = 0 \wedge n \neq -1 \wedge n \neq -2$, then

$$\int F^{c(a+bx)} \operatorname{Sinh}[d+ex]^n dx \rightarrow -\frac{bc \operatorname{Log}[F] F^{c(a+bx)} \operatorname{Sinh}[d+ex]^{n+2}}{e^2(n+1)(n+2)} + \frac{F^{c(a+bx)} \operatorname{Cosh}[d+ex] \operatorname{Sinh}[d+ex]^{n+1}}{e(n+1)}$$

Program code:

```
Int[F^(c.*(a.+b.*x_))*Sinh[d.+e.*x_]^n,x_Symbol] :=
-b*c*Log[F]*F^(c*(a+b*x))*Sinh[d+e*x]^(n+2)/(e^2*(n+1)*(n+2)) +
F^(c*(a+b*x))*Cosh[d+e*x]*Sinh[d+e*x]^(n+1)/(e*(n+1)) /;
FreeQ[{F,a,b,c,d,e,n},x] && EqQ[e^2*(n+2)^2-b^2*c^2*Log[F]^2,0] && NeQ[n,-1] && NeQ[n,-2]
```

```

Int[F^(c.*(a_.+b_.*x_))*Cosh[d_.+e_.*x_]^n_,x_Symbol] :=
  b*c*Log[F]*F^(c*(a+b*x))*Cosh[d+e*x]^(n+2)/(e^2*(n+1)*(n+2)) -
  F^(c*(a+b*x))*Sinh[d+e*x]*Cosh[d+e*x]^(n+1)/(e*(n+1)) /;
FreeQ[{F,a,b,c,d,e,n},x] && EqQ[e^2*(n+2)^2-b^2*c^2*Log[F]^2,0] && NeQ[n,-1] && NeQ[n,-2]

```

3: $\int F^{c(a+bx)} \sinh[d+ex]^n dx$ when $e^2(n+2)^2 - b^2 c^2 \log[F]^2 \neq 0 \wedge n < -1 \wedge n \neq -2$

Reference: CRC 551h, CRC 542h inverted

Reference: CRC 552h, CRC 543h inverted

Rule: If $e^2(n+2)^2 - b^2 c^2 \log[F]^2 \neq 0 \wedge n < -1 \wedge n \neq -2$, then

$$\int F^{c(a+bx)} \sinh[d+ex]^n dx \rightarrow$$

$$-\frac{b c \log[F] F^{c(a+bx)} \sinh[d+ex]^{n+2}}{e^2(n+1)(n+2)} + \frac{F^{c(a+bx)} \cosh[d+ex] \sinh[d+ex]^{n+1}}{e(n+1)} - \frac{e^2(n+2)^2 - b^2 c^2 \log[F]^2}{e^2(n+1)(n+2)} \int F^{c(a+bx)} \sinh[d+ex]^{n+2} dx$$

Program code:

```

Int[F^(c.*(a_.+b_.*x_))*Sinh[d_.+e_.*x_]^n_,x_Symbol] :=
  -b*c*Log[F]*F^(c*(a+b*x))*Sinh[d+e*x]^(n+2)/(e^2*(n+1)*(n+2)) +
  F^(c*(a+b*x))*Cosh[d+e*x]*Sinh[d+e*x]^(n+1)/(e*(n+1)) -
  (e^2*(n+2)^2-b^2*c^2*Log[F]^2)/(e^2*(n+1)*(n+2))*Int[F^(c*(a+b*x))*Sinh[d+e*x]^(n+2),x] /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2*(n+2)^2-b^2*c^2*Log[F]^2,0] && LtQ[n,-1] && NeQ[n,-2]

```

```

Int[F^(c.*(a_.+b_.*x_))*Cosh[d_.+e_.*x_]^n_,x_Symbol] :=
  b*c*Log[F]*F^(c*(a+b*x))*Cosh[d+e*x]^(n+2)/(e^2*(n+1)*(n+2)) -
  F^(c*(a+b*x))*Sinh[d+e*x]*Cosh[d+e*x]^(n+1)/(e*(n+1)) +
  (e^2*(n+2)^2-b^2*c^2*Log[F]^2)/(e^2*(n+1)*(n+2))*Int[F^(c*(a+b*x))*Cosh[d+e*x]^(n+2),x] /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2*(n+2)^2-b^2*c^2*Log[F]^2,0] && LtQ[n,-1] && NeQ[n,-2]

```

$$4: \int F^{c(a+bx)} \sinh[d+ex]^n dx \text{ when } n \notin \mathbb{Z}$$

Derivation: Piecewise constant extraction

$$\text{Basis: } \sinh[z] == \frac{1}{2} e^{-z} (-1 + e^{2z})$$

$$\text{Basis: } \partial_x \frac{e^{n(d+ex)} \sinh[d+ex]^n}{(-1+e^{2(d+ex)})^n} == 0$$

Rule: If $n \notin \mathbb{Z}$, then

$$\int F^{c(a+bx)} \sinh[d+ex]^n dx \rightarrow \frac{e^{n(d+ex)} \sinh[d+ex]^n}{(-1+e^{2(d+ex)})^n} \int F^{c(a+bx)} \frac{(-1+e^{2(d+ex)})^n}{e^{n(d+ex)}} dx$$

Program code:

```
Int[F^(c_.*(a_.+b_.*x_))*Sinh[d_.+e_.*x_]^n_,x_Symbol] :=
  E^(n*(d+e*x))*Sinh[d+e*x]^n/(-1+E^(2*(d+e*x)))^n*Int[F^(c*(a+b*x))*(-1+E^(2*(d+e*x)))^n/E^(n*(d+e*x)),x] /;
FreeQ[{F,a,b,c,d,e,n},x] && Not[IntegerQ[n]]
```

```
Int[F^(c_.*(a_.+b_.*x_))*Cosh[d_.+e_.*x_]^n_,x_Symbol] :=
  E^(n*(d+e*x))*Cosh[d+e*x]^n/(1+E^(2*(d+e*x)))^n*Int[F^(c*(a+b*x))*(1+E^(2*(d+e*x)))^n/E^(n*(d+e*x)),x] /;
FreeQ[{F,a,b,c,d,e,n},x] && Not[IntegerQ[n]]
```

$$2: \int F^{c(a+bx)} \tanh[d+ex]^n dx \text{ when } n \in \mathbb{Z}$$

Derivation: Algebraic expansion

$$\text{Basis: } \tanh[z] == \frac{-1+e^{2z}}{1+e^{2z}}$$

Rule: If $n \in \mathbb{Z}$, then

$$\int F^{c(a+bx)} \operatorname{Tanh}[d+ex]^n dx \rightarrow \int F^{c(a+bx)} \frac{(-1 + e^{2(d+ex)})^n}{(1 + e^{2(d+ex)})^n} dx$$

Program code:

```
Int[F^(c_.*(a_.+b_.*x_))*Tanh[d_.+e_.*x_]^n_,x_Symbol] :=
  Int[ExpandIntegrand[F^(c*(a+b*x))*(-1+E^(2*(d+e*x)))^n/(1+E^(2*(d+e*x)))^n,x],x] /;
FreeQ[{F,a,b,c,d,e},x] && IntegerQ[n]
```

```
Int[F^(c_.*(a_.+b_.*x_))*Coth[d_.+e_.*x_]^n_,x_Symbol] :=
  Int[ExpandIntegrand[F^(c*(a+b*x))*(1+E^(2*(d+e*x)))^n/(-1+E^(2*(d+e*x)))^n,x],x] /;
FreeQ[{F,a,b,c,d,e},x] && IntegerQ[n]
```

$$3. \int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx$$

$$1: \int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx \text{ when } e^2 n^2 - b^2 c^2 \operatorname{Log}[F]^2 \neq 0 \wedge n < -1$$

Reference: CRC 552h inverted

Reference: CRC 551h inverted

Rule: If $e^2 n^2 - b^2 c^2 \operatorname{Log}[F]^2 \neq 0 \wedge n < -1$, then

$$\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx \rightarrow$$

$$-\frac{bc \operatorname{Log}[F] F^{c(a+bx)} \operatorname{Sech}[d+ex]^n}{e^2 n^2 - b^2 c^2 \operatorname{Log}[F]^2} - \frac{en F^{c(a+bx)} \operatorname{Sech}[d+ex]^{n+1} \operatorname{Sinh}[d+ex]}{e^2 n^2 - b^2 c^2 \operatorname{Log}[F]^2} + \frac{e^2 n(n+1)}{e^2 n^2 - b^2 c^2 \operatorname{Log}[F]^2} \int F^{c(a+bx)} \operatorname{Sech}[d+ex]^{n+2} dx$$

Program code:

```
Int[F^(c_.*(a_.+b_.*x_))*Sech[d_.+e_.*x_]^n_,x_Symbol] :=
  -b*c*Log[F]*F^(c*(a+b*x))*(Sech[d+e*x]^n/(e^2*n^2-b^2*c^2*Log[F]^2)) -
  e*n*F^(c*(a+b*x))*Sech[d+e*x]^(n+1)*(Sinh[d+e*x]/(e^2*n^2-b^2*c^2*Log[F]^2)) +
  e^2*n*(n+1)/(e^2*n^2-b^2*c^2*Log[F]^2)*Int[F^(c*(a+b*x))*Sech[d+e*x]^(n+2),x] /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2*n^2+b^2*c^2*Log[F]^2,0] && LtQ[n,-1]
```

```
Int[F^(c_.*(a_.+b_.*x_))*Csch[d_.+e_.*x_]^n_,x_Symbol] :=
  -b*c*Log[F]*F^(c*(a+b*x))*(Csch[d+e*x]^n/(e^2*n^2-b^2*c^2*Log[F]^2)) -
  e*n*F^(c*(a+b*x))*Csch[d+e*x]^(n+1)*(Cosh[d+e*x]/(e^2*n^2-b^2*c^2*Log[F]^2)) -
  e^2*n*((n+1)/(e^2*n^2-b^2*c^2*Log[F]^2))*Int[F^(c*(a+b*x))*Csch[d+e*x]^(n+2),x] /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2*n^2+b^2*c^2*Log[F]^2,0] && LtQ[n,-1]
```

2: $\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx$ when $e^2(n-2)^2 - b^2c^2 \operatorname{Log}[F]^2 = 0 \wedge n \neq 1 \wedge n \neq 2$

Reference: CRC 552h with $e^2(n-2)^2 - b^2c^2 \operatorname{Log}[F]^2 = 0$

Reference: CRC 551h with $e^2(n-2)^2 - b^2c^2 \operatorname{Log}[F]^2 = 0$

Rule: If $e^2(n-2)^2 - b^2c^2 \operatorname{Log}[F]^2 = 0 \wedge n \neq 1 \wedge n \neq 2$, then

$$\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx \rightarrow \frac{bc \operatorname{Log}[F] F^{c(a+bx)} \operatorname{Sech}[d+ex]^{n-2}}{e^2(n-1)(n-2)} + \frac{F^{c(a+bx)} \operatorname{Sech}[d+ex]^{n-1} \operatorname{Sinh}[d+ex]}{e(n-1)}$$

Program code:

```
Int[F^(c_.*(a_.+b_.*x_))*Sech[d_.+e_.*x_]^n_,x_Symbol] :=
  b*c*Log[F]*F^(c*(a+b*x))*Sech[d+e*x]^(n-2)/(e^2*(n-1)*(n-2)) +
  F^(c*(a+b*x))*Sech[d+e*x]^(n-1)*Sinh[d+e*x]/(e*(n-1)) /;
FreeQ[{F,a,b,c,d,e,n},x] && EqQ[e^2*(n-2)^2-b^2*c^2*Log[F]^2,0] && NeQ[n,1] && NeQ[n,2]
```

```
Int[F^(c_.*(a_.+b_.*x_))*Csch[d_.+e_.*x_]^n_,x_Symbol] :=
  -b*c*Log[F]*F^(c*(a+b*x))*Csch[d+e*x]^(n-2)/(e^2*(n-1)*(n-2)) -
  F^(c*(a+b*x))*Csch[d+e*x]^(n-1)*Cosh[d+e*x]/(e*(n-1)) /;
FreeQ[{F,a,b,c,d,e,n},x] && EqQ[e^2*(n-2)^2-b^2*c^2*Log[F]^2,0] && NeQ[n,1] && NeQ[n,2]
```

3: $\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx$ when $e^2(n-2)^2 - b^2 c^2 \operatorname{Log}[F]^2 \neq 0 \wedge n > 1 \wedge n \neq 2$

Reference: CRC 552h

Reference: CRC 551h

Rule: If $e^2(n-2)^2 - b^2 c^2 \operatorname{Log}[F]^2 \neq 0 \wedge n > 1 \wedge n \neq 2$, then

$$\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx \rightarrow \frac{bc \operatorname{Log}[F] F^{c(a+bx)} \operatorname{Sech}[d+ex]^{n-2}}{e^2(n-1)(n-2)} + \frac{F^{c(a+bx)} \operatorname{Sech}[d+ex]^{n-1} \operatorname{Sinh}[d+ex]}{e(n-1)} + \frac{e^2(n-2)^2 - b^2 c^2 \operatorname{Log}[F]^2}{e^2(n-1)(n-2)} \int F^{c(a+bx)} \operatorname{Sech}[d+ex]^{n-2} dx$$

Program code:

```
Int[F^(c_.*(a_.+b_.*x_))*Sech[d_.+e_.*x_]^n_,x_Symbol] :=
  b*c*Log[F]*F^(c*(a+b*x))*Sech[d+e*x]^(n-2)/(e^2*(n-1)*(n-2)) +
  F^(c*(a+b*x))*Sech[d+e*x]^(n-1)*Sinh[d+e*x]/(e*(n-1)) +
  (e^2*(n-2)^2-b^2*c^2*Log[F]^2)/(e^2*(n-1)*(n-2))*Int[F^(c*(a+b*x))*Sech[d+e*x]^(n-2),x] /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2*(n-2)^2-b^2*c^2*Log[F]^2,0] && GtQ[n,1] && NeQ[n,2]
```

```
Int[F^(c_.*(a_.+b_.*x_))*Csch[d_.+e_.*x_]^n_,x_Symbol] :=
  -b*c*Log[F]*F^(c*(a+b*x))*Csch[d+e*x]^(n-2)/(e^2*(n-1)*(n-2)) -
  F^(c*(a+b*x))*Csch[d+e*x]^(n-1)*Cosh[d+e*x]/(e*(n-1)) -
  (e^2*(n-2)^2-b^2*c^2*Log[F]^2)/(e^2*(n-1)*(n-2))*Int[F^(c*(a+b*x))*Csch[d+e*x]^(n-2),x] /;
FreeQ[{F,a,b,c,d,e},x] && NeQ[e^2*(n-2)^2-b^2*c^2*Log[F]^2,0] && GtQ[n,1] && NeQ[n,2]
```

x: $\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx$ when $n \in \mathbb{Z}$

Derivation: Algebraic expansion

$$\text{Basis: } \operatorname{Sech}[z] == \frac{2e^z}{1+e^{2z}}$$

$$\text{Basis: } \operatorname{CsCh}[z] == \frac{2e^{-z}}{1-e^{-2z}}$$

Rule: If $n \in \mathbb{Z}$, then

$$\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx \rightarrow 2^n \int F^{c(a+bx)} \frac{e^{n(d+ex)}}{(1+e^{2(d+ex)})^n} dx$$

Program code:

```
(* Int[F^(c.*(a_.+b_.*x_))*Sech[d_.+e_.*x_]^n_.,x_Symbol] :=
  2^n*Int[SimplifyIntegrand[F^(c*(a+b*x))*E^(n*(d+e*x))/(1+E^(2*(d+e*x)))^n,x],x] /;
FreeQ[{F,a,b,c,d,e},x] && IntegerQ[n] *)
```

```
(* Int[F^(c.*(a_.+b_.*x_))*CsCh[d_.+e_.*x_]^n_.,x_Symbol] :=
  2^n*Int[SimplifyIntegrand[F^(c*(a+b*x))*E^(-n*(d+e*x))/(1-E^(-2*(d+e*x)))^n,x],x] /;
FreeQ[{F,a,b,c,d,e},x] && IntegerQ[n] *)
```


4: $\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx$ when $n \in \mathbb{Z}$

Rule: If $n \in \mathbb{Z}$, then

$$\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx \rightarrow \frac{2^n e^{n(d+ex)} F^{c(a+bx)}}{e n + b c \operatorname{Log}[F]} \operatorname{Hypergeometric2F1}\left[n, \frac{n}{2} + \frac{b c \operatorname{Log}[F]}{2e}, 1 + \frac{n}{2} + \frac{b c \operatorname{Log}[F]}{2e}, -e^{2(d+ex)}\right]$$

Program code:

```
Int[F^(c_.*(a_.+b_.*x_))*Sech[d_.+e_.*x_]^n_.,x_Symbol] :=
  2^n.*E^(n*(d+e*x))*F^(c*(a+b*x))/(e*n+b*c*Log[F])*Hypergeometric2F1[n,n/2+b*c*Log[F]/(2*e),1+n/2+b*c*Log[F]/(2*e),-E^(2*(d+e*x))]/;
FreeQ[{F,a,b,c,d,e},x] && IntegerQ[n]
```

```
Int[F^(c_.*(a_.+b_.*x_))*Csch[d_.+e_.*x_]^n_.,x_Symbol] :=
  (-2)^n.*E^(n*(d+e*x))*F^(c*(a+b*x))/(e*n+b*c*Log[F])*Hypergeometric2F1[n,n/2+b*c*Log[F]/(2*e),1+n/2+b*c*Log[F]/(2*e),E^(2*(d+e*x))]/;
FreeQ[{F,a,b,c,d,e},x] && IntegerQ[n]
```

5: $\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx$ when $n \notin \mathbb{Z}$

Derivation: Piecewise constant extraction

Basis: $\partial_x \frac{(1+e^{2(d+ex)})^n \operatorname{Sech}[d+ex]^n}{e^{n(d+ex)}} = 0$

Rule: If $n \notin \mathbb{Z}$, then

$$\int F^{c(a+bx)} \operatorname{Sech}[d+ex]^n dx \rightarrow \frac{(1+e^{2(d+ex)})^n \operatorname{Sech}[d+ex]^n}{e^{n(d+ex)}} \int F^{c(a+bx)} \frac{e^{n(d+ex)}}{(1+e^{2(d+ex)})^n} dx$$

Program code:

```
Int[F^(c_.*(a_.+b_.*x_))*Sech[d_.+e_.*x_]^n_.,x_Symbol] :=
  (1+E^(2*(d+e*x)))^n*Sech[d+e*x]^n/E^(n*(d+e*x))*Int[SimplifyIntegrand[F^(c*(a+b*x))*E^(n*(d+e*x))/(1+E^(2*(d+e*x)))^n,x],x] /;
FreeQ[{F,a,b,c,d,e},x] && Not[IntegerQ[n]]
```

```
Int[F^(c_.*(a_.+b_.*x_))*Csch[d_.+e_.*x_]^n_.,x_Symbol] :=
  (1-E^(-2*(d+e*x)))^n*Csch[d+e*x]^n/E^(-n*(d+e*x))*Int[SimplifyIntegrand[F^(c*(a+b*x))*E^(-n*(d+e*x))/(1-E^(-2*(d+e*x)))^n,x],x] /;
FreeQ[{F,a,b,c,d,e},x] && Not[IntegerQ[n]]
```

$$4. \int u F^{c(a+bx)} (f + g \sinh[d + ex])^n dx \text{ when } f^2 + g^2 = 0$$

$$1: \int F^{c(a+bx)} (f + g \sinh[d + ex])^n dx \text{ when } f^2 + g^2 = 0 \wedge n \in \mathbb{Z}$$

Derivation: Algebraic simplification

$$\text{Basis: If } f^2 + g^2 = 0, \text{ then } f + g \sinh[z] = 2f \cosh\left[\frac{z}{2} - \frac{f\pi}{4g}\right]^2$$

$$\text{Basis: If } f - g = 0, \text{ then } f + g \cosh[z] = 2g \cosh\left[\frac{z}{2}\right]^2$$

$$\text{Basis: If } f + g = 0, \text{ then } f + g \cosh[z] = 2g \sinh\left[\frac{z}{2}\right]^2$$

Rule: If $f^2 + g^2 = 0 \wedge n \in \mathbb{Z}$, then

$$\int F^{c(a+bx)} (f + g \sinh[d + ex])^n dx \rightarrow 2^n f^n \int F^{c(a+bx)} \cosh\left[\frac{d}{2} + \frac{ex}{2} - \frac{f\pi}{4g}\right]^{2n} dx$$

Program code:

```
Int[F^(c_.*(a_.+b_.*x_))*(f_+g_.*Sinh[d_.+e_.*x_])^n_.,x_Symbol] :=
  2^n*f^n*Int[F^(c*(a+b*x))*Cosh[d/2+e*x/2-f*Pi/(4*g)]^(2*n),x] /;
FreeQ[{F,a,b,c,d,e,f,g},x] && EqQ[f^2+g^2,0] && ILtQ[n,0]
```

```
Int[F^(c_.*(a_.+b_.*x_))*(f_+g_.*Cosh[d_.+e_.*x_])^n_.,x_Symbol] :=
  2^n*g^n*Int[F^(c*(a+b*x))*Cosh[d/2+e*x/2]^(2*n),x] /;
FreeQ[{F,a,b,c,d,e,f,g},x] && EqQ[f-g,0] && ILtQ[n,0]
```

```
Int[F^(c_.*(a_.+b_.*x_))*(f_+g_.*Cosh[d_.+e_.*x_])^n_.,x_Symbol] :=
  2^n*g^n*Int[F^(c*(a+b*x))*Sinh[d/2+e*x/2]^(2*n),x] /;
FreeQ[{F,a,b,c,d,e,f,g},x] && EqQ[f+g,0] && ILtQ[n,0]
```

$$2: \int F^{c(a+bx)} \operatorname{Cosh}[d+ex]^m (f+g \operatorname{Sinh}[d+ex])^n dx \text{ when } f^2+g^2=0 \wedge (m|n) \in \mathbb{Z} \wedge m+n=0$$

Derivation: Algebraic simplification

$$\text{Basis: If } f^2+g^2=0, \text{ then } \frac{\operatorname{Cosh}[z]}{f+g \operatorname{Sinh}[z]} = \frac{1}{g} \operatorname{Tanh}\left[\frac{z}{2} - \frac{f\pi}{4g}\right]$$

$$\text{Basis: If } f-g=0, \text{ then } \frac{\operatorname{Sinh}[z]}{f+g \operatorname{Cosh}[z]} = \frac{1}{g} \operatorname{Tanh}\left[\frac{z}{2}\right]$$

$$\text{Basis: If } f+g=0, \text{ then } \frac{\operatorname{Sinh}[z]}{f+g \operatorname{Cosh}[z]} = \frac{1}{g} \operatorname{Coth}\left[\frac{z}{2}\right]$$

Rule: If $f^2+g^2=0 \wedge (m|n) \in \mathbb{Z} \wedge m+n=0$, then

$$\int F^{c(a+bx)} \operatorname{Cosh}[d+ex]^m (f+g \operatorname{Sinh}[d+ex])^n dx \rightarrow g^n \int F^{c(a+bx)} \operatorname{Tanh}\left[\frac{d}{2} + \frac{ex}{2} - \frac{f\pi}{4g}\right]^m dx$$

Program code:

```
Int[F^(c.*(a_.+b_.**x_))*Cosh[d_.+e_.**x_]^m_.*(f_+g_.**Sinh[d_.+e_.**x_] )^n_,x_Symbol] :=
  g^n*Int[F^(c*(a+b**x))*Tanh[d/2+e*x/2-f*Pi/(4*g)]^m,x] /;
FreeQ[{F,a,b,c,d,e,f,g},x] && EqQ[f^2+g^2,0] && IntegersQ[m,n] && EqQ[m+n,0]
```

```
Int[F^(c.*(a_.+b_.**x_))*Sinh[d_.+e_.**x_]^m_.*(f_+g_.**Cosh[d_.+e_.**x_] )^n_,x_Symbol] :=
  g^n*Int[F^(c*(a+b**x))*Tanh[d/2+e*x/2]^m,x] /;
FreeQ[{F,a,b,c,d,e,f,g},x] && EqQ[f-g,0] && IntegersQ[m,n] && EqQ[m+n,0]
```

```
Int[F^(c.*(a_.+b_.**x_))*Sinh[d_.+e_.**x_]^m_.*(f_+g_.**Cosh[d_.+e_.**x_] )^n_,x_Symbol] :=
  g^n*Int[F^(c*(a+b**x))*Coth[d/2+e*x/2]^m,x] /;
FreeQ[{F,a,b,c,d,e,f,g},x] && EqQ[f+g,0] && IntegersQ[m,n] && EqQ[m+n,0]
```

$$3: \int_{F^{c(a+bx)}} \frac{h + i \operatorname{Cosh}[d + ex]}{f + g \operatorname{Sinh}[d + ex]} dx \text{ when } f^2 + g^2 = 0 \wedge h^2 - i^2 = 0 \wedge gh + fi = 0$$

Derivation: Algebraic simplification

$$\text{Basis: } \frac{h+i \operatorname{Cos}[z]}{f+g \operatorname{Sin}[z]} = \frac{2i \operatorname{Cos}[z]}{f+g \operatorname{Sin}[z]} + \frac{h-i \operatorname{Cos}[z]}{f+g \operatorname{Sin}[z]}$$

Rule: If $f^2 + g^2 = 0 \wedge h^2 - i^2 = 0 \wedge gh + fi = 0$, then

$$\int_{F^{c(a+bx)}} \frac{h + i \operatorname{Cosh}[d + ex]}{f + g \operatorname{Sinh}[d + ex]} dx \rightarrow 2i \int_{F^{c(a+bx)}} \frac{\operatorname{Cosh}[d + ex]}{f + g \operatorname{Sinh}[d + ex]} dx + \int_{F^{c(a+bx)}} \frac{h - i \operatorname{Cosh}[d + ex]}{f + g \operatorname{Sinh}[d + ex]} dx$$

Program code:

```
Int[F^(c.*(a.+b.*x_))*(h.+i.*Cosh[d.+e.*x_])/(f.+g.*Sinh[d.+e.*x_]),x_Symbol] :=
  2*i*Int[F^(c*(a+b*x))*(Cosh[d+e*x]/(f+g*Sinh[d+e*x])),x] +
  Int[F^(c*(a+b*x))*(h-i*Cosh[d+e*x]/(f+g*Sinh[d+e*x])),x] /;
FreeQ[{F,a,b,c,d,e,f,g,h,i},x] && EqQ[f^2+g^2,0] && EqQ[h^2-i^2,0] && EqQ[g*h-f*i,0]
```

```
Int[F^(c.*(a.+b.*x_))*(h.+i.*Sinh[d.+e.*x_])/(f.+g.*Cosh[d.+e.*x_]),x_Symbol] :=
  2*i*Int[F^(c*(a+b*x))*(Sinh[d+e*x]/(f+g*Cosh[d+e*x])),x] +
  Int[F^(c*(a+b*x))*(h-i*Sinh[d+e*x]/(f+g*Cosh[d+e*x])),x] /;
FreeQ[{F,a,b,c,d,e,f,g,h,i},x] && EqQ[f^2-g^2,0] && EqQ[h^2+i^2,0] && EqQ[g*h+f*i,0]
```

5: $\int F^{c u} \text{Hyper}[v]^n dx$ when $u = a + b x \wedge v = d + e x$

Derivation: Algebraic normalization

Rule: If $u = a + b x \wedge v = d + e x$, then

$$\int F^{c u} \text{Hyper}[v]^n dx \rightarrow \int F^{c(a+bx)} \text{Hyper}[d+ex]^n dx$$

Program code:

```
Int[F^(c_*u_)*G_[v_]^n_,x_Symbol] :=
  Int[F^(c*ExpandToSum[u,x])*G[ExpandToSum[v,x]]^n,x] /;
FreeQ[{F,c,n},x] && HyperbolicQ[G] && LinearQ[{u,v},x] && Not[LinearMatchQ[{u,v},x]]
```

6. $\int (fx)^m F^c(a+bx) \operatorname{Sinh}[d+ex]^n dx$ when $n \in \mathbb{Z}^+$

1: $\int (fx)^m F^c(a+bx) \operatorname{Sinh}[d+ex]^n dx$ when $n \in \mathbb{Z}^+ \wedge m > 0$

Derivation: Integration by parts

Note: Each term of the resulting integrand will be similar in form to the original integrand, but the degree of the monomial will be smaller by one.

Rule: If $n \in \mathbb{Z}^+ \wedge m > 0$, let $u = \int F^c(a+bx) \operatorname{Sinh}[d+ex]^n dx$, then

$$\int (fx)^m F^c(a+bx) \operatorname{Sinh}[d+ex]^n dx \rightarrow (fx)^m u - fm \int (fx)^{m-1} u dx$$

Program code:

```
Int[(f.*x_)^m_.*F^(c.*(a_.+b_.*x_))*Sinh[d_.+e_.*x_]^n_,x_Symbol] :=
  Module[{u=IntHide[F^(c*(a+b*x))*Sinh[d+e*x]^n,x]},
    Dist[(f*x)^m,u,x] - f*m*Int[(f*x)^(m-1)*u,x] /;
    FreeQ[{F,a,b,c,d,e,f},x] && IGtQ[n,0] && GtQ[m,0]
```

```
Int[(f.*x_)^m_.*F^(c.*(a_.+b_.*x_))*Cosh[d_.+e_.*x_]^n_,x_Symbol] :=
  Module[{u=IntHide[F^(c*(a+b*x))*Cosh[d+e*x]^n,x]},
    Dist[(f*x)^m,u,x] - f*m*Int[(f*x)^(m-1)*u,x] /;
    FreeQ[{F,a,b,c,d,e,f},x] && IGtQ[n,0] && GtQ[m,0]
```

$$2: \int (f x)^m F^{c(a+bx)} \sinh[d+ex] dx \text{ when } m < -1$$

Derivation: Integration by parts

$$\text{Basis: } (f x)^m = \partial_x \frac{(f x)^{m+1}}{f(m+1)}$$

$$\text{Basis: } \partial_x \left(F^{c(a+bx)} \sinh[d+ex] \right) = e F^{c(a+bx)} \cosh[d+ex] + bc \log[F] F^{c(a+bx)} \sinh[d+ex]$$

Rule: If $m < -1$, then

$$\int (f x)^m F^{c(a+bx)} \sinh[d+ex] dx \rightarrow \frac{(f x)^{m+1}}{f(m+1)} F^{c(a+bx)} \sinh[d+ex] - \frac{e}{f(m+1)} \int (f x)^{m+1} F^{c(a+bx)} \cosh[d+ex] dx - \frac{bc \log[F]}{f(m+1)} \int (f x)^{m+1} F^{c(a+bx)} \sinh[d+ex] dx$$

Program code:

```
Int[(f_*x_)^m_*F^(c_*(a_+b_*x_))*Sinh[d_+e_*x_],x_Symbol] :=
  (f*x)^(m+1)/(f*(m+1))*F^(c*(a+b*x))*Sinh[d+e*x] -
  e/(f*(m+1))*Int[(f*x)^(m+1)*F^(c*(a+b*x))*Cosh[d+e*x],x] -
  b*c*Log[F]/(f*(m+1))*Int[(f*x)^(m+1)*F^(c*(a+b*x))*Sinh[d+e*x],x] /;
FreeQ[{F,a,b,c,d,e,f,m},x] && (LtQ[m,-1] || SumSimplerQ[m,1])
```

```
Int[(f_*x_)^m_*F^(c_*(a_+b_*x_))*Cosh[d_+e_*x_],x_Symbol] :=
  (f*x)^(m+1)/(f*(m+1))*F^(c*(a+b*x))*Cosh[d+e*x] -
  e/(f*(m+1))*Int[(f*x)^(m+1)*F^(c*(a+b*x))*Sinh[d+e*x],x] -
  b*c*Log[F]/(f*(m+1))*Int[(f*x)^(m+1)*F^(c*(a+b*x))*Cosh[d+e*x],x] /;
FreeQ[{F,a,b,c,d,e,f,m},x] && (LtQ[m,-1] || SumSimplerQ[m,1])
```


$$x: \int (fx)^m F^{c(a+bx)} \sinh[d+ex]^n dx \text{ when } n \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: Sinh}[z] == -\frac{1}{2} (e^{-z} - e^z)$$

$$\text{Basis: Cosh}[z] == \frac{1}{2} (e^{-z} + e^z)$$

Rule: If $n \in \mathbb{Z}^+$, then

$$\int (fx)^m F^{c(a+bx)} \sinh[d+ex]^n dx \rightarrow \frac{(-1)^n}{2^n} \int (fx)^m F^{c(a+bx)} \text{ExpandIntegrand}[(e^{-(d+ex)} - e^{d+ex})^n, x] dx$$

Program code:

```
(* Int[(f.*x_)^m.*F^(c.*(a_.+b_.*x_))*Sinh[d_.+e_.*x_]^n.,x_Symbol] :=
  (-1)^n/2^n*Int[ExpandIntegrand[(f*x)^m*F^(c*(a+b*x)), (E^(-(d+e*x))-E^(d+e*x))^n,x],x] /;
FreeQ[{F,a,b,c,d,e,f},x] && IGtQ[n,0] *)
```

```
(* Int[(f.*x_)^m.*F^(c.*(a_.+b_.*x_))*Cosh[d_.+e_.*x_]^n.,x_Symbol] :=
  1/2^n*Int[ExpandIntegrand[(f*x)^m*F^(c*(a+b*x)), (E^(-(d+e*x))+E^(d+e*x))^n,x],x] /;
FreeQ[{F,a,b,c,d,e,f},x] && IGtQ[n,0] *)
```

$$7. \int u F^{c(a+bx)} \sinh[d+ex]^m \cosh[f+gx]^n dx$$

$$1: \int F^{c(a+bx)} \sinh[d+ex]^m \cosh[f+gx]^n dx \text{ when } m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

Rule: If $m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+$, then

$$\int F^{c(a+bx)} \sinh[d+ex]^m \cosh[f+gx]^n dx \rightarrow \int F^{c(a+bx)} \text{TrigReduce}[\sinh[d+ex]^m \cosh[f+gx]^n] dx$$

Program code:

```
Int[F^(c.*(a.+b.*x_))*Sinh[d.+e.*x_]^m.*Cosh[f.+g.*x_]^n.,x_Symbol] :=
  Int[ExpandTrigReduce[F^(c*(a+b*x)),Sinh[d+e*x]^m*Cosh[f+g*x]^n,x],x] /;
FreeQ[{F,a,b,c,d,e,f,g},x] && IGtQ[m,0] && IGtQ[n,0]
```

$$2: \int x^p F^{c(a+bx)} \sinh[d+ex]^m \cosh[f+gx]^n dx \text{ when } m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

Rule: If $m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}^+$, then

$$\int x^p F^{c(a+bx)} \sinh[d+ex]^m \cosh[f+gx]^n dx \rightarrow \int x^p F^{c(a+bx)} \text{TrigReduce}[\sinh[d+ex]^m \cosh[f+gx]^n] dx$$

Program code:

```
Int[x^p.*F^(c.*(a.+b.*x_))*Sinh[d.+e.*x_]^m.*Cosh[f.+g.*x_]^n.,x_Symbol] :=
  Int[ExpandTrigReduce[x^p.*F^(c*(a+b*x)),Sinh[d+e*x]^m*Cosh[f+g*x]^n,x],x] /;
FreeQ[{F,a,b,c,d,e,f,g},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

8: $\int F^{c(a+bx)} \text{Hyper}[d+ex]^m \text{Hyper}[d+ex]^n dx$ when $m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+$, then

$$\int F^{c(a+bx)} \text{Hyper}[d+ex]^m \text{Hyper}[d+ex]^n dx \rightarrow \int F^{c(a+bx)} \text{TrigToExp}[\text{Hyper}[d+ex]^m \text{Hyper}[d+ex]^n, x] dx$$

Program code:

```
Int[F^(c.*(a.+b.*x))*G[d.+e.*x]^m.*H[d.+e.*x]^n.,x_Symbol] :=
  Int[ExpandTrigToExp[F^(c*(a+b*x)),G[d+e*x]^m*H[d+e*x]^n,x],x] /;
FreeQ[{F,a,b,c,d,e},x] && IGtQ[m,0] && IGtQ[n,0] && HyperbolicQ[G] && HyperbolicQ[H]
```

9: $\int F^{a+bx+cx^2} \text{Sinh}[d+ex+fx^2]^n dx$ when $n \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $n \in \mathbb{Z}^+$, then

$$\int F^{a+bx+cx^2} \text{Sinh}[d+ex+fx^2]^n dx \rightarrow \int F^{a+bx+cx^2} \text{TrigToExp}[\text{Sinh}[d+ex+fx^2]^n] dx$$

Program code:

```
Int[F^u.*Sinh[v]^n.,x_Symbol] :=
  Int[ExpandTrigToExp[F^u,Sinh[v]^n,x],x] /;
FreeQ[F,x] && (LinearQ[u,x] || PolyQ[u,x,2]) && (LinearQ[v,x] || PolyQ[v,x,2]) && IGtQ[n,0]
```

```
Int[F^u.*Cosh[v]^n.,x_Symbol] :=
  Int[ExpandTrigToExp[F^u,Cosh[v]^n,x],x] /;
FreeQ[F,x] && (LinearQ[u,x] || PolyQ[u,x,2]) && (LinearQ[v,x] || PolyQ[v,x,2]) && IGtQ[n,0]
```

10: $\int F^{a+bx+cx^2} \operatorname{Sinh}[d+ex+fx^2]^m \operatorname{Cosh}[d+ex+fx^2]^n dx$ when $(m|n) \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $(m|n) \in \mathbb{Z}^+$, then

$$\int F^{a+bx+cx^2} \operatorname{Sinh}[d+ex+fx^2]^m \operatorname{Cosh}[d+ex+fx^2]^n dx \rightarrow \int F^{a+bx+cx^2} \operatorname{TrigToExp}[\operatorname{Sinh}[d+ex+fx^2]^m \operatorname{Cosh}[d+ex+fx^2]^n] dx$$

Program code:

```
Int[F^u_*Sinh[v]^m_*Cosh[v]^n, x_Symbol] :=
  Int[ExpandTrigToExp[F^u, Sinh[v]^m*Cosh[v]^n, x], x] /;
  FreeQ[F, x] && (LinearQ[u, x] || PolyQ[u, x, 2]) && (LinearQ[v, x] || PolyQ[v, x, 2]) && IGtQ[m, 0] && IGtQ[n, 0]
```