

Rules for integrands of the form $u (e + f x)^m (a + b \operatorname{Hyper}[c + d x])^p$

$$1. \int \frac{(e + f x)^m \operatorname{Hyper}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx$$

$$1: \int \frac{(e + f x)^m \operatorname{Sinh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } (m | n) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{z^n}{a+bz} = \frac{z^{n-1}}{b} - \frac{a z^{n-1}}{b(a+bz)}$$

Rule: If $(m | n) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Sinh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow \frac{1}{b} \int (e + f x)^m \operatorname{Sinh}[c + d x]^{n-1} dx - \frac{a}{b} \int \frac{(e + f x)^m \operatorname{Sinh}[c + d x]^{n-1}}{a + b \operatorname{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_+f_.*x_)^m_.*Sinh[c_+d_.*x_]^n_/ (a_+b_.*Sinh[c_+d_.*x_]), x_Symbol] :=
  1/b*Int[(e+f*x)^m*Sinh[c+d*x]^(n-1), x] - a/b*Int[(e+f*x)^m*Sinh[c+d*x]^(n-1)/(a+b*Sinh[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

```
Int[(e_+f_.*x_)^m_.*Cosh[c_+d_.*x_]^n_/ (a_+b_.*Cosh[c_+d_.*x_]), x_Symbol] :=
  1/b*Int[(e+f*x)^m*Cosh[c+d*x]^(n-1), x] - a/b*Int[(e+f*x)^m*Cosh[c+d*x]^(n-1)/(a+b*Cosh[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

$$2. \int \frac{(e+fx)^m \operatorname{Cosh}[c+dx]^n}{a+b \operatorname{Sinh}[c+dx]} dx \text{ when } n \in \mathbb{Z}^+$$

$$1. \int \frac{(e+fx)^m \operatorname{Cosh}[c+dx]}{a+b \operatorname{Sinh}[c+dx]} dx \text{ when } m \in \mathbb{Z}^+$$

$$1: \int \frac{(e+fx)^m \operatorname{Cosh}[c+dx]}{a+b \operatorname{Sinh}[c+dx]} dx \text{ when } m \in \mathbb{Z}^+ \wedge a^2 + b^2 \neq 0$$

Derivation: Algebraic expansion

Basis: If $a^2 + b^2 \neq 0$, then $\frac{\operatorname{Cosh}[z]}{a+b \operatorname{Sinh}[z]} = \frac{1}{b} - \frac{2}{b-a e^z} = -\frac{1}{b} + \frac{2e^z}{a+b e^z}$

Basis: If $a^2 - b^2 \neq 0$, then $\frac{\operatorname{Sinh}[z]}{a+b \operatorname{Cosh}[z]} = \frac{1}{b} - \frac{2}{b+a e^z} = -\frac{1}{b} + \frac{2e^z}{a+b e^z}$

Note: Although the first expansion is simpler, the second is used so the antiderivative will be expressed in terms of e^{c+dx} rather than $e^{-(c+dx)}$.

Rule: If $m \in \mathbb{Z}^+ \wedge a^2 + b^2 \neq 0$, then

$$\int \frac{(e+fx)^m \operatorname{Cosh}[c+dx]}{a+b \operatorname{Sinh}[c+dx]} dx \rightarrow -\frac{(e+fx)^{m+1}}{b f (m+1)} + 2 \int \frac{(e+fx)^m e^{c+dx}}{a+b e^{c+dx}} dx$$

Program code:

```
Int[(e.+f.*x_)^m_.*Cosh[c_+d_.*x_]/(a_+b_.*Sinh[c_+d_.*x_]),x_Symbol] :=
  -(e+f*x)^(m+1)/(b*f*(m+1)) + 2*Int[(e+f*x)^m*E^(c+d*x)/(a+b*E^(c+d*x)),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && EqQ[a^2+b^2,0]
```

```
Int[(e.+f.*x_)^m_.*Sinh[c_+d_.*x_]/(a_+b_.*Cosh[c_+d_.*x_]),x_Symbol] :=
  -(e+f*x)^(m+1)/(b*f*(m+1)) + 2*Int[(e+f*x)^m*E^(c+d*x)/(a+b*E^(c+d*x)),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && EqQ[a^2-b^2,0]
```

$$2: \int \frac{(e + f x)^m \operatorname{Cosh}[c + d x]}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } m \in \mathbb{Z}^+ \wedge a^2 + b^2 \neq 0$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Cosh}[z]}{a + b \operatorname{Sinh}[z]} == \frac{1}{b} - \frac{1}{b \left(a - \sqrt{a^2 + b^2} \right) e^z} - \frac{1}{b \left(a + \sqrt{a^2 + b^2} \right) e^z} == -\frac{1}{b} + \frac{e^z}{a - \sqrt{a^2 + b^2} + b e^z} + \frac{e^z}{a + \sqrt{a^2 + b^2} + b e^z}$$

$$\text{Basis: } \frac{\operatorname{Sinh}[z]}{a + b \operatorname{Cosh}[z]} == \frac{1}{b} - \frac{1}{b \left(a - \sqrt{a^2 - b^2} \right) e^z} - \frac{1}{b \left(a + \sqrt{a^2 - b^2} \right) e^z} == -\frac{1}{b} + \frac{e^z}{a - \sqrt{a^2 - b^2} + b e^z} + \frac{e^z}{a + \sqrt{a^2 - b^2} + b e^z}$$

Note: Although the first expansion is simpler, the second is used so the antiderivative will be expressed in terms of e^{c+dx} rather than $e^{-(c+dx)}$.

Rule: If $m \in \mathbb{Z}^+ \wedge a^2 + b^2 \neq 0$, then

$$\int \frac{(e + f x)^m \operatorname{Cosh}[c + d x]}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow -\frac{(e + f x)^{m+1}}{b f (m+1)} + \int \frac{(e + f x)^m e^{c+dx}}{a - \sqrt{a^2 + b^2} + b e^{c+dx}} dx + \int \frac{(e + f x)^m e^{c+dx}}{a + \sqrt{a^2 + b^2} + b e^{c+dx}} dx$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*Cosh[c_.+d_.*x_]/(a_+b_.*Sinh[c_.+d_.*x_]),x_Symbol] :=
  -(e+f*x)^(m+1)/(b*f*(m+1)) +
  Int[(e+f*x)^m*E^(c+d*x)/(a-Rt[a^2+b^2,2]+b*E^(c+d*x)),x] +
  Int[(e+f*x)^m*E^(c+d*x)/(a+Rt[a^2+b^2,2]+b*E^(c+d*x)),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && NeQ[a^2+b^2,0]
```

```
Int[(e_.+f_.*x_)^m_.*Sinh[c_.+d_.*x_]/(a_+b_.*Cosh[c_.+d_.*x_]),x_Symbol] :=
  -(e+f*x)^(m+1)/(b*f*(m+1)) +
  Int[(e+f*x)^m*E^(c+d*x)/(a-Rt[a^2-b^2,2]+b*E^(c+d*x)),x] +
  Int[(e+f*x)^m*E^(c+d*x)/(a+Rt[a^2-b^2,2]+b*E^(c+d*x)),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && NeQ[a^2-b^2,0]
```

$$2. \int \frac{(e + f x)^m \operatorname{Cosh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } n - 1 \in \mathbb{Z}^+$$

$$1: \int \frac{(e + f x)^m \operatorname{Cosh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } n - 1 \in \mathbb{Z}^+ \wedge a^2 + b^2 = 0$$

Derivation: Algebraic expansion

Basis: If $a^2 + b^2 = 0$, then $\frac{\operatorname{Cosh}[z]^2}{a + b \operatorname{Sinh}[z]} = \frac{1}{a} + \frac{\operatorname{Sinh}[z]}{b}$

Basis: If $a^2 - b^2 = 0$, then $\frac{\operatorname{Sinh}[z]^2}{a + b \operatorname{Cosh}[z]} = -\frac{1}{a} + \frac{\operatorname{Cosh}[z]}{b}$

Rule: If $n - 1 \in \mathbb{Z}^+ \wedge a^2 + b^2 = 0$, then

$$\int \frac{(e + f x)^m \operatorname{Cosh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow \frac{1}{a} \int (e + f x)^m \operatorname{Cosh}[c + d x]^{n-2} dx + \frac{1}{b} \int (e + f x)^m \operatorname{Cosh}[c + d x]^{n-2} \operatorname{Sinh}[c + d x] dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Cosh[c_+d_*x_]^n/(a_+b_*Sinh[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Cosh[c+d*x]^(n-2),x] +
  1/b*Int[(e+f*x)^m*Cosh[c+d*x]^(n-2)*Sinh[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f,m},x] && IGtQ[n,1] && EqQ[a^2+b^2,0]
```

```
Int[(e_+f_*x_)^m_*Sinh[c_+d_*x_]^n/(a_+b_*Cosh[c_+d_*x_]),x_Symbol] :=
  -1/a*Int[(e+f*x)^m*Sinh[c+d*x]^(n-2),x] +
  1/b*Int[(e+f*x)^m*Sinh[c+d*x]^(n-2)*Cosh[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f,m},x] && IGtQ[n,1] && EqQ[a^2-b^2,0]
```

$$2: \int \frac{(e + f x)^m \operatorname{Cosh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } n - 1 \in \mathbb{Z}^+ \wedge a^2 + b^2 \neq 0 \wedge m \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Cosh}[z]^2}{a + b \operatorname{Sinh}[z]} = -\frac{a}{b^2} + \frac{\operatorname{Sinh}[z]}{b} + \frac{a^2 + b^2}{b^2 (a + b \operatorname{Sinh}[z])}$$

$$\text{Basis: } \frac{\operatorname{Sinh}[z]^2}{a + b \operatorname{Cosh}[z]} = -\frac{a}{b^2} + \frac{\operatorname{Cosh}[z]}{b} + \frac{a^2 - b^2}{b^2 (a + b \operatorname{Cosh}[z])}$$

Rule: If $n - 1 \in \mathbb{Z}^+ \wedge a^2 + b^2 \neq 0 \wedge m \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Cosh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow$$

$$-\frac{a}{b^2} \int (e + f x)^m \operatorname{Cosh}[c + d x]^{n-2} dx + \frac{1}{b} \int (e + f x)^m \operatorname{Cosh}[c + d x]^{n-2} \operatorname{Sinh}[c + d x] dx + \frac{a^2 + b^2}{b^2} \int \frac{(e + f x)^m \operatorname{Cosh}[c + d x]^{n-2}}{a + b \operatorname{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_ + f_*x_)^m_*Cosh[c_ + d_*x_]^n/(a_ + b_*Sinh[c_ + d_*x_]), x_Symbol] :=
-a/b^2*Int[(e+f*x)^m*Cosh[c+d*x]^(n-2), x] +
1/b*Int[(e+f*x)^m*Cosh[c+d*x]^(n-2)*Sinh[c+d*x], x] +
(a^2+b^2)/b^2*Int[(e+f*x)^m*Cosh[c+d*x]^(n-2)/(a+b*Sinh[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[n, 1] && NeQ[a^2+b^2, 0] && IGtQ[m, 0]
```

```
Int[(e_ + f_*x_)^m_*Sinh[c_ + d_*x_]^n/(a_ + b_*Cosh[c_ + d_*x_]), x_Symbol] :=
-a/b^2*Int[(e+f*x)^m*Sinh[c+d*x]^(n-2), x] +
1/b*Int[(e+f*x)^m*Sinh[c+d*x]^(n-2)*Cosh[c+d*x], x] +
(a^2-b^2)/b^2*Int[(e+f*x)^m*Sinh[c+d*x]^(n-2)/(a+b*Cosh[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[n, 1] && NeQ[a^2-b^2, 0] && IGtQ[m, 0]
```

$$3: \int \frac{(e + f x)^m \operatorname{Tanh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } (m | n) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Tanh}[z]^p}{a + b \operatorname{Sinh}[z]} == \frac{\operatorname{Sech}[z] \operatorname{Tanh}[z]^{p-1}}{b} - \frac{a \operatorname{Sech}[z] \operatorname{Tanh}[z]^{p-1}}{b (a + b \operatorname{Sinh}[z])}$$

Rule: If $(m | n) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Tanh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow \frac{1}{b} \int (e + f x)^m \operatorname{Sech}[c + d x] \operatorname{Tanh}[c + d x]^{n-1} dx - \frac{a}{b} \int \frac{(e + f x)^m \operatorname{Sech}[c + d x] \operatorname{Tanh}[c + d x]^{n-1}}{a + b \operatorname{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Tanh[c_+d_*x_]^n_/(a_+b_*Sinh[c_+d_*x_]),x_Symbol] :=
  1/b*Int[(e+f*x)^m*Sech[c+d*x]*Tanh[c+d*x]^(n-1),x] - a/b*Int[(e+f*x)^m*Sech[c+d*x]*Tanh[c+d*x]^(n-1)/(a+b*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

```
Int[(e_+f_*x_)^m_*Coth[c_+d_*x_]^n_/(a_+b_*Cosh[c_+d_*x_]),x_Symbol] :=
  1/b*Int[(e+f*x)^m*Csch[c+d*x]*Coth[c+d*x]^(n-1),x] - a/b*Int[(e+f*x)^m*Csch[c+d*x]*Coth[c+d*x]^(n-1)/(a+b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

$$4: \int \frac{(e + f x)^m \operatorname{Coth}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } (m | n) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Coth}[z]^n}{a + b \operatorname{Sinh}[z]} = \frac{\operatorname{Coth}[z]^n}{a} - \frac{b \operatorname{Cosh}[z] \operatorname{Coth}[z]^{n-1}}{a(a + b \operatorname{Sinh}[z])}$$

Rule: If $(m | n) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Coth}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow \frac{1}{a} \int (e + f x)^m \operatorname{Coth}[c + d x]^n dx - \frac{b}{a} \int \frac{(e + f x)^m \operatorname{Cosh}[c + d x] \operatorname{Coth}[c + d x]^{n-1}}{a + b \operatorname{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Coth[c_+d_*x_]^n_/(a_+b_*Sinh[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Coth[c+d*x]^n,x] - b/a*Int[(e+f*x)^m*Cosh[c+d*x]*Coth[c+d*x]^(n-1)/(a+b*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

```
Int[(e_+f_*x_)^m_*Tanh[c_+d_*x_]^n_/(a_+b_*Cosh[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Tanh[c+d*x]^n,x] - b/a*Int[(e+f*x)^m*Sinh[c+d*x]*Tanh[c+d*x]^(n-1)/(a+b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

$$5. \int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } m \in \mathbb{Z}^+$$

$$1: \int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } m \in \mathbb{Z}^+ \wedge a^2 + b^2 = 0$$

Derivation: Algebraic expansion

$$\text{Basis: If } a^2 + b^2 = 0, \text{ then } \frac{1}{a + b \operatorname{Sinh}[z]} = \frac{\operatorname{Sech}[z]^2}{a} + \frac{\operatorname{Sech}[z] \operatorname{Tanh}[z]}{b}$$

$$\text{Basis: If } a^2 - b^2 = 0, \text{ then } \frac{1}{a + b \operatorname{Cosh}[z]} = -\frac{\operatorname{Csch}[z]^2}{a} + \frac{\operatorname{Csch}[z] \operatorname{Coth}[z]}{b}$$

Rule: If $m \in \mathbb{Z}^+ \wedge a^2 + b^2 = 0$, then

$$\int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow \frac{1}{a} \int (e + f x)^m \operatorname{Sech}[c + d x]^{n+2} dx + \frac{1}{b} \int (e + f x)^m \operatorname{Sech}[c + d x]^{n+1} \operatorname{Tanh}[c + d x] dx$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*Sech[c_.+d_.*x_]^n_./(a_.+b_.*Sinh[c_.+d_.*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Sech[c+d*x]^(n+2),x] +
  1/b*Int[(e+f*x)^m*Sech[c+d*x]^(n+1)*Tanh[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f,n},x] && IGtQ[m,0] && EqQ[a^2+b^2,0]
```

```
Int[(e_.+f_.*x_)^m_.*Csch[c_.+d_.*x_]^n_./(a_.+b_.*Cosh[c_.+d_.*x_]),x_Symbol] :=
  -1/a*Int[(e+f*x)^m*Csch[c+d*x]^(n+2),x] +
  1/b*Int[(e+f*x)^m*Csch[c+d*x]^(n+1)*Coth[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f,n},x] && IGtQ[m,0] && EqQ[a^2-b^2,0]
```

$$2: \int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } m \in \mathbb{Z}^+ \wedge a^2 + b^2 \neq 0 \wedge n \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Sech}[z]^2}{a + b \operatorname{Sinh}[z]} = \frac{b^2}{(a^2 + b^2)(a + b \operatorname{Sinh}[z])} + \frac{\operatorname{Sech}[z]^2 (a - b \operatorname{Sinh}[z])}{a^2 + b^2}$$

$$\text{Basis: } \frac{\operatorname{Csch}[z]^2}{a + b \operatorname{Cosh}[z]} = \frac{b^2}{(a^2 - b^2)(a + b \operatorname{Cosh}[z])} + \frac{\operatorname{Csch}[z]^2 (a - b \operatorname{Cosh}[z])}{a^2 - b^2}$$

Rule: If $m \in \mathbb{Z}^+ \wedge a^2 + b^2 \neq 0 \wedge n \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow \frac{b^2}{a^2 + b^2} \int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^{n-2}}{a + b \operatorname{Sinh}[c + d x]} dx + \frac{1}{a^2 + b^2} \int (e + f x)^m \operatorname{Sech}[c + d x]^n (a - b \operatorname{Sinh}[c + d x]) dx$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*Sech[c_.+d_.*x_]^n_./(a_.+b_.*Sinh[c_.+d_.*x_]),x_Symbol] :=
  b^2/(a^2+b^2)*Int[(e+f*x)^m*Sech[c+d*x]^(n-2)/(a+b*Sinh[c+d*x]),x] +
  1/(a^2+b^2)*Int[(e+f*x)^m*Sech[c+d*x]^n*(a-b*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && NeQ[a^2+b^2,0] && IGtQ[n,0]
```

```
Int[(e_.+f_.*x_)^m_.*Csch[c_.+d_.*x_]^n_./(a_.+b_.*Cosh[c_.+d_.*x_]),x_Symbol] :=
  b^2/(a^2-b^2)*Int[(e+f*x)^m*Csch[c+d*x]^(n-2)/(a+b*Cosh[c+d*x]),x] +
  1/(a^2-b^2)*Int[(e+f*x)^m*Csch[c+d*x]^n*(a-b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && NeQ[a^2-b^2,0] && IGtQ[n,0]
```

$$6: \int \frac{(e + f x)^m \operatorname{Csch}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } (m | n) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Csch}[z]^n}{a + b \operatorname{Sinh}[z]} = \frac{\operatorname{Csch}[z]^n}{a} - \frac{b \operatorname{Csch}[z]^{n-1}}{a(a + b \operatorname{Sinh}[z])}$$

Rule: If $(m | n) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Csch}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow \frac{1}{a} \int (e + f x)^m \operatorname{Csch}[c + d x]^n dx - \frac{b}{a} \int \frac{(e + f x)^m \operatorname{Csch}[c + d x]^{n-1}}{a + b \operatorname{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Csch[c_+d_*x_]^n./(a_+b_*Sinh[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Csch[c+d*x]^n,x] - b/a*Int[(e+f*x)^m*Csch[c+d*x]^(n-1)/(a+b*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

```
Int[(e_+f_*x_)^m_*Sech[c_+d_*x_]^n./(a_+b_*Cosh[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Sech[c+d*x]^n,x] - b/a*Int[(e+f*x)^m*Sech[c+d*x]^(n-1)/(a+b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

U: $\int \frac{(e + f x)^m \text{Hyper}[c + d x]^n}{a + b \text{Sinh}[c + d x]} dx$

Rule:

$$\int \frac{(e + f x)^m \text{Hyper}[c + d x]^n}{a + b \text{Sinh}[c + d x]} dx \rightarrow \int \frac{(e + f x)^m \text{Hyper}[c + d x]^n}{a + b \text{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_.+f_.**x_)^m_.*F_[c_.+d_.**x_]^n_./(a_.+b_.**Sinh[c_.+d_.**x_]),x_Symbol] :=
  Unintegrable[(e+f*x)^m*F[c+d*x]^n/(a+b*Sinh[c+d*x]),x] /;
  FreeQ[{a,b,c,d,e,f,m,n},x] && HyperbolicQ[F]
```

```
Int[(e_.+f_.**x_)^m_.*F_[c_.+d_.**x_]^n_./(a_.+b_.**Cosh[c_.+d_.**x_]),x_Symbol] :=
  Unintegrable[(e+f*x)^m*F[c+d*x]^n/(a+b*Cosh[c+d*x]),x] /;
  FreeQ[{a,b,c,d,e,f,m,n},x] && HyperbolicQ[F]
```

$$2. \int \frac{(e + f x)^m \text{Hyper1}[c + d x]^n \text{Hyper2}[c + d x]^p}{a + b \text{Sinh}[c + d x]} dx$$

$$1: \int \frac{(e + f x)^m \text{Cosh}[c + d x]^p \text{Sinh}[c + d x]^n}{a + b \text{Sinh}[c + d x]} dx \text{ when } (m | n | p) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{z^n}{a+bz} = \frac{z^{n-1}}{b} - \frac{a z^{n-1}}{b(a+bz)}$$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \text{Cosh}[c + d x]^p \text{Sinh}[c + d x]^n}{a + b \text{Sinh}[c + d x]} dx \rightarrow \frac{1}{b} \int (e + f x)^m \text{Cosh}[c + d x]^p \text{Sinh}[c + d x]^{n-1} dx - \frac{a}{b} \int \frac{(e + f x)^m \text{Cosh}[c + d x]^p \text{Sinh}[c + d x]^{n-1}}{a + b \text{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*Cosh[c_.+d_.*x_]^p_.*Sinh[c_.+d_.*x_]^n_./(a_.+b_.*Sinh[c_.+d_.*x_]),x_Symbol] :=
  1/b*Int[(e+f*x)^m*Cosh[c+d*x]^p*Sinh[c+d*x]^(n-1),x] -
  a/b*Int[(e+f*x)^m*Cosh[c+d*x]^p*Sinh[c+d*x]^(n-1)/(a+b*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

```
Int[(e_.+f_.*x_)^m_.*Sinh[c_.+d_.*x_]^p_.*Cosh[c_.+d_.*x_]^n_./(a_.+b_.*Cosh[c_.+d_.*x_]),x_Symbol] :=
  1/b*Int[(e+f*x)^m*Sinh[c+d*x]^p*Cosh[c+d*x]^(n-1),x] -
  a/b*Int[(e+f*x)^m*Sinh[c+d*x]^p*Cosh[c+d*x]^(n-1)/(a+b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

$$2: \int \frac{(e + f x)^m \operatorname{Sinh}[c + d x]^p \operatorname{Tanh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } (m | n | p) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Tanh}[z]^p}{a + b \operatorname{Sinh}[z]} = \frac{\operatorname{Tanh}[z]^p}{b \operatorname{Sinh}[z]} - \frac{a \operatorname{Tanh}[z]^p}{b \operatorname{Sinh}[z] (a + b \operatorname{Sinh}[z])}$$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Sinh}[c + d x]^p \operatorname{Tanh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow \frac{1}{b} \int (e + f x)^m \operatorname{Sinh}[c + d x]^{p-1} \operatorname{Tanh}[c + d x]^n dx - \frac{a}{b} \int \frac{(e + f x)^m \operatorname{Sinh}[c + d x]^{p-1} \operatorname{Tanh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Sinh[c_+d_*x_]^p_*Tanh[c_+d_*x_]^n_/(a_+b_*Sinh[c_+d_*x_]),x_Symbol] :=
1/b*Int[(e+f*x)^m*Sinh[c+d*x]^(p-1)*Tanh[c+d*x]^n,x] -
a/b*Int[(e+f*x)^m*Sinh[c+d*x]^(p-1)*Tanh[c+d*x]^n/(a+b*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

```
Int[(e_+f_*x_)^m_*Cosh[c_+d_*x_]^p_*Coth[c_+d_*x_]^n_/(a_+b_*Cosh[c_+d_*x_]),x_Symbol] :=
1/b*Int[(e+f*x)^m*Cosh[c+d*x]^(p-1)*Coth[c+d*x]^n,x] -
a/b*Int[(e+f*x)^m*Cosh[c+d*x]^(p-1)*Coth[c+d*x]^n/(a+b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

$$3: \int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^p \operatorname{Tanh}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } (m | n | p) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Tanh}[z]^p}{a + b \operatorname{Sinh}[z]} = \frac{\operatorname{Sech}[z] \operatorname{Tanh}[z]^{p-1}}{b} - \frac{a \operatorname{Sech}[z] \operatorname{Tanh}[z]^{p-1}}{b (a + b \operatorname{Sinh}[z])}$$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e+fx)^m \operatorname{Sech}[c+dx]^p \operatorname{Tanh}[c+dx]^n}{a+b \operatorname{Sinh}[c+dx]} dx \rightarrow \frac{1}{b} \int (e+fx)^m \operatorname{Sech}[c+dx]^{p+1} \operatorname{Tanh}[c+dx]^{n-1} dx - \frac{a}{b} \int \frac{(e+fx)^m \operatorname{Sech}[c+dx]^{p+1} \operatorname{Tanh}[c+dx]^{n-1}}{a+b \operatorname{Sinh}[c+dx]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Sech[c_+d_*x_]^p_*Tanh[c_+d_*x_]^n_/ (a_+b_*Sinh[c_+d_*x_]), x_Symbol] :=
  1/b*Int[(e+f*x)^m*Sech[c+d*x]^(p+1)*Tanh[c+d*x]^(n-1), x] -
  a/b*Int[(e+f*x)^m*Sech[c+d*x]^(p+1)*Tanh[c+d*x]^(n-1)/(a+b*Sinh[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]
```

```
Int[(e_+f_*x_)^m_*Csch[c_+d_*x_]^p_*Coth[c_+d_*x_]^n_/ (a_+b_*Cosh[c_+d_*x_]), x_Symbol] :=
  1/b*Int[(e+f*x)^m*Csch[c+d*x]^(p+1)*Coth[c+d*x]^(n-1), x] -
  a/b*Int[(e+f*x)^m*Csch[c+d*x]^(p+1)*Coth[c+d*x]^(n-1)/(a+b*Cosh[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]
```

4: $\int \frac{(e+fx)^m \operatorname{Cosh}[c+dx]^p \operatorname{Coth}[c+dx]^n}{a+b \operatorname{Sinh}[c+dx]} dx$ when $(m | n | p) \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Basis: $\frac{\operatorname{Coth}[z]^n}{a+b \operatorname{Sinh}[z]} = \frac{\operatorname{Coth}[z]^n}{a} - \frac{b \operatorname{Cosh}[z] \operatorname{Coth}[z]^{n-1}}{a(a+b \operatorname{Sinh}[z])}$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e+fx)^m \operatorname{Cosh}[c+dx]^p \operatorname{Coth}[c+dx]^n}{a+b \operatorname{Sinh}[c+dx]} dx \rightarrow \frac{1}{a} \int (e+fx)^m \operatorname{Cosh}[c+dx]^p \operatorname{Coth}[c+dx]^n dx - \frac{b}{a} \int \frac{(e+fx)^m \operatorname{Cosh}[c+dx]^{p+1} \operatorname{Coth}[c+dx]^{n-1}}{a+b \operatorname{Sinh}[c+dx]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Cosh[c_+d_*x_]^p_*Coth[c_+d_*x_]^n_/ (a_+b_*Sinh[c_+d_*x_]), x_Symbol] :=
  1/a*Int[(e+f*x)^m*Cosh[c+d*x]^p*Coth[c+d*x]^n, x] -
  b/a*Int[(e+f*x)^m*Cosh[c+d*x]^(p+1)*Coth[c+d*x]^(n-1)/(a+b*Sinh[c+d*x]), x] /;
FreeQ[{a,b,c,d,e,f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]
```

```
Int[(e_.+f_.**x_)^m_.**Sinh[c_.+d_.**x_]^p_.**Tanh[c_.+d_.**x_]^n_./(a_+b_.**Cosh[c_.+d_.**x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Sinh[c+d*x]^p*Tanh[c+d*x]^n,x] -
  b/a*Int[(e+f*x)^m*Sinh[c+d*x]^(p+1)*Tanh[c+d*x]^(n-1)/(a+b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

$$5: \int \frac{(e+fx)^m \operatorname{Csch}[c+dx]^p \operatorname{Coth}[c+dx]^n}{a+b \operatorname{Sinh}[c+dx]} dx \text{ when } (m | n | p) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Coth}[z]^n}{a+b \operatorname{Sinh}[z]} = \frac{\operatorname{Coth}[z]^n}{a} - \frac{b \operatorname{Coth}[z]^n}{a \operatorname{Csch}[z] (a+b \operatorname{Sinh}[z])}$$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e+fx)^m \operatorname{Csch}[c+dx]^p \operatorname{Coth}[c+dx]^n}{a+b \operatorname{Sinh}[c+dx]} dx \rightarrow \frac{1}{a} \int (e+fx)^m \operatorname{Csch}[c+dx]^p \operatorname{Coth}[c+dx]^n dx - \frac{b}{a} \int \frac{(e+fx)^m \operatorname{Csch}[c+dx]^{p-1} \operatorname{Coth}[c+dx]^n}{a+b \operatorname{Sinh}[c+dx]} dx$$

Program code:

```
Int[(e_.+f_.**x_)^m_.**Csch[c_.+d_.**x_]^p_.**Coth[c_.+d_.**x_]^n_./(a_+b_.**Sinh[c_.+d_.**x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Csch[c+d*x]^p*Coth[c+d*x]^n,x] -
  b/a*Int[(e+f*x)^m*Csch[c+d*x]^(p-1)*Coth[c+d*x]^n/(a+b*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

```
Int[(e_.+f_.**x_)^m_.**Sech[c_.+d_.**x_]^p_.**Tanh[c_.+d_.**x_]^n_./(a_+b_.**Cosh[c_.+d_.**x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Sech[c+d*x]^p*Tanh[c+d*x]^n,x] -
  b/a*Int[(e+f*x)^m*Sech[c+d*x]^(p-1)*Tanh[c+d*x]^n/(a+b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

$$6: \int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^p \operatorname{Csch}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \text{ when } (m | n | p) \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

$$\text{Basis: } \frac{\operatorname{Csch}[z]^n}{a + b \operatorname{Sinh}[z]} = \frac{\operatorname{Csch}[z]^n}{a} - \frac{b \operatorname{Csch}[z]^{n-1}}{a (a + b \operatorname{Sinh}[z])}$$

Rule: If $(m | n | p) \in \mathbb{Z}^+$, then

$$\int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^p \operatorname{Csch}[c + d x]^n}{a + b \operatorname{Sinh}[c + d x]} dx \rightarrow \frac{1}{a} \int (e + f x)^m \operatorname{Sech}[c + d x]^p \operatorname{Csch}[c + d x]^n dx - \frac{b}{a} \int \frac{(e + f x)^m \operatorname{Sech}[c + d x]^p \operatorname{Csch}[c + d x]^{n-1}}{a + b \operatorname{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*Sech[c_+d_*x_]^p_*Csch[c_+d_*x_]^n_/(a_+b_*Sinh[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Sech[c+d*x]^p*Csch[c+d*x]^n,x] -
  b/a*Int[(e+f*x)^m*Sech[c+d*x]^p*Csch[c+d*x]^(n-1)/(a+b*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

```
Int[(e_+f_*x_)^m_*Csch[c_+d_*x_]^p_*Sech[c_+d_*x_]^n_/(a_+b_*Cosh[c_+d_*x_]),x_Symbol] :=
  1/a*Int[(e+f*x)^m*Csch[c+d*x]^p*Sech[c+d*x]^n,x] -
  b/a*Int[(e+f*x)^m*Csch[c+d*x]^p*Sech[c+d*x]^(n-1)/(a+b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0] && IGtQ[n,0] && IGtQ[p,0]
```

$$\mathbf{U:} \int \frac{(e + f x)^m \text{Hyper1}[c + d x]^n \text{Hyper2}[c + d x]^p}{a + b \text{Sinh}[c + d x]} dx$$

Rule:

$$\int \frac{(e + f x)^m \text{Hyper1}[c + d x]^n \text{Hyper2}[c + d x]^p}{a + b \text{Sinh}[c + d x]} dx \rightarrow \int \frac{(e + f x)^m \text{Hyper1}[c + d x]^n \text{Hyper2}[c + d x]^p}{a + b \text{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_+f_.*x_)^m_.*F_[c_+d_.*x_]^n_.*G_[c_+d_.*x_]^p_/ (a_+b_.*Sinh[c_+d_.*x_]), x_Symbol] :=
  Unintegrable[(e+f*x)^m*F[c+d*x]^n*G[c+d*x]^p/(a+b*Sinh[c+d*x]), x] /;
  FreeQ[{a,b,c,d,e,f,m,n,p}, x] && HyperbolicQ[F] && HyperbolicQ[G]
```

```
Int[(e_+f_.*x_)^m_.*F_[c_+d_.*x_]^n_.*G_[c_+d_.*x_]^p_/ (a_+b_.*Cosh[c_+d_.*x_]), x_Symbol] :=
  Unintegrable[(e+f*x)^m*F[c+d*x]^n*G[c+d*x]^p/(a+b*Cosh[c+d*x]), x] /;
  FreeQ[{a,b,c,d,e,f,m,n,p}, x] && HyperbolicQ[F] && HyperbolicQ[G]
```

$$3: \int \frac{(e + f x)^m \operatorname{Hyper}[c + d x]^n}{a + b \operatorname{Sech}[c + d x]} dx \text{ when } (m | n) \in \mathbb{Z}$$

Derivation: Algebraic normalization

$$\text{Basis: } \frac{1}{a + b \operatorname{Sech}[z]} = \frac{\operatorname{Cosh}[z]}{b + a \operatorname{Cosh}[z]}$$

Rule: If $(m | n) \in \mathbb{Z}$, then

$$\int \frac{(e + f x)^m \operatorname{Hyper}[c + d x]^n}{a + b \operatorname{Sech}[c + d x]} dx \rightarrow \int \frac{(e + f x)^m \operatorname{Cosh}[c + d x] \operatorname{Hyper}[c + d x]^n}{b + a \operatorname{Cosh}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_/(a_+b_*Sech[c_+d_*x_]),x_Symbol] :=
  Int[(e+f*x)^m*Cosh[c+d*x]*F[c+d*x]^n/(b+a*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && HyperbolicQ[F] && IntegersQ[m,n]
```

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_/(a_+b_*Csch[c_+d_*x_]),x_Symbol] :=
  Int[(e+f*x)^m*Sinh[c+d*x]*F[c+d*x]^n/(b+a*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && HyperbolicQ[F] && IntegersQ[m,n]
```

$$4: \int \frac{(e + f x)^m \text{Hyper1}[c + d x]^n \text{Hyper2}[c + d x]^p}{a + b \text{Sech}[c + d x]} dx \text{ when } (m | n | p) \in \mathbb{Z}$$

Derivation: Algebraic normalization

$$\text{Basis: } \frac{1}{a + b \text{Sech}[z]} = \frac{\text{Cosh}[z]}{b + a \text{Cosh}[z]}$$

Rule: If $(m | n | p) \in \mathbb{Z}$, then

$$\int \frac{(e + f x)^m \text{Hyper1}[c + d x]^n \text{Hyper2}[c + d x]^p}{a + b \text{Sech}[c + d x]} dx \rightarrow \int \frac{(e + f x)^m \text{Cosh}[c + d x] \text{Hyper1}[c + d x]^n \text{Hyper2}[c + d x]^p}{b + a \text{Cosh}[c + d x]} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_*G_[c_+d_*x_]^p_/(a_+b_*Sech[c_+d_*x_]),x_Symbol] :=
  Int[(e+f*x)^m*Cosh[c+d*x]*F[c+d*x]^n*G[c+d*x]^p/(b+a*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && HyperbolicQ[F] && HyperbolicQ[G] && IntegersQ[m,n,p]
```

```
Int[(e_+f_*x_)^m_*F_[c_+d_*x_]^n_*G_[c_+d_*x_]^p_/(a_+b_*Csch[c_+d_*x_]),x_Symbol] :=
  Int[(e+f*x)^m*Sinh[c+d*x]*F[c+d*x]^n*G[c+d*x]^p/(b+a*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f},x] && HyperbolicQ[F] && HyperbolicQ[G] && IntegersQ[m,n,p]
```

Rules for integrands involving hyperbolic functions

$$0. \int \text{Sinh}[a + b x]^p \text{Hyper}[c + d x]^q dx$$

$$1: \int \text{Sinh}[a + b x]^p \text{Sinh}[c + d x]^q dx \text{ when } p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}$$

Derivation: Algebraic expansion

$$\text{Basis: } \text{Sinh}[v]^p \text{Sinh}[w]^q == \frac{1}{2^{p+q}} (-e^{-v} + e^v)^p (-e^{-w} + e^w)^q$$

Rule: If $p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}$, then

$$\int \text{Sinh}[a + b x]^p \text{Sinh}[c + d x]^q dx \rightarrow \frac{1}{2^{p+q}} \int (-e^{-c-dx} + e^{c+dx})^q \text{ExpandIntegrand}[(-e^{-a-bx} + e^{a+bx})^p, x] dx$$

Program code:

```
Int[Sinh[a_+b_.*x_]^p_.*Sinh[c_+d_.*x_]^q_.,x_Symbol] :=
  1/2^(p+q)*Int[ExpandIntegrand[(-E^(-c-d*x)+E^(c+d*x))^q,(-E^(-a-b*x)+E^(a+b*x))^p,x],x] /;
FreeQ[{a,b,c,d,q},x] && IGtQ[p,0] && Not[IntegerQ[q]]
```

```
Int[Cosh[a_+b_.*x_]^p_.*Cosh[c_+d_.*x_]^q_.,x_Symbol] :=
  1/2^(p+q)*Int[ExpandIntegrand[(E^(-c-d*x)+E^(c+d*x))^q,(E^(-a-b*x)+E^(a+b*x))^p,x],x] /;
FreeQ[{a,b,c,d,q},x] && IGtQ[p,0] && Not[IntegerQ[q]]
```

$$2: \int \operatorname{Sinh}[a + b x]^p \operatorname{Cosh}[c + d x]^q dx \text{ when } p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}$$

Derivation: Algebraic expansion

$$\text{Basis: } \operatorname{Sinh}[v]^p \operatorname{Cosh}[w]^q == \frac{1}{2^{p+q}} (-e^{-v} + e^v)^p (e^{-w} + e^w)^q$$

Rule: If $p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}$, then

$$\int \operatorname{Sinh}[a + b x]^p \operatorname{Cosh}[c + d x]^q dx \rightarrow \frac{1}{2^{p+q}} \int (e^{-c-dx} + e^{c+dx})^q \operatorname{ExpandIntegrand}[(e^{-a-bx} + e^{a+bx})^p, x] dx$$

Program code:

```
Int[Sinh[a_+b_.*x_]^p_.*Cosh[c_+d_.*x_]^q_.,x_Symbol] :=
  1/2^(p+q)*Int[ExpandIntegrand[(E^(-c-d*x)+E^(c+d*x))^q,(-E^(-a-b*x)+E^(a+b*x))^p,x],x] /;
FreeQ[{a,b,c,d,q},x] && IGtQ[p,0] && Not[IntegerQ[q]]
```

```
Int[Cosh[a_+b_.*x_]^p_.*Sinh[c_+d_.*x_]^q_.,x_Symbol] :=
  1/2^(p+q)*Int[ExpandIntegrand[(-E^(-c-d*x)+E^(c+d*x))^q,(E^(-a-b*x)+E^(a+b*x))^p,x],x] /;
FreeQ[{a,b,c,d,q},x] && IGtQ[p,0] && Not[IntegerQ[q]]
```

$$3: \int \sinh[a + b x] \tanh[c + d x] dx \text{ when } b^2 - d^2 \neq 0$$

Derivation: Algebraic expansion

$$\text{Basis: } \sinh[v] \tanh[w] == -\frac{e^{-v}}{2} + \frac{e^v}{2} + \frac{e^{-v}}{1+e^{2w}} - \frac{e^v}{1+e^{2w}}$$

$$\text{Basis: } \cosh[v] \coth[w] == \frac{e^{-v}}{2} + \frac{e^v}{2} - \frac{e^{-v}}{1-e^{2w}} - \frac{e^v}{1-e^{2w}}$$

Rule: If $b^2 - d^2 \neq 0$, then

$$\int \sinh[a + b x] \tanh[c + d x] dx \rightarrow \int \left(-\frac{e^{-a-bx}}{2} + \frac{e^{a+bx}}{2} + \frac{e^{-a-bx}}{1+e^{2(c+dx)}} - \frac{e^{a+bx}}{1+e^{2(c+dx)}} \right) dx$$

Program code:

```
Int[Sinh[a_+b_.*x_]*Tanh[c_+d_.*x_],x_Symbol] :=
  Int[-E^(-(a+b*x))/2 + E^(a+b*x)/2 + E^(-(a+b*x))/(1+E^(2*(c+d*x))) - E^(a+b*x)/(1+E^(2*(c+d*x))),x] /;
  FreeQ[{a,b,c,d},x] && NeQ[b^2-d^2,0]
```

```
Int[Cosh[a_+b_.*x_]*Coth[c_+d_.*x_],x_Symbol] :=
  Int[E^(-(a+b*x))/2 + E^(a+b*x)/2 - E^(-(a+b*x))/(1-E^(2*(c+d*x))) - E^(a+b*x)/(1-E^(2*(c+d*x))),x] /;
  FreeQ[{a,b,c,d},x] && NeQ[b^2-d^2,0]
```

$$4: \int \sinh[a + b x] \coth[c + d x] dx \text{ when } b^2 - d^2 \neq 0$$

Derivation: Algebraic expansion

$$\text{Basis: } \sinh[v] \coth[w] == -\frac{e^{-v}}{2} + \frac{e^v}{2} + \frac{e^{-v}}{1-e^{2w}} - \frac{e^v}{1-e^{2w}}$$

$$\text{Basis: } \cosh[v] \tanh[w] == \frac{e^{-v}}{2} + \frac{e^v}{2} - \frac{e^{-v}}{1+e^{2w}} - \frac{e^v}{1+e^{2w}}$$

Rule: If $b^2 - d^2 \neq 0$, then

$$\int \text{Sinh}[a + b x] \text{Coth}[c + d x] dx \rightarrow \int \left(-\frac{e^{-a-bx}}{2} + \frac{e^{a+bx}}{2} + \frac{e^{-a-bx}}{1 - e^{2(c+dx)}} - \frac{e^{a+bx}}{1 - e^{2(c+dx)}} \right) dx$$

Program code:

```
Int[Sinh[a_.+b_.*x_]*Coth[c_.+d_.*x_],x_Symbol] :=
  Int[-E^(-(a+b*x))/2 + E^(a+b*x)/2 + E^(-(a+b*x))/(1-E^(2*(c+d*x))) - E^(a+b*x)/(1-E^(2*(c+d*x))),x] /;
FreeQ[{a,b,c,d},x] && NeQ[b^2-d^2,0]
```

```
Int[Cosh[a_.+b_.*x_]*Tanh[c_.+d_.*x_],x_Symbol] :=
  Int[E^(-(a+b*x))/2 + E^(a+b*x)/2 - E^(-(a+b*x))/(1+E^(2*(c+d*x))) - E^(a+b*x)/(1+E^(2*(c+d*x))),x] /;
FreeQ[{a,b,c,d},x] && NeQ[b^2-d^2,0]
```

1: $\int \text{Sinh}\left[\frac{a}{c+dx}\right]^n dx$ when $n \in \mathbb{Z}^+$

Derivation: Integration by substitution

Basis: $F\left[\frac{a}{c+dx}\right] = -\frac{1}{d} \text{Subst}\left[\frac{F[ax]}{x^2}, x, \frac{1}{c+dx}\right] \partial_x \frac{1}{c+dx}$

Rule: If $n \in \mathbb{Z}^+$, then

$$\int \text{Sinh}\left[\frac{a}{c+dx}\right]^n dx \rightarrow -\frac{1}{d} \text{Subst}\left[\int \frac{\text{Sinh}[ax]^n}{x^2} dx, x, \frac{1}{c+dx}\right]$$

Program code:

```
Int[Sinh[a_./(c_.+d_.*x_)]^n_.,x_Symbol] :=
  -1/d*Subst[Int[Sinh[a*x]^n/x^2,x],x,1/(c+d*x)] /;
FreeQ[{a,c,d},x] && IGtQ[n,0]
```

```
Int[Cosh[a_./(c_.+d_.*x_)]^n_.,x_Symbol] :=
  -1/d*Subst[Int[Cosh[a*x]^n/x^2,x],x,1/(c+d*x)] /;
FreeQ[{a,c,d},x] && IGtQ[n,0]
```

$$2. \int \operatorname{Sinh}\left[\frac{a+bx}{c+dx}\right]^n dx \text{ when } n \in \mathbb{Z}^+$$

$$1: \int \operatorname{Sinh}\left[\frac{a+bx}{c+dx}\right]^n dx \text{ when } n \in \mathbb{Z}^+ \wedge bc - ad \neq 0$$

Derivation: Integration by substitution

$$\text{Basis: } F\left[\frac{a+bx}{c+dx}\right] \Rightarrow -\frac{1}{d} \operatorname{Subst}\left[\frac{F\left[\frac{\frac{b}{d} - \frac{(bc-ad)x}{d}}{x^2}\right]}{x^2}, x, \frac{1}{c+dx}\right] \partial_x \frac{1}{c+dx}$$

Rule: If $n \in \mathbb{Z}^+ \wedge bc - ad \neq 0$, then

$$\int \operatorname{Sinh}\left[\frac{a+bx}{c+dx}\right]^n dx \rightarrow -\frac{1}{d} \operatorname{Subst}\left[\int \frac{\operatorname{Sinh}\left[\frac{\frac{b}{d} - \frac{(bc-ad)x}{d}}{x^2}\right]^n}{x^2} dx, x, \frac{1}{c+dx}\right]$$

Program code:

```
Int[Sinh[e_.*(a_.+b_.*x_)/(c_.+d_.*x_)]^n_.,x_Symbol] :=
-1/d*Subst[Int[Sinh[b*e/d-e*(b*c-a*d)*x/d]^n/x^2,x],x,1/(c+d*x)] /;
FreeQ[{a,b,c,d},x] && IGtQ[n,0] && NeQ[b*c-a*d,0]
```

```
Int[Cosh[e_.*(a_.+b_.*x_)/(c_.+d_.*x_)]^n_.,x_Symbol] :=
-1/d*Subst[Int[Cosh[b*e/d-e*(b*c-a*d)*x/d]^n/x^2,x],x,1/(c+d*x)] /;
FreeQ[{a,b,c,d},x] && IGtQ[n,0] && NeQ[b*c-a*d,0]
```

2: $\int \sinh[u]^n dx$ when $n \in \mathbb{Z}^+ \wedge u = \frac{a+bx}{c+dx}$

Derivation: Algebraic normalization

Rule: If $n \in \mathbb{Z}^+ \wedge u = \frac{a+bx}{c+dx}$, then

$$\int \sinh[u]^n dx \rightarrow \int \sinh\left[\frac{a+bx}{c+dx}\right]^n dx$$

Program code:

```
Int[Sinh[u_]^n_., x_Symbol] :=
  With[{lst=QuotientOfLinearsParts[u,x]},
    Int[Sinh[(lst[[1]]+lst[[2]]*x)/(lst[[3]]+lst[[4]]*x)]^n,x] /;
    IGtQ[n,0] && QuotientOfLinearsQ[u,x]
```

```
Int[Cosh[u_]^n_., x_Symbol] :=
  With[{lst=QuotientOfLinearsParts[u,x]},
    Int[Cosh[(lst[[1]]+lst[[2]]*x)/(lst[[3]]+lst[[4]]*x)]^n,x] /;
    IGtQ[n,0] && QuotientOfLinearsQ[u,x]
```

$$3. \int u \operatorname{Sinh}[v]^p \operatorname{Hyper}[w]^q dx$$

$$1. \int u \operatorname{Sinh}[v]^p \operatorname{Sinh}[w]^q dx$$

$$1: \int u \operatorname{Sinh}[v]^p \operatorname{Sinh}[w]^q dx \text{ when } w == v$$

Derivation: Algebraic simplification

Rule: If $w == v$, then

$$\int u \operatorname{Sinh}[v]^p \operatorname{Sinh}[w]^q dx \rightarrow \int u \operatorname{Sinh}[v]^{p+q} dx$$

Program code:

```
Int[u_.*Sinh[v_]^p_.*Sinh[w_]^q_.,x_Symbol] :=
  Int[u*Sinh[v]^(p+q),x] /;
EqQ[w,v]
```

```
Int[u_.*Cosh[v_]^p_.*Cosh[w_]^q_.,x_Symbol] :=
  Int[u*Cosh[v]^(p+q),x] /;
EqQ[w,v]
```

$$2: \int \sinh[v]^p \sinh[w]^q dx \text{ when } p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

Rule: If $p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}^+$, then

$$\int \sinh[v]^p \sinh[w]^q dx \rightarrow \int \text{TrigReduce}[\sinh[v]^p \sinh[w]^q] dx$$

Program code:

```
Int[Sinh[v_]^p_.*Sinh[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[Sinh[v]^p*Sinh[w]^q,x],x] /;
  IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])
```

```
Int[Cosh[v_]^p_.*Cosh[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[Cosh[v]^p*Cosh[w]^q,x],x] /;
  IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])
```

$$3: \int x^m \sinh[v]^p \sinh[w]^q dx \text{ when } m \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

Rule: If $m \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}^+$, then

$$\int x^m \sinh[v]^p \sinh[w]^q dx \rightarrow \int x^m \text{TrigReduce}[\sinh[v]^p \sinh[w]^q] dx$$

Program code:

```
Int[x^m_.*Sinh[v_]^p_.*Sinh[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[x^m,Sinh[v]^p*Sinh[w]^q,x],x] /;
  IGtQ[m,0] && IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])
```

```
Int[x_^m_.*Cosh[v_]^p_.*Cosh[w_]^q_.,x_Symbol] :=
  Int[ExpandTrigReduce[x^m,Cosh[v]^p*Cosh[w]^q,x],x] /;
  IGtQ[m,0] && IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])
```

2. $\int u \sinh[v]^p \cosh[w]^q dx$

1: $\int u \sinh[v]^p \cosh[w]^p dx$ when $w = v \wedge p \in \mathbb{Z}$

Derivation: Algebraic simplification

Basis: $\sinh[z] \cosh[z] = \frac{1}{2} \sinh[2z]$

Rule: If $w = v \wedge p \in \mathbb{Z}$, then

$$\int u \sinh[v]^p \cosh[w]^p dx \rightarrow \frac{1}{2^p} \int u \sinh[2v]^p dx$$

Program code:

```
Int[u_.*Sinh[v_]^p_.*Cosh[w_]^p_.,x_Symbol] :=
  1/2^p*Int[u*Sinh[2*v]^p,x] /;
  EqQ[w,v] && IntegerQ[p]
```

$$2: \int \sinh[v]^p \cosh[w]^q dx \text{ when } p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

Rule: If $p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}^+$, then

$$\int \sinh[v]^p \cosh[w]^q dx \rightarrow \int \text{TrigReduce}[\sinh[v]^p \cosh[w]^q] dx$$

Program code:

```
Int[Sinh[v_]^p_.*Cosh[w_]^q_,x_Symbol] :=
  Int[ExpandTrigReduce[Sinh[v]^p*Cosh[w]^q,x],x] /;
  IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])
```

$$3: \int x^m \sinh[v]^p \cosh[w]^q dx \text{ when } m \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}^+$$

Derivation: Algebraic expansion

Rule: If $m \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}^+ \wedge q \in \mathbb{Z}^+$, then

$$\int x^m \sinh[v]^p \cosh[w]^q dx \rightarrow \int x^m \text{TrigReduce}[\sinh[v]^p \cosh[w]^q] dx$$

Program code:

```
Int[x_^m_.*Sinh[v_]^p_.*Cosh[w_]^q_,x_Symbol] :=
  Int[ExpandTrigReduce[x^m,Sinh[v]^p*Cosh[w]^q,x],x] /;
  IGtQ[m,0] && IGtQ[p,0] && IGtQ[q,0] && (PolynomialQ[v,x] && PolynomialQ[w,x] || BinomialQ[{v,w},x] && IndependentQ[Cancel[v/w],x])
```

$$3. \int u \operatorname{Sinh}[v]^p \operatorname{Tanh}[w]^q dx$$

$$1: \int \operatorname{Sinh}[v] \operatorname{Tanh}[w]^n dx \text{ when } n > 0 \wedge w \neq v \wedge x \notin v - w$$

Derivation: Algebraic expansion

$$\text{Basis: } \operatorname{Sinh}[v] \operatorname{Tanh}[w] == \operatorname{Cosh}[v] - \operatorname{Cosh}[v - w] \operatorname{Sech}[w]$$

$$\text{Basis: } \operatorname{Cosh}[v] \operatorname{Coth}[w] == \operatorname{Sinh}[v] + \operatorname{Cosh}[v - w] \operatorname{Csch}[w]$$

Rule: If $n > 0 \wedge w \neq v \wedge x \notin v - w$, then

$$\int \operatorname{Sinh}[v] \operatorname{Tanh}[w]^n dx \rightarrow \int \operatorname{Cosh}[v] \operatorname{Tanh}[w]^{n-1} dx - \operatorname{Cosh}[v - w] \int \operatorname{Sech}[w] \operatorname{Tanh}[w]^{n-1} dx$$

Program code:

```
Int[Sinh[v_]*Tanh[w_]^n_.,x_Symbol] :=
  Int[Cosh[v]*Tanh[w]^(n-1),x] - Cosh[v-w]*Int[Sech[w]*Tanh[w]^(n-1),x] /;
GtQ[n,0] && NeQ[w,v] && FreeQ[v-w,x]
```

```
Int[Cosh[v_]*Coth[w_]^n_.,x_Symbol] :=
  Int[Sinh[v]*Coth[w]^(n-1),x] + Cosh[v-w]*Int[Csch[w]*Coth[w]^(n-1),x] /;
GtQ[n,0] && NeQ[w,v] && FreeQ[v-w,x]
```

$$4. \int u \operatorname{Sinh}[v]^p \operatorname{Coth}[w]^q dx$$

$$1: \int \operatorname{Sinh}[v] \operatorname{Coth}[w]^n dx \text{ when } n > 0 \wedge w \neq v \wedge x \notin v - w$$

Derivation: Algebraic expansion

$$\text{Basis: } \operatorname{Sinh}[v] \operatorname{Coth}[w] = \operatorname{Cosh}[v] + \operatorname{Sinh}[v - w] \operatorname{Csch}[w]$$

$$\text{Basis: } \operatorname{Cosh}[v] \operatorname{Tanh}[w] = \operatorname{Sinh}[v] - \operatorname{Sinh}[v - w] \operatorname{Sech}[w]$$

Rule: If $n > 0 \wedge w \neq v \wedge x \notin v - w$, then

$$\int \operatorname{Sinh}[v] \operatorname{Coth}[w]^n dx \rightarrow \int \operatorname{Cosh}[v] \operatorname{Coth}[w]^{n-1} dx + \operatorname{Sinh}[v - w] \int \operatorname{Csch}[w] \operatorname{Coth}[w]^{n-1} dx$$

Program code:

```
Int[Sinh[v_]*Coth[w_]^n_.,x_Symbol] :=
  Int[Cosh[v]*Coth[w]^(n-1),x] + Sinh[v-w]*Int[Csch[w]*Coth[w]^(n-1),x] /;
GtQ[n,0] && NeQ[w,v] && FreeQ[v-w,x]
```

```
Int[Cosh[v_]*Tanh[w_]^n_.,x_Symbol] :=
  Int[Sinh[v]*Tanh[w]^(n-1),x] - Sinh[v-w]*Int[Sech[w]*Tanh[w]^(n-1),x] /;
GtQ[n,0] && NeQ[w,v] && FreeQ[v-w,x]
```

$$5. \int u \sinh[v]^p \operatorname{sech}[w]^q dx$$

$$1: \int \sinh[v] \operatorname{sech}[w]^n dx \text{ when } n > 0 \wedge w \neq v \wedge x \notin v - w$$

Derivation: Algebraic expansion

$$\text{Basis: } \sinh[v] \operatorname{sech}[w] = \cosh[v - w] \tanh[w] + \sinh[v - w]$$

$$\text{Basis: } \cosh[v] * \operatorname{csch}[w] = \cosh[v - w] * \operatorname{coth}[w] + \sinh[v - w]$$

Rule: If $n > 0 \wedge w \neq v \wedge x \notin v - w$, then

$$\int \sinh[v] \operatorname{sech}[w]^n dx \rightarrow \cosh[v - w] \int \tanh[w] \operatorname{sech}[w]^{n-1} dx + \sinh[v - w] \int \operatorname{sech}[w]^{n-1} dx$$

Program code:

```
Int[Sinh[v_]*Sech[w_]^n_.,x_Symbol] :=
  Cosh[v-w]*Int[Tanh[w]*Sech[w]^(n-1),x] + Sinh[v-w]*Int[Sech[w]^(n-1),x] /;
GtQ[n,0] && NeQ[w,v] && FreeQ[v-w,x]
```

```
Int[Cosh[v_]*Csch[w_]^n_.,x_Symbol] :=
  Cosh[v-w]*Int[Coth[w]*Csch[w]^(n-1),x] + Sinh[v-w]*Int[Csch[w]^(n-1),x] /;
GtQ[n,0] && NeQ[w,v] && FreeQ[v-w,x]
```

$$6. \int u \operatorname{Sinh}[v]^p \operatorname{Csch}[w]^q dx$$

$$1: \int \operatorname{Sinh}[v] \operatorname{Csch}[w]^n dx \text{ when } n > 0 \wedge w \neq v \wedge x \notin v - w$$

Derivation: Algebraic expansion

$$\text{Basis: } \operatorname{Sinh}[v] \operatorname{Csch}[w] = \operatorname{Sinh}[v - w] \operatorname{Coth}[w] + \operatorname{Cosh}[v - w]$$

$$\text{Basis: } \operatorname{Cosh}[v] \operatorname{Sech}[w] = \operatorname{Sinh}[v - w] \operatorname{Tanh}[w] + \operatorname{Cosh}[v - w]$$

Rule: If $n > 0 \wedge w \neq v \wedge x \notin v - w$, then

$$\int \operatorname{Sinh}[v] \operatorname{Csch}[w]^n dx \rightarrow \operatorname{Sinh}[v - w] \int \operatorname{Coth}[w] \operatorname{Csch}[w]^{n-1} dx + \operatorname{Cosh}[v - w] \int \operatorname{Csch}[w]^{n-1} dx$$

Program code:

```
Int[Sinh[v_]*Csch[w_]^n_.,x_Symbol] :=
  Sinh[v-w]*Int[Coth[w]*Csch[w]^(n-1),x] + Cosh[v-w]*Int[Csch[w]^(n-1),x] /;
GtQ[n,0] && NeQ[w,v] && FreeQ[v-w,x]
```

```
Int[Cosh[v_]*Sech[w_]^n_.,x_Symbol] :=
  Sinh[v-w]*Int[Tanh[w]*Sech[w]^(n-1),x] + Cosh[v-w]*Int[Sech[w]^(n-1),x] /;
GtQ[n,0] && NeQ[w,v] && FreeQ[v-w,x]
```

$$4: \int (e + f x)^m (a + b \operatorname{Sinh}[c + d x] \operatorname{Cosh}[c + d x])^n dx$$

Derivation: Algebraic simplification

$$\text{Basis: } \operatorname{Sinh}[z] \operatorname{Cosh}[z] == \frac{1}{2} \operatorname{Sinh}[2z]$$

Rule:

$$\int (e + f x)^m (a + b \operatorname{Sinh}[c + d x] \operatorname{Cosh}[c + d x])^n dx \rightarrow \int (e + f x)^m \left(a + \frac{1}{2} b \operatorname{Sinh}[2c + 2d x] \right)^n dx$$

Program code:

```
Int[(e_+f_*x_)^m_.*(a_+b_*Sinh[c_+d_*x_] * Cosh[c_+d_*x_])^n_.,x_Symbol] :=
  Int[(e+f*x)^m*(a+b*Sinh[2*c+2*d*x]/2)^n,x] /;
FreeQ[{a,b,c,d,e,f,m,n},x]
```

5: $\int x^m (a + b \sinh[c + dx]^2)^n dx$ when $a - b \neq 0 \wedge m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^-$

Derivation: Algebraic simplification

Basis: $\sinh[z]^2 = \frac{1}{2} (-1 + \cosh[2z])$

Basis: $\cosh[z]^2 = \frac{1}{2} (1 + \cosh[2z])$

Note: This rule should be replaced with rules that directly reduce the integrand rather than transforming it using hyperbolic power expansion!

Rule: If $a - b \neq 0 \wedge m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^-$, then

$$\int x^m (a + b \sinh[c + dx]^2)^n dx \rightarrow \frac{1}{2^n} \int x^m (2a - b + b \cosh[2c + 2dx])^n dx$$

Program code:

```
Int[x^m.*(a+b_.*Sinh[c_.+d_.*x_]^2)^n_,x_Symbol] :=
  1/2^n*Int[x^m*(2*a-b+b*Cosh[2*c+2*d*x])^n,x] /;
FreeQ[{a,b,c,d},x] && NeQ[a-b,0] && IGtQ[m,0] && ILtQ[n,0] && (EqQ[n,-1] || EqQ[m,1] && EqQ[n,-2])
```

```
Int[x^m.*(a+b_.*Cosh[c_.+d_.*x_]^2)^n_,x_Symbol] :=
  1/2^n*Int[x^m*(2*a+b+b*Cosh[2*c+2*d*x])^n,x] /;
FreeQ[{a,b,c,d},x] && NeQ[a-b,0] && IGtQ[m,0] && ILtQ[n,0] && (EqQ[n,-1] || EqQ[m,1] && EqQ[n,-2])
```

$$6: \int \frac{(f + gx)^m}{a + b \cosh[d + ex]^2 + c \sinh[d + ex]^2} dx \text{ when } m \in \mathbb{Z}^+ \wedge a + b \neq 0 \wedge a + c \neq 0$$

Derivation: Algebraic simplification

$$\text{Basis: } a + b \cosh[z]^2 + c \sinh[z]^2 = \frac{1}{2} (2a + b - c + (b + c) \cosh[2z])$$

Rule: If $m \in \mathbb{Z}^+ \wedge a + b \neq 0 \wedge a + c \neq 0$, then

$$\int \frac{(f + gx)^m}{a + b \cosh[d + ex]^2 + c \sinh[d + ex]^2} dx \rightarrow 2 \int \frac{(f + gx)^m}{2a + b - c + (b + c) \cosh[2d + 2ex]} dx$$

Program code:

```
Int[(f_.+g_.*x_)^m_./(a_.+b_.*Cosh[d_.+e_.*x_]^2+c_.*Sinh[d_.+e_.*x_]^2),x_Symbol] :=
  2*Int[(f+g*x)^m/(2*a+b-c+(b+c)*Cosh[2*d+2*e*x]),x] /;
FreeQ[{a,b,c,d,e,f,g},x] && IGtQ[m,0] && NeQ[a+b,0] && NeQ[a+c,0]
```

```
Int[(f_.+g_.*x_)^m_.*Sech[d_.+e_.*x_]^2/(b_.+c_.*Tanh[d_.+e_.*x_]^2),x_Symbol] :=
  2*Int[(f+g*x)^m/(b-c+(b+c)*Cosh[2*d+2*e*x]),x] /;
FreeQ[{b,c,d,e,f,g},x] && IGtQ[m,0]
```

```
Int[(f_.+g_.*x_)^m_.*Sech[d_.+e_.*x_]^2/(b_.+a_.*Sech[d_.+e_.*x_]^2+c_.*Tanh[d_.+e_.*x_]^2),x_Symbol] :=
  2*Int[(f+g*x)^m/(2*a+b-c+(b+c)*Cosh[2*d+2*e*x]),x] /;
FreeQ[{a,b,c,d,e,f,g},x] && IGtQ[m,0] && NeQ[a+b,0] && NeQ[a+c,0]
```

```
Int[(f_.+g_.*x_)^m_.*Csch[d_.+e_.*x_]^2/(c_.+b_.*Coth[d_.+e_.*x_]^2),x_Symbol] :=
  2*Int[(f+g*x)^m/(b-c+(b+c)*Cosh[2*d+2*e*x]),x] /;
FreeQ[{b,c,d,e,f,g},x] && IGtQ[m,0]
```

```
Int[(f_.+g_.*x_)^m_.*Csch[d_.+e_.*x_]^2/(c_.+b_.*Coth[d_.+e_.*x_]^2+a_.*Csch[d_.+e_.*x_]^2),x_Symbol] :=
  2*Int[(f+g*x)^m/(2*a+b-c+(b+c)*Cosh[2*d+2*e*x]),x] /;
FreeQ[{a,b,c,d,e,f,g},x] && IGtQ[m,0] && NeQ[a+b,0] && NeQ[a+c,0]
```

$$7: \int \frac{(e + f x) (A + B \operatorname{Sinh}[c + d x])}{(a + b \operatorname{Sinh}[c + d x])^2} dx \text{ when } a A + b B = 0$$

Derivation: Integration by parts

Basis: If $a A + b B = 0$, then $\frac{(A+B \operatorname{Sinh}[c+d x])}{(a+b \operatorname{Sinh}[c+d x])^2} = \partial_x \frac{B \operatorname{Cosh}[c+d x]}{a d (a+b \operatorname{Sinh}[c+d x])}$

Rule: If $a A + b B = 0$, then

$$\int \frac{(e + f x) (A + B \operatorname{Sinh}[c + d x])}{(a + b \operatorname{Sinh}[c + d x])^2} dx \rightarrow \frac{B (e + f x) \operatorname{Cosh}[c + d x]}{a d (a + b \operatorname{Sinh}[c + d x])} - \frac{B f}{a d} \int \frac{\operatorname{Cosh}[c + d x]}{a + b \operatorname{Sinh}[c + d x]} dx$$

Program code:

```
Int[(e_.+f_.*x_)*(A_+B_.*Sinh[c_.+d_.*x_])/(a_+b_.*Sinh[c_.+d_.*x_]^2,x_Symbol] :=
  B*(e+f*x)*Cosh[c+d*x]/(a*d*(a+b*Sinh[c+d*x])) -
  B*f/(a*d)*Int[Cosh[c+d*x]/(a+b*Sinh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f,A,B},x] && EqQ[a*A+b*B,0]
```

```
Int[(e_.+f_.*x_)*(A_+B_.*Cosh[c_.+d_.*x_])/(a_+b_.*Cosh[c_.+d_.*x_]^2,x_Symbol] :=
  B*(e+f*x)*Sinh[c+d*x]/(a*d*(a+b*Cosh[c+d*x])) -
  B*f/(a*d)*Int[Sinh[c+d*x]/(a+b*Cosh[c+d*x]),x] /;
FreeQ[{a,b,c,d,e,f,A,B},x] && EqQ[a*A-b*B,0]
```

8: $\int (e + f x)^m \operatorname{Sinh}[a + b (c + d x)^n]^p dx$ when $m \in \mathbb{Z}^+ \wedge p \in \mathbb{Q}$

Derivation: Integration by linear substitution

Rule: If $m \in \mathbb{Z}^+ \wedge p \in \mathbb{Q}$, then

$$\int (e + f x)^m \operatorname{Sinh}[a + b (c + d x)^n]^p dx \rightarrow \frac{1}{d^{m+1}} \operatorname{Subst} \left[\int (d e - c f + f x)^m \operatorname{Sinh}[a + b x^n]^p dx, x, c + d x \right]$$

Program code:

```
Int[(e_+f_*x_)^m_*Sinh[a_+b_*(c_+d_*x_)^n]^p_,x_Symbol] :=
  1/d^(m+1)*Subst[Int[(d*e-c*f+f*x)^m*Sinh[a+b*x^n]^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,n},x] && IGtQ[m,0] && RationalQ[p]
```

```
Int[(e_+f_*x_)^m_*Cosh[a_+b_*(c_+d_*x_)^n]^p_,x_Symbol] :=
  1/d^(m+1)*Subst[Int[(d*e-c*f+f*x)^m*Cosh[a+b*x^n]^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,n},x] && IGtQ[m,0] && RationalQ[p]
```

9: $\int \operatorname{Sech}[v]^m (a + b \operatorname{Tanh}[v])^n dx$ when $\frac{m-1}{2} \in \mathbb{Z} \wedge m + n = 0$

Derivation: Algebraic simplification

Basis: $\frac{a+b \operatorname{Tanh}[z]}{\operatorname{Sech}[z]} = a \operatorname{Cosh}[z] + b \operatorname{Sinh}[z]$

Rule: If $\frac{m-1}{2} \in \mathbb{Z} \wedge m + n = 0$, then

$$\int \operatorname{Sech}[v]^m (a + b \operatorname{Tanh}[v])^n dx \rightarrow \int (a \operatorname{Cosh}[v] + b \operatorname{Sinh}[v])^n dx$$

Program code:

```
Int[Sech[v_]^m_.*(a_+b_.*Tanh[v_] )^n_.,x_Symbol] :=
  Int[(a*Cosh[v]+b*Sinh[v])^n,x] /;
FreeQ[{a,b},x] && IntegerQ[(m-1)/2] && EqQ[m+n,0]
```

```
Int[Csch[v_]^m_.*(a_+b_.*Coth[v_] )^n_.,x_Symbol] :=
  Int[(b*Cosh[v]+a*Sinh[v])^n,x] /;
FreeQ[{a,b},x] && IntegerQ[(m-1)/2] && EqQ[m+n,0]
```

10: $\int u \sinh[a + bx]^m \sinh[c + dx]^n dx$ when $m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule: If $m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+$, then

$$\int u \sinh[a + bx]^m \sinh[c + dx]^n dx \rightarrow \int u \text{TrigReduce}[\sinh[a + bx]^m \sinh[c + dx]^n] dx$$

Program code:

```
Int[u_.*Sinh[a_+b_*x_]^m_.*Sinh[c_+d_*x_]^n_.,x_Symbol] :=
  Int[ExpandTrigReduce[u,Sinh[a+b*x]^m*Sinh[c+d*x]^n,x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0] && IGtQ[n,0]
```

```
Int[u_.*Cosh[a_+b_*x_]^m_.*Cosh[c_+d_*x_]^n_.,x_Symbol] :=
  Int[ExpandTrigReduce[u,Cosh[a+b*x]^m*Cosh[c+d*x]^n,x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0] && IGtQ[n,0]
```

11: $\int \operatorname{Sech}[a + b x] \operatorname{Sech}[c + d x] \, dx$ when $b^2 - d^2 = 0 \wedge b c - a d \neq 0$

Derivation: Algebraic expansion

Basis: If $b^2 - d^2 = 0 \wedge b c - a d \neq 0$, then

$$\operatorname{Sech}[a + b x] \operatorname{Sech}[c + d x] = -\operatorname{Csch}\left[\frac{b c - a d}{d}\right] \operatorname{Tanh}[a + b x] + \operatorname{Csch}\left[\frac{b c - a d}{b}\right] \operatorname{Tanh}[c + d x]$$

Rule: If $b^2 - d^2 = 0 \wedge b c - a d \neq 0$, then

$$\int \operatorname{Sech}[a + b x] \operatorname{Sech}[c + d x] \, dx \rightarrow -\operatorname{Csch}\left[\frac{b c - a d}{d}\right] \int \operatorname{Tanh}[a + b x] \, dx + \operatorname{Csch}\left[\frac{b c - a d}{b}\right] \int \operatorname{Tanh}[c + d x] \, dx$$

Program code:

```
Int[Sech[a_+b_.*x_]*Sech[c_+d_.*x_],x_Symbol] :=
  -Csch[(b*c-a*d)/d]*Int[Tanh[a+b*x],x] + Csch[(b*c-a*d)/b]*Int[Tanh[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && EqQ[b^2-d^2,0] && NeQ[b*c-a*d,0]
```

```
Int[Csch[a_+b_.*x_]*Csch[c_+d_.*x_],x_Symbol] :=
  Csch[(b*c-a*d)/b]*Int[Coth[a+b*x],x] - Csch[(b*c-a*d)/d]*Int[Coth[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && EqQ[b^2-d^2,0] && NeQ[b*c-a*d,0]
```

12: $\int \text{Tanh}[a + b x] \text{Tanh}[c + d x] dx$ when $b^2 - d^2 = 0 \wedge b c - a d \neq 0$

Derivation: Algebraic expansion

Basis: If $b^2 - d^2 = 0$, then $\text{Tanh}[a + b x] \text{Tanh}[c + d x] = \frac{b}{d} - \frac{b}{d} \text{Cosh}\left[\frac{b c - a d}{d}\right] \text{Sech}[a + b x] \text{Sech}[c + d x]$

Rule: If $b^2 - d^2 = 0 \wedge b c - a d \neq 0$, then

$$\int \text{Tanh}[a + b x] \text{Tanh}[c + d x] dx \rightarrow \frac{b x}{d} - \frac{b}{d} \text{Cosh}\left[\frac{b c - a d}{d}\right] \int \text{Sech}[a + b x] \text{Sech}[c + d x] dx$$

Program code:

```
Int[Tanh[a_+b_.*x_]*Tanh[c_+d_.*x_],x_Symbol] :=
  b*x/d - b/d*Cosh[(b*c-a*d)/d]*Int[Sech[a+b*x]*Sech[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && EqQ[b^2-d^2,0] && NeQ[b*c-a*d,0]
```

```
Int[Coth[a_+b_.*x_]*Coth[c_+d_.*x_],x_Symbol] :=
  b*x/d + Cosh[(b*c-a*d)/d]*Int[Csch[a+b*x]*Csch[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && EqQ[b^2-d^2,0] && NeQ[b*c-a*d,0]
```

13: $\int u (a \operatorname{Cosh}[v] + b \operatorname{Sinh}[v])^n dx$ when $a^2 - b^2 = 0$

Derivation: Algebraic simplification

Basis: If $a^2 - b^2 = 0$, then $a \operatorname{Cosh}[z] + b \operatorname{Sinh}[z] = a e^{\frac{a z}{b}}$

Rule: If $a^2 - b^2 = 0$, then

$$\int u (a \operatorname{Cosh}[v] + b \operatorname{Sinh}[v])^n dx \rightarrow \int u \left(a e^{\frac{a v}{b}} \right)^n dx$$

Program code:

```
Int[u_.*(a_.*Cosh[v_]+b_.*Sinh[v_])^n_.,x_Symbol] :=
  Int[u*(a*E^(a/b*v))^n,x] /;
  FreeQ[{a,b,n},x] && EqQ[a^2-b^2,0]
```

$$14. \int u \operatorname{Sin}[d (a + b \operatorname{Log}[c x^n])^2] dx$$

$$1: \int \operatorname{Sinh}[d (a + b \operatorname{Log}[c x^n])^2] dx$$

Derivation: Algebraic expansion

$$\text{Basis: } \operatorname{Sinh}[z] = -\frac{e^{-z}}{2} + \frac{e^z}{2}$$

Rule:

$$\int \operatorname{Sinh}[d (a + b \operatorname{Log}[c x^n])^2] dx \rightarrow \frac{1}{2} \int e^{-d (a + b \operatorname{Log}[c x^n])^2} dx + \frac{1}{2} \int e^{d (a + b \operatorname{Log}[c x^n])^2} dx$$

Program code:

```
Int[Sinh[d_.*(a_.+b_.*Log[c_.*x_^n_])^2],x_Symbol] :=
-1/2*Int[E^(-d*(a+b*Log[c*x^n])^2),x] + 1/2*Int[E^(d*(a+b*Log[c*x^n])^2),x] /;
FreeQ[{a,b,c,d,n},x]
```

```
Int[Cosh[d_.*(a_.+b_.*Log[c_.*x_^n_])^2],x_Symbol] :=
1/2*Int[E^(-d*(a+b*Log[c*x^n])^2),x] + 1/2*Int[E^(d*(a+b*Log[c*x^n])^2),x] /;
FreeQ[{a,b,c,d,n},x]
```

$$2: \int (e x)^m \operatorname{Sinh}[d (a + b \operatorname{Log}[c x^n])^2] dx$$

Derivation: Algebraic expansion

$$\text{Basis: } \operatorname{Sinh}[z] == -\frac{e^{-z}}{2} + \frac{e^z}{2}$$

Rule:

$$\int (e x)^m \operatorname{Sinh}[d (a + b \operatorname{Log}[c x^n])^2] dx \rightarrow \frac{1}{2} \int (e x)^m e^{-d (a + b \operatorname{Log}[c x^n])^2} dx + \frac{1}{2} \int (e x)^m e^{d (a + b \operatorname{Log}[c x^n])^2} dx$$

Program code:

```
Int[(e.*x_)^m_.*Sinh[d_.*(a_.+b_.*Log[c_.*x_^n_])^2],x_Symbol] :=
-1/2*Int[(e*x)^m*E^(-d*(a+b*Log[c*x^n])^2),x] + 1/2*Int[(e*x)^m*E^(d*(a+b*Log[c*x^n])^2),x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```

```
Int[(e.*x_)^m_.*Cosh[d_.*(a_.+b_.*Log[c_.*x_^n_])^2],x_Symbol] :=
1/2*Int[(e*x)^m*E^(-d*(a+b*Log[c*x^n])^2),x] + 1/2*Int[(e*x)^m*E^(d*(a+b*Log[c*x^n])^2),x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```