

Rules for integrands of the form $u (a + b \operatorname{ArcSech}[c x])^n$

1. $\int (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+$

1. $\int \operatorname{ArcSech}[c x] dx$

1: $\int \operatorname{ArcSech}[c x] dx$

Reference: CRC 591, A&S 4.6.47

Derivation: Integration by parts and piecewise constant extraction

$$\text{Basis: } \partial_x \operatorname{ArcSech}[c x] = -\frac{\sqrt{1+c x}}{x \sqrt{1-c^2 x^2}} \sqrt{\frac{1}{1+c x}}$$

$$\text{Basis: } \partial_x \left(\sqrt{1+c x} \sqrt{\frac{1}{1+c x}} \right) = 0$$

— Rule:

$$\int \operatorname{ArcSech}[c x] dx \rightarrow x \operatorname{ArcSech}[c x] + \sqrt{1+c x} \sqrt{\frac{1}{1+c x}} \int \frac{1}{\sqrt{1-c^2 x^2}} dx$$

— Program code:

```
Int[ArcSech[c_.*x_],x_Symbol] :=
  x*ArcSech[c*x] + Sqrt[1+c*x]*Sqrt[1/(1+c*x)]*Int[1/Sqrt[1-c^2*x^2],x] /;
FreeQ[c,x]
```

2: $\int \operatorname{ArcCsch}[c x] dx$

Reference: CRC 594, A&S 4.6.46

Derivation: Integration by parts

Rule:

$$\int \operatorname{ArcCsch}[c x] dx \rightarrow x \operatorname{ArcCsch}[c x] + \frac{1}{c} \int \frac{1}{x \sqrt{1 + \frac{1}{c^2 x^2}}} dx$$

— Program code:

```
Int[ArcCsch[c_.*x_],x_Symbol] :=
  x*ArcCsch[c*x] + 1/c*Int[1/(x*Sqrt[1+1/(c^2*x^2)]),x] /;
FreeQ[c,x]
```

2: $\int (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+$

Derivation: Integration by substitution

Basis: $1 = -\frac{1}{c} \operatorname{Sech}[\operatorname{ArcSech}[c x]] \operatorname{Tanh}[\operatorname{ArcSech}[c x]] \partial_x \operatorname{ArcSech}[c x]$

Rule: If $n \in \mathbb{Z}^+$, then

$$\int (a + b \operatorname{ArcSech}[c x])^n dx \rightarrow -\frac{1}{c} \operatorname{Subst}\left[\int (a + b x)^n \operatorname{Sech}[x] \operatorname{Tanh}[x] dx, x, \operatorname{ArcSech}[c x]\right]$$

Program code:

```
Int[(a_+b_.*ArcSech[c_.*x_])^n_,x_Symbol]:=  
-1/c*Subst[Int[(a+b*x)^n*Sech[x]*Tanh[x],x,x,ArcSech[c*x]] /;  
FreeQ[{a,b,c,n},x] && IGtQ[n,0]
```

```
Int[(a_+b_.*ArcCsch[c_.*x_])^n_,x_Symbol]:=  
-1/c*Subst[Int[(a+b*x)^n*Csch[x]*Coth[x],x,x,ArcCsch[c*x]] /;  
FreeQ[{a,b,c,n},x] && IGtQ[n,0]
```

2. $\int (d x)^m (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+$

1. $\int (d x)^m (a + b \operatorname{ArcSech}[c x]) dx$

1: $\int \frac{a + b \operatorname{ArcSech}[c x]}{x} dx$

Derivation: Integration by substitution

Basis: $\operatorname{ArcSech}[z] = \operatorname{ArcCosh}\left[\frac{1}{z}\right]$

Basis: $\frac{F\left[\frac{1}{x}\right]}{x} = -\operatorname{Subst}\left[\frac{F[x]}{x}, x, \frac{1}{x}\right] \partial_x \frac{1}{x}$

Rule:

$$\int \frac{a + b \operatorname{ArcSech}[c x]}{x} dx \rightarrow \int \frac{a + b \operatorname{ArcCosh}\left[\frac{1}{cx}\right]}{x} dx \rightarrow -\operatorname{Subst}\left[\int \frac{a + b \operatorname{ArcCosh}\left[\frac{x}{c}\right]}{x} dx, x, \frac{1}{x}\right]$$

Program code:

```
Int[(a_.+b_.*ArcSech[c_.*x_])/x_,x_Symbol]:=  
  -Subst[Int[(a+b*ArcCosh[x/c])/x,x],x,1/x];  
FreeQ[{a,b,c},x]
```

```
Int[(a_.+b_.*ArcCsch[c_.*x_])/x_,x_Symbol]:=  
  -Subst[Int[(a+b*ArcSinh[x/c])/x,x],x,1/x];  
FreeQ[{a,b,c},x]
```

2. $\int (d x)^m (a + b \operatorname{ArcSech}[c x]) dx$ when $m \neq -1$

1: $\int (d x)^m (a + b \operatorname{ArcSech}[c x]) dx$ when $m \neq -1$

Reference: CRC 593', A&S 4.6.58'

Derivation: Integration by parts and piecewise constant extraction

Basis: $\partial_x (a + b \operatorname{ArcSech}[c x]) = -\frac{b \sqrt{\frac{1}{1+c x}}}{x \sqrt{1-c x}}$

Basis: $\partial_x \left(\sqrt{1+c x} \sqrt{\frac{1}{1+c x}} \right) = 0$

■ Note: Although $\sqrt{1-c^2 x^2} = \sqrt{1-c x} \sqrt{1+c x}$, leaving denominator factored allows for more cancellation with piecewise constant factor.

— Rule: If $m \neq -1$, then

$$\int (d x)^m (a + b \operatorname{ArcSech}[c x]) dx \rightarrow \frac{(d x)^{m+1} (a + b \operatorname{ArcSech}[c x])}{d(m+1)} + \frac{b \sqrt{1+c x}}{m+1} \sqrt{\frac{1}{1+c x}} \int \frac{(d x)^m}{\sqrt{1-c x} \sqrt{1+c x}} dx$$

— Program code:

```
Int[(d.*x_)^m.*(a._+b._*ArcSech[c._*x_]),x_Symbol] :=
  (d*x)^{m+1}*(a+b*ArcSech[c*x])/(d*(m+1)) +
  b*.Sqrt[1+c*x]/(m+1)*Sqrt[1/(1+c*x)]*Int[(d*x)^m/(Sqrt[1-c*x]*Sqrt[1+c*x]),x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]
```

2: $\int (d x)^m (a + b \operatorname{ArcCsch}[c x]) dx \text{ when } m \neq -1$

Reference: CRC 596, A&S 4.6.56

Derivation: Integration by parts

Rule: If $m \neq -1$, then

$$\int (d x)^m (a + b \operatorname{ArcCsch}[c x]) dx \rightarrow \frac{(d x)^{m+1} (a + b \operatorname{ArcCsch}[c x])}{d (m+1)} + \frac{b d}{c (m+1)} \int \frac{(d x)^{m-1}}{\sqrt{1 + \frac{1}{c^2 x^2}}} dx$$

— Program code:

```
Int[(d.*x.)^m.*(a.+b.*ArcCsch[c.*x.]),x_Symbol]:=  
  (d*x.)^(m+1)*(a+b*ArcCsch[c*x.])/(d*(m+1)) +  
  b*d/(c*(m+1))*Int[(d*x.)^(m-1)/Sqrt[1+1/(c^2*x.^2)],x] /;  
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]
```

2: $\int x^m (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z} \wedge m \in \mathbb{Z} \wedge (n > 0 \vee m < -1)$

Derivation: Integration by substitution

Basis: If $m \in \mathbb{Z}$, then

$$x^m F[\operatorname{ArcSech}[c x]] = -\frac{1}{c^{m+1}} \operatorname{Subst}\left[F[x] \operatorname{Sech}[x]^{m+1} \operatorname{Tanh}[x], x, \operatorname{ArcSech}[c x]\right] \partial_x \operatorname{ArcSech}[c x]$$

Rule: If $n \in \mathbb{Z} \wedge m \in \mathbb{Z} \wedge (n > 0 \vee m < -1)$, then

$$\int x^m (a + b \operatorname{ArcSech}[c x])^n dx \rightarrow -\frac{1}{c^{m+1}} \operatorname{Subst}\left[\int (a + b x)^n \operatorname{Sech}[x]^{m+1} \operatorname{Tanh}[x] dx, x, \operatorname{ArcSech}[c x]\right]$$

Program code:

```
Int[x_^m_.*(a_._+b_._.*ArcSech[c_._*x_])^n_,x_Symbol]:=  
-1/c^(m+1)*Subst[Int[(a+b*x)^n*Sech[x]^(m+1)*Tanh[x],x],x,ArcSech[c*x]] /;  
FreeQ[{a,b,c},x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n,0] || LtQ[m,-1])
```

```
Int[x_^m_.*(a_._+b_._.*ArcCsch[c_._*x_])^n_,x_Symbol]:=  
-1/c^(m+1)*Subst[Int[(a+b*x)^n*Csch[x]^(m+1)*Coth[x],x],x,ArcCsch[c*x]] /;  
FreeQ[{a,b,c},x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n,0] || LtQ[m,-1])
```

$$3. \int (d + e x)^m (a + b \operatorname{ArcSech}[c x]) dx$$

$$1. \int (d + e x)^m (a + b \operatorname{ArcSech}[c x]) dx$$

$$1: \int \frac{a + b \operatorname{ArcSech}[c x]}{d + e x} dx$$

Derivation: Integration by parts

Basis: $\frac{1}{d+e x} = \frac{1}{e} \partial_x \left(\operatorname{Log} \left[1 + \frac{e - \sqrt{-c^2 d^2 + e^2}}{c d e^{\operatorname{ArcSech}[c x]}} \right] + \operatorname{Log} \left[1 + \frac{e + \sqrt{-c^2 d^2 + e^2}}{c d e^{\operatorname{ArcSech}[c x]}} \right] - \operatorname{Log} \left[1 + \frac{1}{e^{2 \operatorname{ArcSech}[c x]}} \right] \right)$

Basis: $\partial_x (a + b \operatorname{ArcSech}[c x]) = -\frac{b \sqrt{\frac{1-c x}{1+c x}}}{x (1-c x)}$

Rule:

$$\begin{aligned} & \int \frac{a + b \operatorname{ArcSech}[c x]}{d + e x} dx \rightarrow \\ & \frac{(a + b \operatorname{ArcSech}[c x]) \operatorname{Log} \left[1 + \frac{e - \sqrt{-c^2 d^2 + e^2}}{c d e^{\operatorname{ArcSech}[c x]}} \right]}{e} + \frac{(a + b \operatorname{ArcSech}[c x]) \operatorname{Log} \left[1 + \frac{e + \sqrt{-c^2 d^2 + e^2}}{c d e^{\operatorname{ArcSech}[c x]}} \right]}{e} - \frac{(a + b \operatorname{ArcSech}[c x]) \operatorname{Log} \left[1 + \frac{1}{e^{2 \operatorname{ArcSech}[c x]}} \right]}{e} + \\ & \frac{b}{e} \int \frac{\sqrt{\frac{1-c x}{1+c x}} \operatorname{Log} \left[1 + \frac{e - \sqrt{-c^2 d^2 + e^2}}{c d e^{\operatorname{ArcSech}[c x]}} \right]}{x (1 - c x)} dx + \frac{b}{e} \int \frac{\sqrt{\frac{1-c x}{1+c x}} \operatorname{Log} \left[1 + \frac{e + \sqrt{-c^2 d^2 + e^2}}{c d e^{\operatorname{ArcSech}[c x]}} \right]}{x (1 - c x)} dx - \frac{b}{e} \int \frac{\sqrt{\frac{1-c x}{1+c x}} \operatorname{Log} \left[1 + \frac{1}{e^{2 \operatorname{ArcSech}[c x]}} \right]}{x (1 - c x)} dx \end{aligned}$$

Program code:

```

Int[(a_.+b_.*ArcSech[c_.*x_])/ (d_._+e_._*x_),x_Symbol]:= 
  (a+b*ArcSech[c*x])*Log[1+(e-Sqrt[-c^2*d^2+e^2])/ (c*d*E^ArcSech[c*x])]/e + 
  (a+b*ArcSech[c*x])*Log[1+(e+Sqrt[-c^2*d^2+e^2])/ (c*d*E^ArcSech[c*x])]/e - 
  (a+b*ArcSech[c*x])*Log[1+1/E^(2*ArcSech[c*x])]/e + 
  b/e*Int[(Sqrt[(1-c*x)/(1+c*x)]*Log[1+(e-Sqrt[-c^2*d^2+e^2])/ (c*d*E^ArcSech[c*x])])/(x*(1-c*x)),x] + 
  b/e*Int[(Sqrt[(1-c*x)/(1+c*x)]*Log[1+(e+Sqrt[-c^2*d^2+e^2])/ (c*d*E^ArcSech[c*x])])/(x*(1-c*x)),x] - 
  b/e*Int[(Sqrt[(1-c*x)/(1+c*x)]*Log[1+1/E^(2*ArcSech[c*x])])/(x*(1-c*x)),x]; 
FreeQ[{a,b,c,d,e},x]

```

2: $\int (d + e x)^m (a + b \operatorname{ArcSech}[c x]) dx$ when $m \neq -1$

Derivation: Integration by parts and piecewise constant extraction

Basis: $\partial_x (a + b \operatorname{ArcSech}[c x]) = -\frac{b \sqrt{1+c x} \sqrt{\frac{1}{1+c x}}}{x \sqrt{1-c^2 x^2}}$

Basis: $\partial_x \left(\sqrt{1+c x} \sqrt{\frac{1}{1+c x}} \right) = 0$

Rule: If $m \in \mathbb{Z} \wedge m \neq -1$, then

$$\int (d + e x)^m (a + b \operatorname{ArcSech}[c x]) dx \rightarrow \frac{(d + e x)^{m+1} (a + b \operatorname{ArcSech}[c x])}{e (m+1)} + \frac{b \sqrt{1+c x}}{e (m+1)} \sqrt{\frac{1}{1+c x}} \int \frac{(d + e x)^{m+1}}{x \sqrt{1-c^2 x^2}} dx$$

Program code:

```

Int[(d_.+e_._*x_)^m_.*(a_.+b_.*ArcSech[c_._*x_]),x_Symbol]:= 
  (d+e*x)^(m+1)*(a+b*ArcSech[c*x])/(e*(m+1)) + 
  b*Sqrt[1+c*x]/(e*(m+1))*Sqrt[1/(1+c*x)]*Int[(d+e*x)^(m+1)/(x*Sqrt[1-c^2*x^2]),x] /; 
FreeQ[{a,b,c,d,e,m},x] && NeQ[m,-1]

```

2. $\int (d + e x)^m (a + b \operatorname{ArcCsch}[c x]) dx$

1: $\int \frac{a + b \operatorname{ArcCsch}[c x]}{d + e x} dx$

Derivation: Integration by parts

■ Basis: $\frac{1}{d+e x} = \frac{1}{e} \partial_x \left(\operatorname{Log} \left[1 - \frac{(e-\sqrt{c^2 d^2+e^2}) e^{\operatorname{ArcCsch}[c x]}}{c d} \right] + \operatorname{Log} \left[1 - \frac{(e+\sqrt{c^2 d^2+e^2}) e^{\operatorname{ArcCsch}[c x]}}{c d} \right] - \operatorname{Log} \left[1 - e^{2 \operatorname{ArcCsch}[c x]} \right] \right)$

Basis: $\partial_x (a + b \operatorname{ArcCsch}[c x]) = -\frac{b}{c x^2 \sqrt{1 + \frac{1}{c^2 x^2}}}$

Rule:

$$\begin{aligned} & \int \frac{a + b \operatorname{ArcCsch}[c x]}{d + e x} dx \rightarrow \\ & \frac{(a + b \operatorname{ArcCsch}[c x]) \operatorname{Log} \left[1 - \frac{(e-\sqrt{c^2 d^2+e^2}) e^{\operatorname{ArcCsch}[c x]}}{c d} \right]}{e} + \frac{(a + b \operatorname{ArcCsch}[c x]) \operatorname{Log} \left[1 - \frac{(e+\sqrt{c^2 d^2+e^2}) e^{\operatorname{ArcCsch}[c x]}}{c d} \right]}{e} - \\ & \frac{(a + b \operatorname{ArcCsch}[c x]) \operatorname{Log} \left[1 - e^{2 \operatorname{ArcCsch}[c x]} \right]}{e} + \frac{b}{c e} \int \frac{\operatorname{Log} \left[1 - \frac{(e-\sqrt{c^2 d^2+e^2}) e^{\operatorname{ArcCsch}[c x]}}{c d} \right]}{x^2 \sqrt{1 + \frac{1}{c^2 x^2}}} dx + \\ & \frac{b}{c e} \int \frac{\operatorname{Log} \left[1 - \frac{(e+\sqrt{c^2 d^2+e^2}) e^{\operatorname{ArcCsch}[c x]}}{c d} \right]}{x^2 \sqrt{1 + \frac{1}{c^2 x^2}}} dx - \frac{b}{c e} \int \frac{\operatorname{Log} \left[1 - e^{2 \operatorname{ArcCsch}[c x]} \right]}{x^2 \sqrt{1 + \frac{1}{c^2 x^2}}} dx \end{aligned}$$

Program code:

```

Int[(a_.+b_.*ArcCsch[c_.*x_])/ (d_._+e_._*x_),x_Symbol] :=
  (a+b*ArcCsch[c*x])*Log[1-(e-Sqrt[c^2*d^2+e^2])*E^ArcCsch[c*x]/(c*d)]/e +
  (a+b*ArcCsch[c*x])*Log[1-(e+Sqrt[c^2*d^2+e^2])*E^ArcCsch[c*x]/(c*d)]/e -
  (a+b*ArcCsch[c*x])*Log[1-E^(2*ArcCsch[c*x])]/e +
  b/(c*e)*Int[Log[1-(e-Sqrt[c^2*d^2+e^2])*E^ArcCsch[c*x]/(c*d)]/(x^2*Sqrt[1+1/(c^2*x^2)]),x] +
  b/(c*e)*Int[Log[1-(e+Sqrt[c^2*d^2+e^2])*E^ArcCsch[c*x]/(c*d)]/(x^2*Sqrt[1+1/(c^2*x^2)]),x] -
  b/(c*e)*Int[Log[1-E^(2*ArcCsch[c*x])]/(x^2*Sqrt[1+1/(c^2*x^2)]),x] /;
FreeQ[{a,b,c,d,e},x]

```

2: $\int (d + e x)^m (a + b \operatorname{ArcCsch}[c x]) dx$ when $m \neq -1$

Derivation: Integration by parts

Basis: $\partial_x (a + b \operatorname{ArcCsch}[c x]) = -\frac{b}{c x^2 \sqrt{1 + \frac{1}{c^2 x^2}}}$

Rule: If $m \neq -1$, then

$$\int (d + e x)^m (a + b \operatorname{ArcCsch}[c x]) dx \rightarrow \frac{(d + e x)^{m+1} (a + b \operatorname{ArcCsch}[c x])}{e (m+1)} + \frac{b}{c e (m+1)} \int \frac{(d + e x)^{m+1}}{x^2 \sqrt{1 + \frac{1}{c^2 x^2}}} dx$$

Program code:

```

Int[(d_.+e_._*x_)^m_.*(a_.+b_.*ArcCsch[c_._*x_]),x_Symbol] :=
  (d+e*x)^(m+1)*(a+b*ArcCsch[c*x])/(e*(m+1)) +
  b/(c*e*(m+1))*Int[(d+e*x)^(m+1)/(x^2*Sqrt[1+1/(c^2*x^2)]),x] /;
FreeQ[{a,b,c,d,e,m},x] && NeQ[m,-1]

```

4. $\int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+$

1. $\int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx$ when $p \in \mathbb{Z}^+ \vee p + \frac{1}{2} \in \mathbb{Z}^-$

1: $\int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx$ when $p \in \mathbb{Z}^+ \vee p + \frac{1}{2} \in \mathbb{Z}^-$

Derivation: Integration by parts and piecewise constant extraction

$$\text{Basis: } \partial_x (a + b \operatorname{ArcSech}[c x]) = -\frac{b \sqrt{\frac{1}{1+c x}}}{x \sqrt{1-c x}}$$

$$\text{Basis: } \partial_x \left(\sqrt{\frac{1}{1+c x}} \sqrt{1+c x} \right) = 0$$

Note: If $p + \frac{1}{2} \in \mathbb{Z}$, then the terms of $\int (d + e x^2)^p dx$ times $\partial_x (a + b \operatorname{ArcSech}[c x])$ are of an easily integrable form.

Rule: If $p \in \mathbb{Z}^+ \vee p + \frac{1}{2} \in \mathbb{Z}^-$, let $u = \int (d + e x^2)^p dx$, then

$$\int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx \rightarrow u (a + b \operatorname{ArcSech}[c x]) + b \sqrt{1+c x} \sqrt{\frac{1}{1+c x}} \int \frac{u}{x \sqrt{1-c x} \sqrt{1+c x}} dx$$

Program code:

```
Int[(d_.+e_.*x_^2)^p_.*(a_.+b_.*ArcSech[c_.*x_]),x_Symbol] :=
  With[{u=IntHide[(d+e*x^2)^p,x]},
    Dist[(a+b*ArcSech[c*x]),u,x] + b*Sqrt[1+c*x]*Sqrt[1/(1+c*x)]*Int[SimplifyIntegrand[u/(x*Sqrt[1-c*x]*Sqrt[1+c*x]),x],x];
  FreeQ[{a,b,c,d,e},x] && (IGtQ[p,0] || ILtQ[p+1/2,0])
```

2: $\int (d + e x^2)^p (a + b \operatorname{ArcCsch}[c x]) dx$ when $p \in \mathbb{Z}^+ \vee p + \frac{1}{2} \in \mathbb{Z}^-$

Derivation: Integration by parts and piecewise constant extraction

Basis: $\partial_x (a + b \operatorname{ArcCsch}[c x]) = \frac{b c}{\sqrt{-c^2 x^2} \sqrt{-1 - c^2 x^2}}$

Basis: $\partial_x \frac{x}{\sqrt{-c^2 x^2}} = 0$

Note: If $p \in \mathbb{Z}^+ \vee p + \frac{1}{2} \in \mathbb{Z}^-$, then $\int (d + e x^2)^p dx$ is expressible as an algebraic function not involving logarithms, inverse trig or inverse hyperbolic functions.

Rule: If $p \in \mathbb{Z}^+ \vee p + \frac{1}{2} \in \mathbb{Z}^-$, let $u = \int (d + e x^2)^p dx$, then

$$\int (d + e x^2)^p (a + b \operatorname{ArcCsch}[c x]) dx \rightarrow u (a + b \operatorname{ArcCsch}[c x]) - b c \int \frac{u}{\sqrt{-c^2 x^2} \sqrt{-1 - c^2 x^2}} dx \rightarrow u (a + b \operatorname{ArcCsch}[c x]) - \frac{b c x}{\sqrt{-c^2 x^2}} \int \frac{u}{x \sqrt{-1 - c^2 x^2}} dx$$

Program code:

```
Int[(d.+e.*x.^2)^p.*(a.+b.*ArcCsch[c.*x.]),x_Symbol] :=
  With[{u=IntHide[(d+e*x^2)^p,x]},
    Dist[(a+b*ArcCsch[c*x]),u,x] - b*c*x/Sqrt[-c^2*x^2]*Int[SimplifyIntegrand[u/(x*Sqrt[-1-c^2*x^2]),x],x] ];
  FreeQ[{a,b,c,d,e},x] && (IGtQ[p,0] || ILtQ[p+1/2,0])
```

2: $\int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}$

Derivation: Integration by substitution

Basis: $\operatorname{ArcSech}[z] = \operatorname{ArcCosh}\left[\frac{1}{z}\right]$

Basis: $F\left[\frac{1}{x}\right] = -\operatorname{Subst}\left[\frac{F[x]}{x^2}, x, \frac{1}{x}\right] \partial_x \frac{1}{x}$

Rule: If $n \in \mathbb{Z}^+ \wedge p \in \mathbb{Z}$, then

$$\begin{aligned} \int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx &\rightarrow \int \left(\frac{1}{x}\right)^{-2p} \left(e + \frac{d}{x^2}\right)^p \left(a + b \operatorname{ArcCosh}\left[\frac{1}{c x}\right]\right)^n dx \\ &\rightarrow -\operatorname{Subst}\left[\int \frac{(e + d x^2)^p (a + b \operatorname{ArcCosh}\left[\frac{x}{c}\right])^n}{x^{2(p+1)}} dx, x, \frac{1}{x}\right] \end{aligned}$$

Program code:

```
Int[(d_.+e_.*x_^2)^p_.*(a_.+b_.*ArcSech[c_.*x_])^n_,x_Symbol]:=  
-Subst[Int[(e+d*x^2)^p*(a+b*ArcCosh[x/c])^n/x^(2*(p+1)),x],x,1/x]/;  
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && IntegerQ[p]  
  
Int[(d_.+e_.*x_^2)^p_.*(a_.+b_.*ArcCsch[c_.*x_])^n_,x_Symbol]:=  
-Subst[Int[(e+d*x^2)^p*(a+b*ArcSinh[x/c])^n/x^(2*(p+1)),x],x,1/x]/;  
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && IntegerQ[p]
```

3. $\int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+ \wedge c^2 d + e = 0 \wedge p + \frac{1}{2} \in \mathbb{Z}$

1: $\int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+ \wedge c^2 d + e = 0 \wedge p + \frac{1}{2} \in \mathbb{Z} \wedge e > 0 \wedge d < 0$

Derivation: Piecewise constant extraction and integration by substitution

- Basis: $\partial_x \frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} = 0$

- Basis: $\operatorname{ArcSech}[z] = \operatorname{ArcCosh}\left[\frac{1}{z}\right]$

- Basis: $F\left[\frac{1}{x}\right] = -\operatorname{Subst}\left[\frac{F[x]}{x^2}, x, \frac{1}{x}\right] \partial_x \frac{1}{x}$

- Basis: If $e > 0 \wedge d < 0$, then $\frac{\sqrt{d+e x^2}}{\sqrt{e+\frac{d}{x^2}}} = \sqrt{x^2}$

Rule: If $n \in \mathbb{Z}^+ \wedge c^2 d + e = 0 \wedge p + \frac{1}{2} \in \mathbb{Z} \wedge e > 0 \wedge d < 0$, then

$$\begin{aligned} \int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx &\rightarrow \frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} \int \left(\frac{1}{x}\right)^{-2p} \left(e + \frac{d}{x^2}\right)^p \left(a + b \operatorname{ArcCosh}\left[\frac{1}{c x}\right]\right)^n dx \\ &\rightarrow -\frac{\sqrt{x^2}}{x} \operatorname{Subst}\left[\int \frac{(e+d x^2)^p (a+b \operatorname{ArcCosh}\left[\frac{x}{c}\right])^n}{x^{2(p+1)}} dx, x, \frac{1}{x}\right] \end{aligned}$$

Program code:

```
Int[(d.+e.*x.^2)^p*(a.+b.*ArcSech[c.*x.])^n.,x_Symbol]:=  
-Sqrt[x^2]/x*Subst[Int[(e+d*x^2)^p*(a+b*ArcCosh[x/c])^n/x^(2*(p+1)),x],x,1/x];  
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && EqQ[c^2*d+e,0] && IntegerQ[p+1/2] && GtQ[e,0] && LtQ[d,0]
```

```

Int[(d_.+e_.*x^2)^p*(a_.+b_.*ArcCsch[c_.*x_])^n_,x_Symbol] :=
-Sqrt[x^2]/x*Subst[Int[(e+d*x^2)^p*(a+b*ArcSinh[x/c])^n/x^(2*(p+1)),x],x,1/x];
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && EqQ[e-c^2*d,0] && IntegerQ[p+1/2] && GtQ[e,0] && LtQ[d,0]

```

2: $\int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+ \wedge c^2 d + e = 0 \wedge p + \frac{1}{2} \in \mathbb{Z} \wedge (e > 0 \wedge d < 0)$

Derivation: Piecewise constant extraction and integration by substitution

Basis: $\partial_x \frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} = 0$

Basis: $\operatorname{ArcSech}[z] = \operatorname{ArcCosh}\left[\frac{1}{z}\right]$

Basis: $F\left[\frac{1}{x}\right] = -\operatorname{Subst}\left[\frac{F[x]}{x^2}, x, \frac{1}{x}\right] \partial_x \frac{1}{x}$

Rule: If $c^2 d + e = 0 \wedge p + \frac{1}{2} \in \mathbb{Z} \wedge (e > 0 \wedge d < 0)$, then

$$\begin{aligned} \int (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx &\rightarrow \frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} \int \left(\frac{1}{x}\right)^{-2p} \left(e + \frac{d}{x^2}\right)^p \left(a + b \operatorname{ArcCosh}\left[\frac{1}{c x}\right]\right)^n dx \\ &\rightarrow -\frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} \operatorname{Subst}\left[\int \frac{(e+d x^2)^p (a+b \operatorname{ArcCosh}\left[\frac{x}{c}\right])^n}{x^{2(p+1)}} dx, x, \frac{1}{x}\right] \end{aligned}$$

Program code:

```

Int[(d_.+e_.*x^2)^p*(a_.+b_.*ArcSech[c_.*x_])^n_,x_Symbol] :=
-Sqrt[d+e*x^2]/(x*Sqrt[e+d/x^2])*Subst[Int[(e+d*x^2)^p*(a+b*ArcCosh[x/c])^n/x^(2*(p+1)),x],x,1/x];
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && EqQ[c^2*d+e,0] && IntegerQ[p+1/2] && Not[GtQ[e,0] && LtQ[d,0]]

```

```

Int[(d_.+e_.*x^2)^p*(a_.+b_.*ArcCsch[c_.*x_])^n_,x_Symbol] :=
-Sqrt[d+e*x^2]/(x*Sqrt[e+d/x^2])*Subst[Int[(e+d*x^2)^p*(a+b*ArcSinh[x/c])^n/x^(2*(p+1)),x],x,1/x];
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && EqQ[e-c^2*d,0] && IntegerQ[p+1/2] && Not[GtQ[e,0] && LtQ[d,0]]

```

5. $\int (f x)^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+$

1. $\int (f x)^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx$ when

$$(p \in \mathbb{Z}^+ \wedge \neg (\frac{m-1}{2} \in \mathbb{Z}^- \wedge m+2p+3 > 0)) \vee (\frac{m+1}{2} \in \mathbb{Z}^+ \wedge \neg (p \in \mathbb{Z}^- \wedge m+2p+3 > 0)) \vee (\frac{m+2p+1}{2} \in \mathbb{Z}^- \wedge \frac{m-1}{2} \notin \mathbb{Z}^-)$$

1. $\int x (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx$ when $p \neq -1$

1: $\int x (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx$ when $p \neq -1$

Derivation: Integration by parts and piecewise constant extraction

Basis: $x (d + e x^2)^p = \partial_x \frac{(d+e x^2)^{p+1}}{2 e (p+1)}$

Basis: $\partial_x (a + b \operatorname{ArcSech}[c x]) = -\frac{b \sqrt{\frac{1}{1+c x}}}{x \sqrt{1-c x}}$

Basis: $\partial_x \left(\sqrt{1+c x} \sqrt{\frac{1}{1+c x}} \right) = 0$

■ Note: Although $\sqrt{1-c^2 x^2} = \sqrt{1-c x} \sqrt{1+c x}$, leaving denominator factored allows for more cancellation with piecewise constant factor.

— Rule: If $p \neq -1$, then

$$\int x (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx \rightarrow \frac{(d+e x^2)^{p+1} (a + b \operatorname{ArcSech}[c x])}{2 e (p+1)} + \frac{b \sqrt{1+c x}}{2 e (p+1)} \sqrt{\frac{1}{1+c x}} \int \frac{(d+e x^2)^{p+1}}{x \sqrt{1-c x} \sqrt{1+c x}} dx$$

— Program code:

```
Int[x_*(d_.+e_.*x_`^2)^p_.*(a_._+b_._*ArcSech[c_._*x_]),x_Symbol]:=  
  (d+e*x^2)^(p+1)*(a+b*ArcSech[c*x])/(2*e*(p+1)) +  
  b*Sqrt[1+c*x]/(2*e*(p+1))*Sqrt[1/(1+c*x)]*Int[(d+e*x^2)^(p+1)/(x*Sqrt[1-c*x]*Sqrt[1+c*x]),x] /;  
 FreeQ[{a,b,c,d,e,p},x] && NeQ[p,-1]
```

2: $\int x (d + e x^2)^p (a + b \operatorname{ArcCsch}[c x]) dx \text{ when } p \neq -1$

Derivation: Integration by parts and piecewise constant extraction

Basis: $x (d + e x^2)^p = \partial_x \frac{(d+e x^2)^{p+1}}{2 e (p+1)}$

Basis: $\partial_x (a + b \operatorname{ArcCsch}[c x]) = \frac{b c}{\sqrt{-c^2 x^2} \sqrt{-1-c^2 x^2}}$

Basis: $\partial_x \frac{x}{\sqrt{-c^2 x^2}} = 0$

- Rule: If $p \neq -1$, then

$$\begin{aligned} \int x (d + e x^2)^p (a + b \operatorname{ArcCsch}[c x]) dx &\rightarrow \frac{(d + e x^2)^{p+1} (a + b \operatorname{ArcCsch}[c x])}{2 e (p + 1)} - \frac{b c}{2 e (p + 1)} \int \frac{(d + e x^2)^{p+1}}{\sqrt{-c^2 x^2} \sqrt{-1 - c^2 x^2}} dx \\ &\rightarrow \frac{(d + e x^2)^{p+1} (a + b \operatorname{ArcCsch}[c x])}{2 e (p + 1)} - \frac{b c x}{2 e (p + 1) \sqrt{-c^2 x^2}} \int \frac{(d + e x^2)^{p+1}}{x \sqrt{-1 - c^2 x^2}} dx \end{aligned}$$

Program code:

```
Int[x_*(d_._+e_._*x_._^2)^p_._*(a_._+b_._*\operatorname{ArcCsch}[c_._*x_._]),x_Symbol] :=  
  (d+e*x^2)^(p+1)*(a+b*ArcCsch[c*x])/ (2*e*(p+1)) -  
  b*c*x/(2*e*(p+1)*Sqrt[-c^2*x^2])*Int[(d+e*x^2)^(p+1)/(x*Sqrt[-1-c^2*x^2]),x] /;  
FreeQ[{a,b,c,d,e,p},x] && NeQ[p,-1]
```

2. $\int (f x)^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx$ when
 $(p \in \mathbb{Z}^+ \wedge \neg (\frac{m-1}{2} \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+1}{2} \in \mathbb{Z}^+ \wedge \neg (p \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+2p+1}{2} \in \mathbb{Z}^- \wedge \frac{m-1}{2} \notin \mathbb{Z}^-)$

1: $\int (f x)^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx$ when
 $(p \in \mathbb{Z}^+ \wedge \neg (\frac{m-1}{2} \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+1}{2} \in \mathbb{Z}^+ \wedge \neg (p \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+2p+1}{2} \in \mathbb{Z}^- \wedge \frac{m-1}{2} \notin \mathbb{Z}^-)$

Derivation: Integration by parts and piecewise constant extraction

Basis: $\partial_x (a + b \operatorname{ArcSech}[c x]) = -\frac{b \sqrt{\frac{1}{1+c x}}}{x \sqrt{1-c x}}$

Basis: $\partial_x \left(\sqrt{1+c x} \sqrt{\frac{1}{1+c x}} \right) = 0$

■ Note: Although $\sqrt{1 - c^2 x^2} = \sqrt{1 - c x} \sqrt{1 + c x}$, leaving denominator factored allows for more cancellation with piecewise constant factor.

Note: If $(p \in \mathbb{Z}^+ \wedge \neg (\frac{m-1}{2} \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+1}{2} \in \mathbb{Z}^+ \wedge \neg (p \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+2p+1}{2} \in \mathbb{Z}^- \wedge \frac{m-1}{2} \notin \mathbb{Z}^-)$,

then $\int (f x)^m (d + e x^2)^p dx$ is expressible as an algebraic function not involving logarithms, inverse trig or inverse hyperbolic functions.

Rule: If $(p \in \mathbb{Z}^+ \wedge \neg (\frac{m-1}{2} \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+1}{2} \in \mathbb{Z}^+ \wedge \neg (p \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+2p+1}{2} \in \mathbb{Z}^- \wedge \frac{m-1}{2} \notin \mathbb{Z}^-)$, let $u = \int (f x)^m (d + e x^2)^p dx$, then

$$\int (f x)^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x]) dx \rightarrow u (a + b \operatorname{ArcSech}[c x]) + b \sqrt{1+c x} \sqrt{\frac{1}{1+c x}} \int \frac{u}{x \sqrt{1-c x} \sqrt{1+c x}} dx$$

— Program code:

```
Int[(f_.*x_)^m_.*(d_.*e_.*x_^2)^p_.*(a_.*b_.*ArcSech[c_.*x_]),x_Symbol]:=  
With[{u=IntHide[(f*x)^m*(d+e*x^2)^p,x]},  
Dist[(a+b*ArcSech[c*x]),u,x]+b*Sqrt[1+c*x]*Sqrt[1/(1+c*x)]*Int[SimplifyIntegrand[u/(x*Sqrt[1-c*x]*Sqrt[1+c*x]),x],x]]/;  
FreeQ[{a,b,c,d,e,f,m,p},x] && (  
IGtQ[p,0] && Not[ILtQ[(m-1)/2,0] && GtQ[m+2*p+3,0]] ||  
IGtQ[(m+1)/2,0] && Not[ILtQ[p,0] && GtQ[m+2*p+3,0]] ||  
ILtQ[(m+2*p+1)/2,0] && Not[ILtQ[(m-1)/2,0]])
```

2: $\int (f x)^m (d + e x^2)^p (a + b \operatorname{ArcCsch}[c x]) dx$ when
 $(p \in \mathbb{Z}^+ \wedge \neg (\frac{m-1}{2} \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+1}{2} \in \mathbb{Z}^+ \wedge \neg (p \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+2p+1}{2} \in \mathbb{Z}^- \wedge \frac{m-1}{2} \notin \mathbb{Z}^-)$

Derivation: Integration by parts and piecewise constant extraction

Basis: $\partial_x (a + b \operatorname{ArcCsch}[c x]) = \frac{b c}{\sqrt{-c^2 x^2} \sqrt{-1-c^2 x^2}}$

Basis: $\partial_x \frac{x}{\sqrt{-c^2 x^2}} = 0$

Note: If $(p \in \mathbb{Z}^+ \wedge \neg (\frac{m-1}{2} \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+1}{2} \in \mathbb{Z}^+ \wedge \neg (p \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+2p+1}{2} \in \mathbb{Z}^- \wedge \frac{m-1}{2} \notin \mathbb{Z}^-)$,
 $(\frac{m+1}{2} \in \mathbb{Z}^+ \wedge \neg (p \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+2p+1}{2} \in \mathbb{Z}^- \wedge \frac{m-1}{2} \notin \mathbb{Z}^-)$

then $\int (f x)^m (d + e x^2)^p dx$ is expressible as an algebraic function not involving logarithms, inverse trig or inverse hyperbolic functions.

Rule: If $(p \in \mathbb{Z}^+ \wedge \neg (\frac{m-1}{2} \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+1}{2} \in \mathbb{Z}^+ \wedge \neg (p \in \mathbb{Z}^- \wedge m + 2p + 3 > 0)) \vee (\frac{m+2p+1}{2} \in \mathbb{Z}^- \wedge \frac{m-1}{2} \notin \mathbb{Z}^-)$, let $u = \int (f x)^m (d + e x^2)^p dx$, then

$$\int (f x)^m (d + e x^2)^p (a + b \operatorname{ArcCsch}[c x]) dx \rightarrow u (a + b \operatorname{ArcCsch}[c x]) - b c \int \frac{u}{\sqrt{-c^2 x^2} \sqrt{-1-c^2 x^2}} dx \rightarrow u (a + b \operatorname{ArcCsch}[c x]) - \frac{b c x}{\sqrt{-c^2 x^2}} \int \frac{u}{x \sqrt{-1-c^2 x^2}} dx$$

Program code:

```
Int[(f_.*x_)^m_.*(d_.+e_.*x_^2)^p_.*(a_.+b_.*ArcCsch[c_.*x_]),x_Symbol] :=
With[{u=IntHide[(f*x)^m*(d+e*x^2)^p,x]},
Dist[(a+b*ArcCsch[c*x]),u,x] - b*c*x/Sqrt[-c^2*x^2]*Int[SimplifyIntegrand[u/(x*Sqrt[-1-c^2*x^2]),x],x];
FreeQ[{a,b,c,d,e,f,m,p},x] && (
IGtQ[p,0] && Not[ILtQ[(m-1)/2,0] && GtQ[m+2*p+3,0]] ||
IGtQ[(m+1)/2,0] && Not[ILtQ[p,0] && GtQ[m+2*p+3,0]] ||
ILtQ[(m+2*p+1)/2,0] && Not[ILtQ[(m-1)/2,0]] )]
```

2: $\int x^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+ \wedge (m + p) \in \mathbb{Z}$

Derivation: Integration by substitution

Basis: $\operatorname{ArcSech}[z] = \operatorname{ArcCosh}\left[\frac{1}{z}\right]$

Basis: $F\left[\frac{1}{x}\right] = -\operatorname{Subst}\left[\frac{F[x]}{x^2}, x, \frac{1}{x}\right] \partial_x \frac{1}{x}$

Rule: If $n \in \mathbb{Z}^+ \wedge (m + p) \in \mathbb{Z}$, then

$$\begin{aligned} \int x^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx &\rightarrow \int \left(\frac{1}{x}\right)^{-m-2-p} \left(e + \frac{d}{x^2}\right)^p \left(a + b \operatorname{ArcCosh}\left[\frac{1}{c x}\right]\right)^n dx \\ &\rightarrow -\operatorname{Subst}\left[\int \frac{(e + d x^2)^p (a + b \operatorname{ArcCosh}\left[\frac{x}{c}\right])^n}{x^{m+2(p+1)}} dx, x, \frac{1}{x}\right] \end{aligned}$$

Program code:

```
Int[x^m .*(d_.+e_.*x_^2)^p .*(a_.+b_.*ArcSech[c_.*x_])^n_,x_Symbol] :=
  -Subst[Int[(e+d*x^2)^p*(a+b*ArcCosh[x/c])^n/x^(m+2*(p+1)),x],x,1/x] /;
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && IntegersQ[m,p]
```

```
Int[x^m .*(d_.+e_.*x_^2)^p .*(a_.+b_.*ArcCsch[c_.*x_])^n_,x_Symbol] :=
  -Subst[Int[(e+d*x^2)^p*(a+b*ArcSinh[x/c])^n/x^(m+2*(p+1)),x],x,1/x] /;
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && IntegersQ[m,p]
```

3. $\int x^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+ \wedge c^2 d + e = 0 \wedge m \in \mathbb{Z} \wedge p + \frac{1}{2} \in \mathbb{Z}$

1: $\int x^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+ \wedge c^2 d + e = 0 \wedge m \in \mathbb{Z} \wedge p + \frac{1}{2} \in \mathbb{Z} \wedge e > 0 \wedge d < 0$

Derivation: Piecewise constant extraction and integration by substitution

Basis: $\partial_x \frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} = 0$

Basis: $\operatorname{ArcSech}[z] = \operatorname{ArcCosh}\left[\frac{1}{z}\right]$

Basis: $F\left[\frac{1}{x}\right] = -\operatorname{Subst}\left[\frac{F[x]}{x^2}, x, \frac{1}{x}\right] \partial_x \frac{1}{x}$

Basis: If $e > 0 \wedge d < 0$, then $\frac{\sqrt{d+e x^2}}{\sqrt{e+\frac{d}{x^2}}} = \sqrt{x^2}$

Rule: If $n \in \mathbb{Z}^+ \wedge c^2 d + e = 0 \wedge m \in \mathbb{Z} \wedge p + \frac{1}{2} \in \mathbb{Z} \wedge e > 0 \wedge d < 0$, then

$$\begin{aligned} \int x^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx &\rightarrow \frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} \int \left(\frac{1}{x}\right)^{-m-2p} \left(e + \frac{d}{x^2}\right)^p \left(a + b \operatorname{ArcCosh}\left[\frac{1}{c x}\right]\right)^n dx \\ &\rightarrow -\frac{\sqrt{x^2}}{x} \operatorname{Subst}\left[\int \frac{(e+d x^2)^p (a+b \operatorname{ArcCosh}\left[\frac{x}{c}\right])^n}{x^{m+2(p+1)}} dx, x, \frac{1}{x}\right] \end{aligned}$$

Program code:

```
Int[x^m_.*(d_.+e_.*x_^2)^p_*(a_.+b_.*ArcSech[c_.*x_])^n_,x_Symbol]:=  
-Sqrt[x^2]/x*Subst[Int[(e+d*x^2)^p*(a+b*ArcCosh[x/c])^n/x^(m+2*(p+1)),x],x,1/x];  
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && EqQ[c^2*d+e,0] && IntegerQ[m] && IntegerQ[p+1/2] && GtQ[e,0] && LtQ[d,0]
```

```

Int[x^m_.*(d_.+e_.*x^2)^p_*(a_.+b_.*ArcCsch[c_.*x_])^n_,x_Symbol] :=
-Sqrt[x^2]/x*Subst[Int[(e+d*x^2)^p*(a+b*ArcSinh[x/c])^n/x^(m+2*(p+1)),x],x,1/x] /;
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && EqQ[e-c^2*d,0] && IntegerQ[m] && IntegerQ[p+1/2] && GtQ[e,0] && LtQ[d,0]

```

2: $\int x^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx$ when $n \in \mathbb{Z}^+ \wedge c^2 d + e = 0 \wedge m \in \mathbb{Z} \wedge p + \frac{1}{2} \in \mathbb{Z} \wedge \neg (e > 0 \wedge d < 0)$

Derivation: Piecewise constant extraction and integration by substitution

Basis: $\partial_x \frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} = 0$

Basis: $\operatorname{ArcSech}[z] = \operatorname{ArcCosh}\left[\frac{1}{z}\right]$

Basis: $F\left[\frac{1}{x}\right] = -\operatorname{Subst}\left[\frac{F[x]}{x^2}, x, \frac{1}{x}\right] \partial_x \frac{1}{x}$

Rule: If $n \in \mathbb{Z}^+ \wedge c^2 d + e = 0 \wedge m \in \mathbb{Z} \wedge p + \frac{1}{2} \in \mathbb{Z} \wedge \neg (e > 0 \wedge d < 0)$, then

$$\begin{aligned} \int x^m (d + e x^2)^p (a + b \operatorname{ArcSech}[c x])^n dx &\rightarrow \frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} \int \left(\frac{1}{x}\right)^{-m-2p} \left(e + \frac{d}{x^2}\right)^p \left(a + b \operatorname{ArcCosh}\left[\frac{1}{c x}\right]\right)^n dx \\ &\rightarrow -\frac{\sqrt{d+e x^2}}{x \sqrt{e+\frac{d}{x^2}}} \operatorname{Subst}\left[\int \frac{(e+d x^2)^p (a+b \operatorname{ArcCosh}\left[\frac{x}{c}\right])^n}{x^{m+2(p+1)}} dx, x, \frac{1}{x}\right] \end{aligned}$$

Program code:

```

Int[x^m_.*(d_.+e_.*x^2)^p_*(a_.+b_.*ArcSech[c_.*x_])^n_,x_Symbol] :=
-Sqrt[d+e*x^2]/(x*Sqrt[e+d*x^2])*Subst[Int[(e+d*x^2)^p*(a+b*ArcCosh[x/c])^n/x^(m+2*(p+1)),x],x,1/x] /;
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && EqQ[c^2*d+e,0] && IntegerQ[m] && IntegerQ[p+1/2] && Not[GtQ[e,0]] && LtQ[d,0]

```

```

Int[x^m_.*(d_.+e_.*x^2)^p_*(a_.+b_.*ArcCsch[c_.*x_])^n_,x_Symbol] :=
-Sqrt[d+e*x^2]/(x*Sqrt[e+d*x^2])*Subst[Int[(e+d*x^2)^p*(a+b*ArcSinh[x/c])^n/x^(m+2*(p+1)),x],x,1/x] /;
FreeQ[{a,b,c,d,e,n},x] && IGtQ[n,0] && EqQ[e-c^2*d,0] && IntegerQ[m] && IntegerQ[p+1/2] && Not[GtQ[e,0]] && LtQ[d,0]

```

6. $\int u (a + b \operatorname{ArcSech}[c x]) dx$ when $\int u dx$ is free of inverse functions

1: $\int u (a + b \operatorname{ArcSech}[c x]) dx$ when $\int u dx$ is free of inverse functions

Derivation: Integration by parts and piecewise constant extraction

$$\text{Basis: } \partial_x (a + b \operatorname{ArcSech}[c x]) = -\frac{b}{c x^2 \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}}}$$

$$\text{Basis: } \partial_x \frac{\sqrt{1-c^2 x^2}}{x \sqrt{-1+\frac{1}{c x}} \sqrt{1+\frac{1}{c x}}} = 0$$

Rule: Let $v \rightarrow \int u dx$, if v is free of inverse functions, then

$$\begin{aligned} \int u (a + b \operatorname{ArcSech}[c x]) dx &\rightarrow v (a + b \operatorname{ArcSech}[c x]) + \frac{b}{c} \int \frac{v}{x^2 \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}}} dx \\ &\rightarrow v (a + b \operatorname{ArcSech}[c x]) + \frac{b \sqrt{1 - c^2 x^2}}{c x \sqrt{-1 + \frac{1}{c x}} \sqrt{1 + \frac{1}{c x}}} \int \frac{v}{x \sqrt{1 - c^2 x^2}} dx \end{aligned}$$

Program code:

```
Int[u_*(a_+b_.*ArcSech[c_.*x_]),x_Symbol] :=
With[{v=IntHide[u,x]},
Dist[(a+b*ArcSech[c*x]),v,x] +
b*.Sqrt[1-c^2*x^2]/(c*x*Sqrt[-1+1/(c*x)]*Sqrt[1+1/(c*x)])*
Int[SimplifyIntegrand[v/(x*Sqrt[1-c^2*x^2]),x],x] /;
InverseFunctionFreeQ[v,x] /;
FreeQ[{a,b,c},x]
```

2: $\int u (a + b \operatorname{ArcCsch}[c x]) dx$ when $\int u dx$ is free of inverse functions

Derivation: Integration by parts

$$\text{Basis: } \partial_x (a + b \operatorname{ArcCsch}[c x]) = -\frac{b}{c x^2 \sqrt{1 + \frac{1}{c^2 x^2}}}$$

Rule: Let $v = \int u dx$, if v is free of inverse functions, then

$$\int u (a + b \operatorname{ArcCsch}[c x]) dx \rightarrow v (a + b \operatorname{ArcCsch}[c x]) + \frac{b}{c} \int \frac{v}{x^2 \sqrt{1 + \frac{1}{c^2 x^2}}} dx$$

Program code:

```
Int[u_*(a_.+b_.*ArcCsch[c_.*x_]),x_Symbol] :=
  With[{v=IntHide[u,x]},
    Dist[(a+b*ArcCsch[c*x]),v,x] +
    b/c*Int[SimplifyIntegrand[v/(x^2*Sqrt[1+1/(c^2*x^2)]),x],x] /;
    InverseFunctionFreeQ[v,x] /;
    FreeQ[{a,b,c},x]
```

x: $\int u (a + b \operatorname{ArcSech}[c x])^n dx$

— Rule:

$$\int u (a + b \operatorname{ArcSech}[c x])^n dx \rightarrow \int u (a + b \operatorname{ArcSech}[c x])^n dx$$

— Program code:

```
Int[u_.*(a_._+b_._*ArcSech[c_._*x_])^n_.,x_Symbol] :=  
  Unintegrable[u*(a+b*ArcSech[c*x])^n,x] /;  
  FreeQ[{a,b,c,n},x]
```

```
Int[u_.*(a_._+b_._*ArcCsch[c_._*x_])^n_.,x_Symbol] :=  
  Unintegrable[u*(a+b*ArcCsch[c*x])^n,x] /;  
  FreeQ[{a,b,c,n},x]
```