

## Rules for integrands of the form $u (a + b \operatorname{ArcTanh}[c + d x])^p$

1.  $\int (a + b \operatorname{ArcTanh}[c + d x])^p dx$

**1:**  $\int (a + b \operatorname{ArcTanh}[c + d x])^p dx$  when  $p \in \mathbb{Z}^+$

Derivation: Integration by substitution

Rule: If  $p \in \mathbb{Z}^+$ , then

$$\int (a + b \operatorname{ArcTanh}[c + d x])^p dx \rightarrow \frac{1}{d} \operatorname{Subst}\left[\int (a + b \operatorname{ArcTanh}[x])^p dx, x, c + d x\right]$$

Program code:

```
Int[(a_.+b_.*ArcTanh[c+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(a+b*ArcTanh[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[p,0]
```

```
Int[(a_.+b_.*ArcCoth[c+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(a+b*ArcCoth[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[p,0]
```

**U:**  $\int (a + b \operatorname{ArcTanh}[c + d x])^p dx$  when  $p \notin \mathbb{Z}^+$

Rule: If  $p \notin \mathbb{Z}^+$ , then

$$\int (a + b \operatorname{ArcTanh}[c + d x])^p dx \rightarrow \int (a + b \operatorname{ArcTanh}[c + d x])^p dx$$

Program code:

```
Int[(a_.+b_.*ArcTanh[c+d_.*x_])^p_,x_Symbol] :=
  Unintegrable[(a+b*ArcTanh[c+d*x])^p,x] /;
FreeQ[{a,b,c,d,p},x] && Not[IGtQ[p,0]]
```

```
Int[(a_.+b_.*ArcCoth[c+d_.*x_])^p_,x_Symbol] :=
  Unintegrable[(a+b*ArcCoth[c+d*x])^p,x] /;
FreeQ[{a,b,c,d,p},x] && Not[IGtQ[p,0]]
```

$$2. \int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx$$

$$1: \int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx \text{ when } d e - c f = 0 \wedge p \in \mathbb{Z}^+$$

Derivation: Integration by substitution

Rule: If  $d e - c f = 0 \wedge p \in \mathbb{Z}^+$ , then

$$\int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx \rightarrow \frac{1}{d} \operatorname{Subst}\left[\int \left(\frac{f x}{d}\right)^m (a + b \operatorname{ArcTanh}[x])^p dx, x, c + d x\right]$$

Program code:

```
Int[(e_+f_*x_)^m_*(a_+b_*ArcTanh[c_+d_*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(f*x/d)^m*(a+b*ArcTanh[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,m},x] && EqQ[d*e-c*f,0] && IGtQ[p,0]
```

```
Int[(e_+f_*x_)^m_*(a_+b_*ArcCoth[c_+d_*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(f*x/d)^m*(a+b*ArcCoth[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,m},x] && EqQ[d*e-c*f,0] && IGtQ[p,0]
```

$$2: \int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx \text{ when } p \in \mathbb{Z}^+ \wedge m + 1 \in \mathbb{Z}^-$$

Derivation: Integration by parts

$$\text{Basis: } \partial_x (a + b \operatorname{ArcTanh}[c + d x])^p = \frac{b d p (a + b \operatorname{ArcTanh}[c + d x])^{p-1}}{1 - (c + d x)^2}$$

Rule: If  $p \in \mathbb{Z}^+ \wedge m + 1 \in \mathbb{Z}^-$ , then

$$\int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx \rightarrow \frac{(e + f x)^{m+1} (a + b \operatorname{ArcTanh}[c + d x])^p}{f (m + 1)} - \frac{b d p}{f (m + 1)} \int \frac{(e + f x)^{m+1} (a + b \operatorname{ArcTanh}[c + d x])^{p-1}}{1 - (c + d x)^2} dx$$

Program code:

```
Int[(e_+f_*x_)^m_*(a_+b_*ArcTanh[c_+d_*x_])^p_,x_Symbol] :=
  (e+f*x)^(m+1)*(a+b*ArcTanh[c+d*x])^p/(f*(m+1)) -
  b*d*p/(f*(m+1))*Int[(e+f*x)^(m+1)*(a+b*ArcTanh[c+d*x])^(p-1)/(1-(c+d*x)^2),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[p,0] && ILtQ[m,-1]
```

```
Int[(e_.+f_.*x_)^m_*(a_.+b_.*ArcCoth[c_+d_.*x_])^p_,x_Symbol] :=
  (e+f*x)^(m+1)*(a+b*ArcCoth[c+d*x])^p/(f*(m+1)) -
  b*d*p/(f*(m+1))*Int[(e+f*x)^(m+1)*(a+b*ArcCoth[c+d*x])^(p-1)/(1-(c+d*x)^2),x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[p,0] && ILtQ[m,-1]
```

**3:**  $\int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx$  when  $p \in \mathbb{Z}^+$

**Derivation: Integration by substitution**

**Rule: If  $p \in \mathbb{Z}^+$ , then**

$$\int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx \rightarrow \frac{1}{d} \operatorname{Subst}\left[\int \left(\frac{d e - c f}{d} + \frac{f x}{d}\right)^m (a + b \operatorname{ArcTanh}[x])^p dx, x, c + d x\right]$$

**Program code:**

```
Int[(e_.+f_.*x_)^m_*(a_.+b_.*ArcTanh[c_+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^m*(a+b*ArcTanh[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,m},x] && IGtQ[p,0]
```

```
Int[(e_.+f_.*x_)^m_*(a_.+b_.*ArcCoth[c_+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^m*(a+b*ArcCoth[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,m},x] && IGtQ[p,0]
```

**U:**  $\int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx$  when  $p \notin \mathbb{Z}^+$

**Rule: If  $p \notin \mathbb{Z}^+$ , then**

$$\int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx \rightarrow \int (e + f x)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx$$

**Program code:**

```
Int[(e_.+f_.*x_)^m_*(a_.+b_.*ArcTanh[c_+d_.*x_])^p_,x_Symbol] :=
  Unintegrable[(e+f*x)^m*(a+b*ArcTanh[c+d*x])^p,x] /;
FreeQ[{a,b,c,d,e,f,m,p},x] && Not[IGtQ[p,0]]
```

```
Int[(e_.+f_.*x_)^m_*(a_.+b_.*ArcCoth[c_+d_.*x_])^p_,x_Symbol] :=
  Unintegrable[(e+f*x)^m*(a+b*ArcCoth[c+d*x])^p,x] /;
FreeQ[{a,b,c,d,e,f,m,p},x] && Not[IGtQ[p,0]]
```

$$3. \int (e + f x^n)^m (a + b \operatorname{ArcTanh}[c + d x])^p dx$$

$$5. \int \frac{\operatorname{ArcTanh}[c + d x]}{e + f x^n} dx$$

$$1: \int \frac{\operatorname{ArcTanh}[c + d x]}{e + f x^n} dx \text{ when } n \in \mathbb{Q}$$

Derivation: Algebraic expansion

$$\text{Basis: } \operatorname{ArcTanh}[z] = \frac{1}{2} \operatorname{Log}[1 + z] - \frac{1}{2} \operatorname{Log}[1 - z]$$

$$\text{Basis: } \operatorname{ArcCoth}[z] = \frac{1}{2} \operatorname{Log}\left[\frac{1+z}{z}\right] - \frac{1}{2} \operatorname{Log}\left[\frac{-1+z}{z}\right]$$

Rule: If  $n \in \mathbb{Q}$ , then

$$\int \frac{\operatorname{ArcTanh}[c + d x]}{e + f x^n} dx \rightarrow \frac{1}{2} \int \frac{\operatorname{Log}[1 + c + d x]}{e + f x^n} dx - \frac{1}{2} \int \frac{\operatorname{Log}[1 - c - d x]}{e + f x^n} dx$$

Program code:

```
Int[ArcTanh[c+d.*x_]/(e+f.*x_^n_),x_Symbol] :=
  1/2*Int[Log[1+c+d*x]/(e+f*x^n),x] -
  1/2*Int[Log[1-c-d*x]/(e+f*x^n),x] /;
FreeQ[{c,d,e,f},x] && RationalQ[n]
```

```
Int[ArcCoth[c+d.*x_]/(e+f.*x_^n_),x_Symbol] :=
  1/2*Int[Log[(1+c+d*x)/(c+d*x)]/(e+f*x^n),x] -
  1/2*Int[Log[(-1+c+d*x)/(c+d*x)]/(e+f*x^n),x] /;
FreeQ[{c,d,e,f},x] && RationalQ[n]
```

$$\mathbf{U:} \int \frac{\operatorname{ArcTanh}[c+d x]}{e+f x^n} dx \text{ when } n \notin \mathbb{Q}$$

**Rule:** If  $n \notin \mathbb{Q}$ , then

$$\int \frac{\operatorname{ArcTanh}[c+d x]}{e+f x^n} dx \rightarrow \int \frac{\operatorname{ArcTanh}[c+d x]}{e+f x^n} dx$$

**Program code:**

```
Int[ArcTanh[c_+d_.*x_]/(e_+f_.*x_^n_),x_Symbol] :=
  Unintegrable[ArcTanh[c+d*x]/(e+f*x^n),x] /;
  FreeQ[{c,d,e,f,n},x] && Not[RationalQ[n]]
```

```
Int[ArcCoth[c_+d_.*x_]/(e_+f_.*x_^n_),x_Symbol] :=
  Unintegrable[ArcCoth[c+d*x]/(e+f*x^n),x] /;
  FreeQ[{c,d,e,f,n},x] && Not[RationalQ[n]]
```

$$\mathbf{4:} \int (A+Bx+Cx^2)^q (a+b \operatorname{ArcTanh}[c+d x])^p dx \text{ when } B(1-c^2) + 2Ac d = 0 \wedge 2cC - Bd = 0$$

**Derivation:** Integration by substitution

- **Basis:** If  $B(1-c^2) + 2Ac d = 0 \wedge 2cC - Bd = 0$ , then  $A+Bx+Cx^2 = -\frac{C}{d^2} + \frac{C}{d^2}(c+d x)^2$
- **Rule:** If  $B(1-c^2) + 2Ac d = 0 \wedge 2cC - Bd = 0$ , then

$$\int (A+Bx+Cx^2)^q (a+b \operatorname{ArcTanh}[c+d x])^p dx \rightarrow \frac{1}{d} \operatorname{Subst}\left[\int \left(-\frac{C}{d^2} + \frac{Cx^2}{d^2}\right)^q (a+b \operatorname{ArcTanh}[x])^p dx, x, c+d x\right]$$

**Program code:**

```
Int[(A_+B_.*x_+C_.*x_^2)^q_.*(a_+b_.*ArcTanh[c_+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(-C/d^2+C/d^2*x^2)^q*(a+b*ArcTanh[x])^p,x],x,c+d*x] /;
  FreeQ[{a,b,c,d,A,B,C,p,q},x] && EqQ[B*(1-c^2)+2*A*c*d,0] && EqQ[2*c*C-B*d,0]
```

```
Int[(A_+B_.*x_+C_.*x_^2)^q_.*(a_+b_.*ArcCoth[c_+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(C/d^2+C/d^2*x^2)^q*(a+b*ArcCoth[x])^p,x],x,c+d*x] /;
  FreeQ[{a,b,c,d,A,B,C,p,q},x] && EqQ[B*(1-c^2)+2*A*c*d,0] && EqQ[2*c*C-B*d,0]
```

5:  $\int (e + f x)^m (A + B x + C x^2)^q (a + b \operatorname{ArcTanh}[c + d x])^p dx$  when  $B(1 - c^2) + 2 A c d = 0 \wedge 2 c C - B d = 0$

▀ **Derivation: Integration by substitution**

▀ **Basis:** If  $B(1 - c^2) + 2 A c d = 0 \wedge 2 c C - B d = 0$ , then  $A + B x + C x^2 = -\frac{c}{d^2} + \frac{c}{d^2} (c + d x)^2$

▀ **Rule:** If  $B(1 - c^2) + 2 A c d = 0 \wedge 2 c C - B d = 0$ , then

$$\int (e + f x)^m (A + B x + C x^2)^q (a + b \operatorname{ArcTanh}[c + d x])^p dx \rightarrow \frac{1}{d} \operatorname{Subst}\left[\int \left(\frac{d e - c f}{d} + \frac{f x}{d}\right)^m \left(-\frac{c}{d^2} + \frac{C x^2}{d^2}\right)^q (a + b \operatorname{ArcTanh}[x])^p dx, x, c + d x\right]$$

▀ **Program code:**

```
Int[(e_+f_*x_)^m_.*(A_+B_*x_+C_*x_^2)^q_.*(a_+b_*ArcTanh[c_+d_*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^m*(-C/d^2+C/d^2*x^2)^q*(a+b*ArcTanh[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,A,B,C,m,p,q},x] && EqQ[B*(1-c^2)+2*A*c*d,0] && EqQ[2*c*C-B*d,0]
```

```
Int[(e_+f_*x_)^m_.*(A_+B_*x_+C_*x_^2)^q_.*(a_+b_*ArcCoth[c_+d_*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^m*(-C/d^2+C/d^2*x^2)^q*(a+b*ArcCoth[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,A,B,C,m,p,q},x] && EqQ[B*(1-c^2)+2*A*c*d,0] && EqQ[2*c*C-B*d,0]
```