

Rules for integrands involving error functions

1. $\int \text{Erf}[a + b x]^n dx$

1: $\int \text{Erf}[a + b x] dx$

- Reference: G&R 5.41

- Derivation: Integration by parts

■ Basis: $\partial_x \text{Erf}[a + b x] = \frac{2b}{\sqrt{\pi} e^{(a+bx)^2}}$

- Rule:

$$\int \text{Erf}[a + b x] dx \rightarrow \frac{(a + b x) \text{Erf}[a + b x]}{b} - \frac{2}{\sqrt{\pi}} \int \frac{a + b x}{e^{(a+bx)^2}} dx \rightarrow \frac{(a + b x) \text{Erf}[a + b x]}{b} + \frac{1}{b \sqrt{\pi} e^{(a+bx)^2}}$$

- Program code:

```
Int[Erf[a_+b_*x_],x_Symbol] :=  
  (a+b*x)*Erf[a+b*x]/b + 1/(b*Sqrt[Pi]*E^(a+b*x)^2) /;  
FreeQ[{a,b},x]
```

```
Int[Erfc[a_+b_*x_],x_Symbol] :=  
  (a+b*x)*Erfc[a+b*x]/b - 1/(b*Sqrt[Pi]*E^(a+b*x)^2) /;  
FreeQ[{a,b},x]
```

```
Int[Erfi[a_+b_*x_],x_Symbol] :=  
  (a+b*x)*Erfi[a+b*x]/b - E^(a+b*x)^2/(b*Sqrt[Pi]) /;  
FreeQ[{a,b},x]
```

$$2: \int \operatorname{Erf}[a + b x]^2 dx$$

Derivation: Integration by parts

Basis: $\partial_x \operatorname{Erf}[a + b x]^2 = \frac{4 b \operatorname{Erf}[a + b x]}{\sqrt{\pi} e^{(a + b x)^2}}$

Rule:

$$\int \operatorname{Erf}[a + b x]^2 dx \rightarrow \frac{(a + b x) \operatorname{Erf}[a + b x]^2}{b} - \frac{4}{\sqrt{\pi}} \int \frac{(a + b x) \operatorname{Erf}[a + b x]}{e^{(a + b x)^2}} dx$$

Program code:

```
Int[Erf[a_+b_*x_]^2,x_Symbol] :=
  (a+b*x)*Erf[a+b*x]^2/b -
  4/Sqrt[Pi]*Int[(a+b*x)*Erf[a+b*x]/E^(a+b*x)^2,x] /;
FreeQ[{a,b},x]
```

```
Int[Erfc[a_+b_*x_]^2,x_Symbol] :=
  (a+b*x)*Erfc[a+b*x]^2/b +
  4/Sqrt[Pi]*Int[(a+b*x)*Erfc[a+b*x]/E^(a+b*x)^2,x] /;
FreeQ[{a,b},x]
```

```
Int[Erfi[a_+b_*x_]^2,x_Symbol] :=
  (a+b*x)*Erfi[a+b*x]^2/b -
  4/Sqrt[Pi]*Int[(a+b*x)*E^(a+b*x)^2*Erfi[a+b*x],x] /;
FreeQ[{a,b},x]
```

$$U: \int \operatorname{Erf}[a + b x]^n dx \text{ when } n \neq 1 \wedge n \neq 2$$

Rule: If $n \neq 1 \wedge n \neq 2$, then

$$\int \operatorname{Erf}[a + b x]^n dx \rightarrow \int \operatorname{Erf}[a + b x]^n dx$$

Program code:

```
Int[Erf[a_+b_*x_]^n,x_Symbol] :=
  Unintegrable[Erf[a+b*x]^n,x] /;
FreeQ[{a,b,n},x] && NeQ[n,1] && NeQ[n,2]
```

```
Int[Erfc[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[Erfc[a+b*x]^n,x] /;
FreeQ[{a,b,n},x] && NeQ[n,1] && NeQ[n,2]
```

```
Int[Erfi[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[Erfi[a+b*x]^n,x] /;
FreeQ[{a,b,n},x] && NeQ[n,1] && NeQ[n,2]
```

$$2. \int (c + d x)^m \operatorname{Erf}[a + b x]^n dx$$

$$1. \int (c + d x)^m \operatorname{Erf}[a + b x] dx$$

$$1: \int \frac{\operatorname{Erf}[b x]}{x} dx$$

Basis: $\operatorname{Erfc}[z] = 1 - \operatorname{Erf}[z]$

Rule:

$$\int \frac{\operatorname{Erf}[b x]}{x} dx \rightarrow \frac{2 b x}{\sqrt{\pi}} \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{2}, \frac{1}{2}\right\}, \left\{\frac{3}{2}, \frac{3}{2}\right\}, -b^2 x^2\right]$$

Program code:

```
Int[Erf[b_.*x_]/x_,x_Symbol] :=
  2*b*x/Sqrt[Pi]*HypergeometricPFQ[{1/2,1/2},{3/2,3/2},-b^2*x^2] /;
FreeQ[b,x]
```

```
Int[Erfc[b_.*x_]/x_,x_Symbol] :=
  Log[x] - Int[Erf[b*x]/x,x] /;
FreeQ[b,x]
```

```
Int[Erfi[b_.*x_]/x_,x_Symbol] :=
  2*b*x/Sqrt[Pi]*HypergeometricPFQ[{1/2,1/2},{3/2,3/2},b^2*x^2] /;
FreeQ[b,x]
```

$$2: \int (c + d x)^m \operatorname{Erf}[a + b x] dx \text{ when } m \neq -1$$

Derivation: Integration by parts

$$\text{Basis: } \partial_x \operatorname{Erf}[a + b x] = \frac{2b}{\sqrt{\pi} e^{(a+bx)^2}}$$

Rule: If $m \neq -1$, then

$$\int (c + d x)^m \operatorname{Erf}[a + b x] dx \rightarrow \frac{(c + d x)^{m+1} \operatorname{Erf}[a + b x]}{d(m+1)} - \frac{2b}{\sqrt{\pi} d(m+1)} \int \frac{(c + d x)^{m+1}}{e^{(a+bx)^2}} dx$$

Program code:

```
Int[(c_.+d_.*x_)^m_.*Erf[a_.+b_.*x_],x_Symbol] :=
  (c+d*x)^(m+1)*Erf[a+b*x]/(d*(m+1)) -
  2*b/(Sqrt[Pi]*d*(m+1))*Int[(c+d*x)^(m+1)/E^(a+b*x)^2,x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]
```

```
Int[(c_.+d_.*x_)^m_.*Erfc[a_.+b_.*x_],x_Symbol] :=
  (c+d*x)^(m+1)*Erfc[a+b*x]/(d*(m+1)) +
  2*b/(Sqrt[Pi]*d*(m+1))*Int[(c+d*x)^(m+1)/E^(a+b*x)^2,x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]
```

```
Int[(c_.+d_.*x_)^m_.*Erfi[a_.+b_.*x_],x_Symbol] :=
  (c+d*x)^(m+1)*Erfi[a+b*x]/(d*(m+1)) -
  2*b/(Sqrt[Pi]*d*(m+1))*Int[(c+d*x)^(m+1)*E^(a+b*x)^2,x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]
```

$$2. \int (c + d x)^m \operatorname{Erf}[a + b x]^2 dx$$

$$1: \int x^m \operatorname{Erf}[b x]^2 dx \text{ when } m \in \mathbb{Z}^+ \vee \frac{m+1}{2} \in \mathbb{Z}^-$$

Derivation: Integration by parts

$$\text{Basis: } \partial_x \operatorname{Erf}[b x]^2 = \frac{4b \operatorname{Erf}[b x]}{\sqrt{\pi} e^{b^2 x^2}}$$

Rule: If $m \in \mathbb{Z}^+ \vee \frac{m+1}{2} \in \mathbb{Z}^-$, then

$$\int x^m \operatorname{Erf}[bx]^2 dx \rightarrow \frac{x^{m+1} \operatorname{Erf}[bx]^2}{m+1} - \frac{4b}{\sqrt{\pi}(m+1)} \int \frac{x^{m+1} \operatorname{Erf}[bx]}{e^{b^2 x^2}} dx$$

Program code:

```
Int[x^m_*Erf[b*x]^2,x_Symbol] :=
  x^(m+1)*Erf[b*x]^2/(m+1) -
  4*b/(Sqrt[Pi]*(m+1))*Int[x^(m+1)*E^(-b^2*x^2)*Erf[b*x],x] /;
FreeQ[b,x] && (IGtQ[m,0] || ILtQ[(m+1)/2,0])
```

```
Int[x^m_*Erfc[b*x]^2,x_Symbol] :=
  x^(m+1)*Erfc[b*x]^2/(m+1) +
  4*b/(Sqrt[Pi]*(m+1))*Int[x^(m+1)*E^(-b^2*x^2)*Erfc[b*x],x] /;
FreeQ[b,x] && (IGtQ[m,0] || ILtQ[(m+1)/2,0])
```

```
Int[x^m_*Erfi[b*x]^2,x_Symbol] :=
  x^(m+1)*Erfi[b*x]^2/(m+1) -
  4*b/(Sqrt[Pi]*(m+1))*Int[x^(m+1)*E^(b^2*x^2)*Erfi[b*x],x] /;
FreeQ[b,x] && (IGtQ[m,0] || ILtQ[(m+1)/2,0])
```

$$2: \int (c + dx)^m \operatorname{Erf}[a + bx]^2 dx \text{ when } m \in \mathbb{Z}^+$$

Derivation: Integration by substitution

Rule: If $m \in \mathbb{Z}^+$, then

$$\int (c + dx)^m \operatorname{Erf}[a + bx]^2 dx \rightarrow \frac{1}{b^{m+1}} \operatorname{Subst} \left[\int \operatorname{Erf}[x]^2 \operatorname{ExpandIntegrand}[(bc - ad + dx)^m, x] dx, x, a + bx \right]$$

Program code:

```
Int[(c_+d_*x_)^m_*Erf[a+b_*x_]^2,x_Symbol] :=
  1/b^(m+1)*Subst[Int[ExpandIntegrand[Erf[x]^2,(b*c-a*d+d*x)^m,x],x,a+b*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0]
```

```
Int[(c_+d_*x_)^m_*Erfc[a+b_*x_]^2,x_Symbol] :=
  1/b^(m+1)*Subst[Int[ExpandIntegrand[Erfc[x]^2,(b*c-a*d+d*x)^m,x],x,a+b*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0]
```

```
Int[(c_.+d_.*x_)^m_.*Erfi[a_.+b_.*x_]^2,x_Symbol] :=
  1/b^(m+1)*Subst[Int[ExpandIntegrand[Erfi[x]^2,(b*c-a*d+d*x)^m,x],x],x,a+b*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0]
```

U: $\int (c + dx)^m \operatorname{Erf}[a + bx]^n dx$

Rule:

$$\int (c + dx)^m \operatorname{Erf}[a + bx]^n dx \rightarrow \int (c + dx)^m \operatorname{Erf}[a + bx]^n dx$$

Program code:

```
Int[(c_.+d_.*x_)^m_.*Erf[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[(c+d*x)^m*Erf[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,m,n},x]
```

```
Int[(c_.+d_.*x_)^m_.*Erfc[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[(c+d*x)^m*Erfc[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,m,n},x]
```

```
Int[(c_.+d_.*x_)^m_.*Erfi[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[(c+d*x)^m*Erfi[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,m,n},x]
```

$$3. \int e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx$$

$$1. \int e^{c+dx^2} \operatorname{Erf}[bx]^n dx \text{ when } d^2 = b^4$$

$$1: \int e^{c+dx^2} \operatorname{Erf}[bx]^n dx \text{ when } d = -b^2$$

Derivation: Integration by substitution

■ **Basis:** If $d = -b^2$, then $e^{c+dx^2} F[\operatorname{Erf}[bx]] = \frac{e^c \sqrt{\pi}}{2b} \operatorname{Subst}[F[x], x, \operatorname{Erf}[bx]] \partial_x \operatorname{Erf}[bx]$

Rule: If $d = -b^2$, then

$$\int e^{c+dx^2} \operatorname{Erf}[bx]^n dx \rightarrow \frac{e^c \sqrt{\pi}}{2b} \operatorname{Subst}\left[\int x^n dx, x, \operatorname{Erf}[bx]\right]$$

Program code:

```
Int[E^(c_.+d_.*x_^2)*Erf[b_.*x_] ^n_.,x_Symbol] :=
  E^c*Sqrt[Pi]/(2*b)*Subst[Int[x^n,x],x,Erf[b*x]] /;
FreeQ[{b,c,d,n},x] && EqQ[d,-b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfc[b_.*x_] ^n_.,x_Symbol] :=
  -E^c*Sqrt[Pi]/(2*b)*Subst[Int[x^n,x],x,Erfc[b*x]] /;
FreeQ[{b,c,d,n},x] && EqQ[d,-b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfi[b_.*x_] ^n_.,x_Symbol] :=
  E^c*Sqrt[Pi]/(2*b)*Subst[Int[x^n,x],x,Erfi[b*x]] /;
FreeQ[{b,c,d,n},x] && EqQ[d,b^2]
```

$$2: \int e^{c+dx^2} \operatorname{Erf}[bx] dx \text{ when } d = b^2$$

Basis: $\operatorname{Erfc}[z] = 1 - \operatorname{Erf}[z]$

Rule: If $d = b^2$, then

$$\int e^{c+dx^2} \operatorname{Erf}[bx] dx \rightarrow \frac{b e^c x^2}{\sqrt{\pi}} \operatorname{HypergeometricPFQ}[\{1, 1\}, \{\frac{3}{2}, 2\}, b^2 x^2]$$

Program code:

```
Int[E^(c_.+d_.*x_^2)*Erf[b_.*x_],x_Symbol] :=
  b*E^c*x^2/Sqrt[Pi]*HypergeometricPFQ[{1,1},{3/2,2},b^2*x^2] /;
FreeQ[{b,c,d},x] && EqQ[d,b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfc[b_.*x_],x_Symbol] :=
  Int[E^(c+d*x^2),x] - Int[E^(c+d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d,b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfi[b_.*x_],x_Symbol] :=
  b*E^c*x^2/Sqrt[Pi]*HypergeometricPFQ[{1,1},{3/2,2},-b^2*x^2] /;
FreeQ[{b,c,d},x] && EqQ[d,-b^2]
```

$$U: \int e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx$$

Rule:

$$\int e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx \rightarrow \int e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx$$

Program code:

```
Int[E^(c_.+d_.*x_^2)*Erf[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[E^(c+d*x^2)*Erf[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,n},x]
```

```
Int[E^(c_.+d_.*x_^2)*Erfc[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[E^(c+d*x^2)*Erfc[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,n},x]
```



```
Int[E^(c_.+d_.*x_^2)*Erfi[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[E^(c+d*x^2)*Erfi[a+b*x]^n,x] /;
  FreeQ[{a,b,c,d,n},x]
```

$$4. \int (e x)^m e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx$$

$$1. \int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \text{ when } m \in \mathbb{Z}$$

$$1. \int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \text{ when } m \in \mathbb{Z}^+$$

$$1: \int x e^{c+dx^2} \operatorname{Erf}[a+bx] dx$$

Derivation: Integration by parts

$$\blacksquare \text{ Basis: } \int x e^{c+dx^2} dx = \frac{1}{2d} e^{c+dx^2}$$

$$\blacksquare \text{ Basis: } \partial_x \operatorname{Erf}[a+bx] = \frac{2b}{\sqrt{\pi}} e^{-a^2-2abx-b^2x^2}$$

Rule:

$$\int x e^{c+dx^2} \operatorname{Erf}[a+bx] dx \rightarrow \frac{e^{c+dx^2} \operatorname{Erf}[a+bx]}{2d} - \frac{b}{d\sqrt{\pi}} \int e^{-a^2+c-2abx-(b^2-d)x^2} dx$$

Program code:

```
Int[x_*E^(c_.+d_.*x_^2)*Erf[a_.+b_.*x_],x_Symbol] :=
  E^(c+d*x^2)*Erf[a+b*x]/(2*d) -
  b/(d*Sqrt[Pi])*Int[E^(-a^2+c-2*a*b*x-(b^2-d)*x^2),x] /;
  FreeQ[{a,b,c,d},x]
```

```
Int[x_*E^(c_.+d_.*x_^2)*Erfc[a_.+b_.*x_],x_Symbol] :=
  E^(c+d*x^2)*Erfc[a+b*x]/(2*d) +
  b/(d*Sqrt[Pi])*Int[E^(-a^2+c-2*a*b*x-(b^2-d)*x^2),x] /;
  FreeQ[{a,b,c,d},x]
```

```
Int[x_*E^(c_.+d_.*x_^2)*Erfi[a_.+b_.*x_],x_Symbol] :=
  E^(c+d*x^2)*Erfi[a+b*x]/(2*d) -
  b/(d*Sqrt[Pi])*Int[E^(a^2+c+2*a*b*x+(b^2+d)*x^2),x] /;
  FreeQ[{a,b,c,d},x]
```

$$2: \int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \text{ when } m-1 \in \mathbb{Z}^+$$

Derivation: Integration by parts

- **Basis:** $\int x e^{c+dx^2} dx = \frac{1}{2d} e^{c+dx^2}$
- **Basis:** $\partial_x (x^{m-1} \operatorname{Erf}[a+bx]) = \frac{2b}{\sqrt{\pi}} x^{m-1} e^{-a^2-2abx-b^2x^2} + (m-1) x^{m-2} \operatorname{Erf}[a+bx]$

Rule: If $m-1 \in \mathbb{Z}^+$, then

$$\int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \rightarrow \frac{x^{m-1} e^{c+dx^2} \operatorname{Erf}[a+bx]}{2d} - \frac{b}{d\sqrt{\pi}} \int x^{m-1} e^{-a^2+c-2abx-(b^2-d)x^2} dx - \frac{m-1}{2d} \int x^{m-2} e^{c+dx^2} \operatorname{Erf}[a+bx] dx$$

Program code:

```
Int[x^m *E^(c_.+d_.*x^2) *Erf[a_.+b_.*x_],x_Symbol] :=
  x^(m-1) *E^(c+d*x^2) *Erf[a+b*x] / (2*d) -
  b / (d*Sqrt[Pi]) *Int[x^(m-1) *E^(-a^2+c-2*a*b*x-(b^2-d)*x^2),x] -
  (m-1) / (2*d) *Int[x^(m-2) *E^(c+d*x^2) *Erf[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,1]
```

```
Int[x^m *E^(c_.+d_.*x^2) *Erfc[a_.+b_.*x_],x_Symbol] :=
  x^(m-1) *E^(c+d*x^2) *Erfc[a+b*x] / (2*d) +
  b / (d*Sqrt[Pi]) *Int[x^(m-1) *E^(-a^2+c-2*a*b*x-(b^2-d)*x^2),x] -
  (m-1) / (2*d) *Int[x^(m-2) *E^(c+d*x^2) *Erfc[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,1]
```

```
Int[x^m *E^(c_.+d_.*x^2) *Erfi[a_.+b_.*x_],x_Symbol] :=
  x^(m-1) *E^(c+d*x^2) *Erfi[a+b*x] / (2*d) -
  b / (d*Sqrt[Pi]) *Int[x^(m-1) *E^(a^2+c+2*a*b*x+(b^2+d)*x^2),x] -
  (m-1) / (2*d) *Int[x^(m-2) *E^(c+d*x^2) *Erfi[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,1]
```

$$2. \int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \text{ when } m \in \mathbb{Z}^-$$

$$1: \int \frac{e^{c+dx^2} \operatorname{Erf}[bx]}{x} dx \text{ when } d = b^2$$

Basis: $\operatorname{Erfc}[z] = 1 - \operatorname{Erf}[z]$

Rule: If $d = b^2$, then

$$\int \frac{e^{c+dx^2} \operatorname{Erf}[bx]}{x} dx \rightarrow \frac{2 b e^c x}{\sqrt{\pi}} \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{2}, 1\right\}, \left\{\frac{3}{2}, \frac{3}{2}\right\}, b^2 x^2\right]$$

Program code:

```
Int[E^(c_.+d_.*x_^2)*Erf[b_.*x_]/x_,x_Symbol] :=
  2*b*E^c*x/Sqrt[Pi]*HypergeometricPFQ[{1/2,1},{3/2,3/2},b^2*x^2] /;
FreeQ[{b,c,d},x] && EqQ[d,b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfc[b_.*x_]/x_,x_Symbol] :=
  Int[E^(c+d*x^2)/x,x] - Int[E^(c+d*x^2)*Erf[b*x]/x,x] /;
FreeQ[{b,c,d},x] && EqQ[d,b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfi[b_.*x_]/x_,x_Symbol] :=
  2*b*E^c*x/Sqrt[Pi]*HypergeometricPFQ[{1/2,1},{3/2,3/2},-b^2*x^2] /;
FreeQ[{b,c,d},x] && EqQ[d,-b^2]
```

$$2: \int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \text{ when } m+1 \in \mathbb{Z}^-$$

Derivation: Inverted integration by parts

Rule: If $m+1 \in \mathbb{Z}^-$, then

$$\int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \rightarrow \frac{x^{m+1} e^{c+dx^2} \operatorname{Erf}[a+bx]}{m+1} - \frac{2b}{(m+1)\sqrt{\pi}} \int x^{m+1} e^{-a^2+c-2abx-(b^2-d)x^2} dx - \frac{2d}{m+1} \int x^{m+2} e^{c+dx^2} \operatorname{Erf}[a+bx] dx$$

Program code:

```
Int[x^m *E^(c_.+d_.*x^2) *Erf[a_.+b_.*x_],x_Symbol] :=
  x^(m+1) *E^(c+d*x^2) *Erf[a+b*x] / (m+1) -
  2*b / ((m+1) *Sqrt[Pi]) *Int[x^(m+1) *E^(-a^2+c-2*a*b*x-(b^2-d) *x^2),x] -
  2*d / (m+1) *Int[x^(m+2) *E^(c+d*x^2) *Erf[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[m,-1]
```

```
Int[x^m *E^(c_.+d_.*x^2) *Erfc[a_.+b_.*x_],x_Symbol] :=
  x^(m+1) *E^(c+d*x^2) *Erfc[a+b*x] / (m+1) +
  2*b / ((m+1) *Sqrt[Pi]) *Int[x^(m+1) *E^(-a^2+c-2*a*b*x-(b^2-d) *x^2),x] -
  2*d / (m+1) *Int[x^(m+2) *E^(c+d*x^2) *Erfc[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[m,-1]
```

```
Int[x^m *E^(c_.+d_.*x^2) *Erfi[a_.+b_.*x_],x_Symbol] :=
  x^(m+1) *E^(c+d*x^2) *Erfi[a+b*x] / (m+1) -
  2*b / ((m+1) *Sqrt[Pi]) *Int[x^(m+1) *E^(a^2+c+2*a*b*x+(b^2+d) *x^2),x] -
  2*d / (m+1) *Int[x^(m+2) *E^(c+d*x^2) *Erfi[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[m,-1]
```

$$\mathbf{U:} \int (e x)^m e^{c+d x^2} \operatorname{Erf}[a+b x]^n dx$$

Rule:

$$\int (e x)^m e^{c+d x^2} \operatorname{Erf}[a+b x]^n dx \rightarrow \int (e x)^m e^{c+d x^2} \operatorname{Erf}[a+b x]^n dx$$

Program code:

```
Int[(e.*x_)^m_.*E^(c_.+d_.*x_^2)*Erf[a_.+b_.*x_] ^n_.,x_Symbol] :=
  Unintegrable[(e*x)^m*E^(c+d*x^2)*Erf[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```

```
Int[(e.*x_)^m_.*E^(c_.+d_.*x_^2)*Erfc[a_.+b_.*x_] ^n_.,x_Symbol] :=
  Unintegrable[(e*x)^m*E^(c+d*x^2)*Erfc[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```

```
Int[(e.*x_)^m_.*E^(c_.+d_.*x_^2)*Erfi[a_.+b_.*x_] ^n_.,x_Symbol] :=
  Unintegrable[(e*x)^m*E^(c+d*x^2)*Erfi[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```

$$5. \int u \operatorname{Erf}[d(a+b \operatorname{Log}[c x^n])] dx$$

$$\mathbf{1:} \int \operatorname{Erf}[d(a+b \operatorname{Log}[c x^n])] dx$$

Derivation: Integration by parts

$$\text{Basis: } \partial_x \operatorname{Erf}[d(a+b \operatorname{Log}[c x^n])] = \frac{2 b d n}{\sqrt{\pi} x e^{(d(a+b \operatorname{Log}[c x^n]))^2}}$$

Rule:

$$\int \operatorname{Erf}[d(a+b \operatorname{Log}[c x^n])] dx \rightarrow x \operatorname{Erf}[d(a+b \operatorname{Log}[c x^n])] - \frac{2 b d n}{\sqrt{\pi}} \int \frac{1}{e^{(d(a+b \operatorname{Log}[c x^n]))^2}} dx$$

Program code:

```
Int[Erf[d.*(a_.+b_.*Log[c_.*x_^n_.])],x_Symbol] :=
  x*Erf[d*(a+b*Log[c*x^n])] - 2*b*d*n/(Sqrt[Pi])*Int[1/E^(d*(a+b*Log[c*x^n]))^2,x] /;
FreeQ[{a,b,c,d,n},x]
```

```
Int[Erfc[d_.*(a_.*b_.*Log[c_.*x_^n_.]),x_Symbol] :=
  x*Erfc[d*(a+b*Log[c*x^n])] + 2*b*d*n/(Sqrt[Pi])*Int[1/E^(d*(a+b*Log[c*x^n]))^2,x] /;
FreeQ[{a,b,c,d,n},x]
```

```
Int[Erfi[d_.*(a_.*b_.*Log[c_.*x_^n_.]),x_Symbol] :=
  x*Erfi[d*(a+b*Log[c*x^n])] - 2*b*d*n/(Sqrt[Pi])*Int[E^(d*(a+b*Log[c*x^n]))^2,x] /;
FreeQ[{a,b,c,d,n},x]
```

2: $\int \frac{\text{Erf}[d(a + b \log[cx^n])]}{x} dx$

Derivation: Integration by substitution

▪ Basis: $\frac{F[\log[cx^n]]}{x} = \frac{1}{n} \text{Subst}[F[x], x, \log[cx^n]] \partial_x \log[cx^n]$

Rule:

$$\int \frac{\text{Erf}[d(a + b \log[cx^n])]}{x} dx \rightarrow \frac{1}{n} \text{Subst}[\text{Erf}[d(a + bx)], x, \log[cx^n]]$$

Program code:

```
Int[F_[d_.*(a_.*b_.*Log[c_.*x_^n_.])/x_,x_Symbol] :=
  1/n*Subst[F[d*(a+b*x)],x,Log[c*x^n]] /;
FreeQ[{a,b,c,d,n},x] && MemberQ[{Erf,Erfc,Erfi},F]
```

3: $\int (e x)^m \operatorname{Erf}[d (a + b \operatorname{Log}[c x^n])] dx$ when $m \neq -1$

Derivation: Integration by parts

■ **Basis:** $\partial_x \operatorname{Erf}[d (a + b \operatorname{Log}[c x^n])] = \frac{2 b d n}{\sqrt{\pi} x e^{(d (a + b \operatorname{Log}[c x^n]))^2}}$

— **Rule:** If $m \neq -1$, then

$$\int (e x)^m \operatorname{Erf}[d (a + b \operatorname{Log}[c x^n])] dx \rightarrow \frac{(e x)^{m+1} \operatorname{Erf}[d (a + b \operatorname{Log}[c x^n])]}{e (m+1)} - \frac{2 b d n}{\sqrt{\pi} (m+1)} \int \frac{(e x)^m}{e^{(d (a + b \operatorname{Log}[c x^n]))^2}} dx$$

Program code:

```
Int[(e.*x_)^m_.*Erf[d_.*(a_+b_.*Log[c_.*x_^n_.])],x_Symbol] :=
  (e*x)^(m+1)*Erf[d*(a+b*Log[c*x^n])]/(e*(m+1)) -
  2*b*d*n/(Sqrt[Pi]*(m+1))*Int[(e*x)^m/E^(d*(a+b*Log[c*x^n]))^2,x] /;
FreeQ[{a,b,c,d,e,m,n},x] && NeQ[m,-1]
```

```
Int[(e.*x_)^m_.*Erfc[d_.*(a_+b_.*Log[c_.*x_^n_.])],x_Symbol] :=
  (e*x)^(m+1)*Erfc[d*(a+b*Log[c*x^n])]/(e*(m+1)) +
  2*b*d*n/(Sqrt[Pi]*(m+1))*Int[(e*x)^m/E^(d*(a+b*Log[c*x^n]))^2,x] /;
FreeQ[{a,b,c,d,e,m,n},x] && NeQ[m,-1]
```

```
Int[(e.*x_)^m_.*Erfi[d_.*(a_+b_.*Log[c_.*x_^n_.])],x_Symbol] :=
  (e*x)^(m+1)*Erfi[d*(a+b*Log[c*x^n])]/(e*(m+1)) -
  2*b*d*n/(Sqrt[Pi]*(m+1))*Int[(e*x)^m*E^(d*(a+b*Log[c*x^n]))^2,x] /;
FreeQ[{a,b,c,d,e,m,n},x] && NeQ[m,-1]
```

6: $\int \sin[c + d x^2] \operatorname{Erf}[b x] dx$ when $d^2 = -b^4$

Derivation: Algebraic expansion

- **Basis:** $\sin[c + d x^2] = \frac{1}{2} i e^{-i c - i d x^2} - \frac{1}{2} i e^{i c + i d x^2}$

- **Rule:** If $d^2 = -b^4$, then

$$\int \sin[c + d x^2] \operatorname{Erf}[b x] dx \rightarrow \frac{i}{2} \int e^{-i c - i d x^2} \operatorname{Erf}[b x] dx - \frac{i}{2} \int e^{i c + i d x^2} \operatorname{Erf}[b x] dx$$

Program code:

```
Int[Sin[c_+d_.*x_^2]*Erf[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erf[b*x],x] - 1/2*Int[E^(I*c+I*d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Sin[c_+d_.*x_^2]*Erfc[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erfc[b*x],x] - 1/2*Int[E^(I*c+I*d*x^2)*Erfc[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Sin[c_+d_.*x_^2]*Erfi[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erfi[b*x],x] - 1/2*Int[E^(I*c+I*d*x^2)*Erfi[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Cos[c_+d_.*x_^2]*Erf[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erf[b*x],x] + 1/2*Int[E^(I*c+I*d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Cos[c_+d_.*x_^2]*Erfc[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erfc[b*x],x] + 1/2*Int[E^(I*c+I*d*x^2)*Erfc[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Cos[c_+d_.*x_^2]*Erfi[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erfi[b*x],x] + 1/2*Int[E^(I*c+I*d*x^2)*Erfi[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```


7: $\int \sinh[c + d x] \operatorname{Erf}[b x] dx$ when $d^2 = b^4$

Derivation: Algebraic expansion

- **Basis:** $\sinh[c + d x^2] = \frac{1}{2} e^{c+d x^2} - \frac{1}{2} e^{-c-d x^2}$

- **Rule:** If $d^2 = b^4$, then

$$\int \sinh[c + d x^2] \operatorname{Erf}[b x] dx \rightarrow \frac{1}{2} \int e^{c+d x^2} \operatorname{Erf}[b x] dx - \frac{1}{2} \int e^{-c-d x^2} \operatorname{Erf}[b x] dx$$

Program code:

```
Int[Sinh[c_.+d_.*x_^2]*Erf[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erf[b*x],x] - 1/2*Int[E^(-c-d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]
```

```
Int[Sinh[c_.+d_.*x_^2]*Erfc[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erfc[b*x],x] - 1/2*Int[E^(-c-d*x^2)*Erfc[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]
```

```
Int[Sinh[c_.+d_.*x_^2]*Erfi[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erfi[b*x],x] - 1/2*Int[E^(-c-d*x^2)*Erfi[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]
```

```
Int[Cosh[c_.+d_.*x_^2]*Erf[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erf[b*x],x] + 1/2*Int[E^(-c-d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]
```

```
Int[Cosh[c_.+d_.*x_^2]*Erfc[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erfc[b*x],x] + 1/2*Int[E^(-c-d*x^2)*Erfc[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]
```

```
Int[Cosh[c_.+d_.*x_^2]*Erfi[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erfi[b*x],x] + 1/2*Int[E^(-c-d*x^2)*Erfi[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]
```

Rules for integrands involving special functions

1: $\int F[f(a + b \log[c(d + ex)^n])] dx$ when

$F \in \{\text{Erf}, \text{Erfc}, \text{Erfi}, \text{FresnelS}, \text{FresnelC}, \text{ExpIntegralEi}, \text{SinIntegral}, \text{CosIntegral}, \text{SinhIntegral}, \text{CoshIntegral}\}$

Derivation: Integration by substitution

Rule: If $F \in \{\text{Erf}, \text{Erfc}, \text{Erfi}, \text{FresnelS}, \text{FresnelC}, \text{ExpIntegralEi}, \text{SinIntegral}, \text{CosIntegral}, \text{SinhIntegral}, \text{CoshIntegral}\}$, then

$$\int F[f(a + b \log[c(d + ex)^n])] dx \rightarrow \frac{1}{e} \text{Subst}\left[\int F[f(a + b \log[cx^n])] dx, x, d + ex\right]$$

Program code:

```
Int[F_[f_.*(a_+b_.*Log[c_.*(d_+e_.*x_)^n_.)],x_Symbol] :=
  1/e*Subst[Int[F[f*(a+b*Log[c*x^n])],x],x,d+e*x] /;
FreeQ[{a,b,c,d,e,f,n},x] && MemberQ[{Erf,Erfc,Erfi,FresnelS,FresnelC,ExpIntegralEi,SinIntegral,CosIntegral,SinhIntegral,CoshIntegra
```

2: $\int (g + hx)^m F[f(a + b \log[c(d + ex)^n])] dx$ when

$eg - dh = 0 \wedge F \in \{\text{Erf}, \text{Erfc}, \text{Erfi}, \text{FresnelS}, \text{FresnelC}, \text{ExpIntegralEi}, \text{SinIntegral}, \text{CosIntegral}, \text{SinhIntegral}, \text{CoshIntegral}\}$

Derivation: Integration by substitution

Basis: If $eg - dh = 0$, then $(g + hx)^m F[d + ex] = \frac{1}{e} \text{Subst}\left[\left(\frac{gx}{d}\right)^m F[x], x, d + ex\right] \partial_x(d + ex)$

Rule: If $eg - dh = 0 \wedge$

$F \in \{\text{Erf}, \text{Erfc}, \text{Erfi}, \text{FresnelS}, \text{FresnelC}, \text{ExpIntegralEi}, \text{SinIntegral}, \text{CosIntegral}, \text{SinhIntegral}, \text{CoshIntegral}\}$,

then

$$\int (g + hx)^m F[f(a + b \log[c(d + ex)^n])] dx \rightarrow \frac{1}{e} \text{Subst}\left[\int \left(\frac{gx}{d}\right)^m F[f(a + b \log[cx^n])] dx, x, d + ex\right]$$

Program code:

```
Int[(g+h_.*x_)^m_.*F_[f_.*(a_+b_.*Log[c_.*(d_+e_.*x_)^n_.)],x_Symbol] :=
  1/e*Subst[Int[(g*x/d)^m*F[f*(a+b*Log[c*x^n])],x],x,d+e*x] /;
FreeQ[{a,b,c,d,e,f,g,m,n},x] && EqQ[e*f-d*g,0] &&
MemberQ[{Erf,Erfc,Erfi,FresnelS,FresnelC,ExpIntegralEi,SinIntegral,CosIntegral,SinhIntegral,CoshIntegral},F]
```