

Rules for integrands of the form $(a + b \operatorname{ArcSinh}[c x])^n$

1: $\int (a + b \operatorname{ArcSinh}[c x])^n dx$ when $n > 0$

Derivation: Integration by parts

Basis: $\partial_x (a + b \operatorname{ArcSinh}[c x])^n = \frac{b c n (a+b \operatorname{ArcSinh}[c x])^{n-1}}{\sqrt{1+c^2 x^2}}$

Rule: If $n > 0$, then

$$\int (a + b \operatorname{ArcSinh}[c x])^n dx \rightarrow x (a + b \operatorname{ArcSinh}[c x])^n - b c n \int \frac{x (a + b \operatorname{ArcSinh}[c x])^{n-1}}{\sqrt{1+c^2 x^2}} dx$$

Program code:

```
Int[(a_+b_*ArcSinh[c_*x_])^n_,x_Symbol] :=
  x*(a+b*ArcSinh[c*x])^n -
  b*c*n*Int[x*(a+b*ArcSinh[c*x])^(n-1)/Sqrt[1+c^2*x^2],x] /;
FreeQ[{a,b,c},x] && GtQ[n,0]
```

2: $\int (a + b \operatorname{ArcSinh}[c x])^n dx$ when $n < -1$

Derivation: Integration by parts

Basis: $\frac{(a+b \operatorname{ArcSinh}[c x])^n}{\sqrt{1+c^2 x^2}} = \partial_x \frac{(a+b \operatorname{ArcSinh}[c x])^{n+1}}{b c (n+1)}$

Rule: If $n < -1$, then

$$\int (a + b \operatorname{ArcSinh}[c x])^n dx \rightarrow \frac{\sqrt{1+c^2 x^2} (a + b \operatorname{ArcSinh}[c x])^{n+1}}{b c (n+1)} - \frac{c}{b (n+1)} \int \frac{x (a + b \operatorname{ArcSinh}[c x])^{n+1}}{\sqrt{1+c^2 x^2}} dx$$

Program code:

```
Int[(a_+b_.*ArcSinh[c_.*x_])^n_,x_Symbol]:=  
  Sqrt[1+c^2*x^2]*(a+b*ArcSinh[c*x])^(n+1)/(b*c*(n+1))-  
  c/(b*(n+1))*Int[x*(a+b*ArcSinh[c*x])^(n+1)/Sqrt[1+c^2*x^2],x]/;  
 FreeQ[{a,b,c},x] && LtQ[n,-1]
```

3: $\int (a + b \operatorname{ArcSinh}[c x])^n dx$

Derivation: Integration by substitution

Basis:

$$(a + b \operatorname{ArcSinh}[c x])^n = \frac{1}{b c} \operatorname{Subst} \left[x^n \operatorname{Cosh} \left[-\frac{a}{b} + \frac{x}{b} \right], x, (a + b \operatorname{ArcSinh}[c x]) \right] \partial_x (a + b \operatorname{ArcSinh}[c x])$$

Rule:

$$\int (a + b \operatorname{ArcSinh}[c x])^n dx \rightarrow \frac{1}{b c} \operatorname{Subst} \left[\int x^n \operatorname{Cosh} \left[-\frac{a}{b} + \frac{x}{b} \right] dx, x, a + b \operatorname{ArcSinh}[c x] \right]$$

Program code:

```
Int[(a_.+b_.*ArcSinh[c_.*x_])^n_,x_Symbol]:=  
 1/(b*c)*Subst[Int[x^n*Cosh[-a/b+x/b],x],x,a+b*ArcSinh[c*x]] /;  
 FreeQ[{a,b,c,n},x]
```