

Rules for integrands of the form $(d + e x)^m (f + g x)^n (a + b x + c x^2)^p$

0: $\int x^m (f + g x)^n (b x + c x^2) dx$

– Rule 1.2.1.4.0: If $c f (m+2) - b g (m+n+3) = 0$, then

$$\int x^m (f + g x)^n (b x + c x^2) dx \rightarrow \frac{c x^{m+2} (f + g x)^{n+1}}{g (m+n+3)}$$

Program code:

```
Int[x^m.*(f_+g_.*x_)^n.*(b_.*x_+c_.*x_^2),x_Symbol] :=  
  c*x^(m+2)*(f+g*x)^(n+1)/(g*(m+n+3)) /;  
FreeQ[{b,c,f,g,m,n},x] && EqQ[c*f*(m+2)-b*g*(m+n+3),0] && NeQ[m+n+3,0]
```

1: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c = 0 \wedge p \notin \mathbb{Z}$

Derivation: Piecewise constant extraction

Basis: If $b^2 - 4 a c = 0$, then $\partial_x \frac{(a+b x+c x^2)^p}{\left(\frac{b}{2}+c x\right)^{2 p}} = 0$

– Rule 1.2.1.4.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c = 0 \wedge p \notin \mathbb{Z}$, then

$$\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow \frac{(a + b x + c x^2)^{\text{FracPart}[p]}}{c^{\text{IntPart}[p]} \left(\frac{b}{2} + c x\right)^{2 \text{FracPart}[p]}} \int (d + e x)^m (f + g x)^n \left(\frac{b}{2} + c x\right)^{2 p} dx$$

Program code:

```
Int[(d_+e_.*x_)^m*(f_+g_.*x_)^n*(a_+b_.*x_+c_.*x_^2)^p_,x_Symbol] :=  
  (a+b*x+c*x^2)^FracPart[p]/(c^IntPart[p]*(b/2+c*x)^(2*FracPart[p]))*Int[(d+e*x)^m*(f+g*x)^n*(b/2+c*x)^(2*p),x] /;  
FreeQ[{a,b,c,d,e,f,g,m,n},x] && NeQ[e*f-d*g,0] && EqQ[b^2-4*a*c,0] && Not[IntegerQ[p]]
```

2. $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0$

1: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \in \mathbb{Z}$

Derivation: Algebraic simplification

Basis: If $c d^2 - b d e + a e^2 = 0$, then $a + b x + c x^2 = (d + e x) \left(\frac{a}{d} + \frac{c x}{e} \right)$

Rule 1.2.1.4.2.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \in \mathbb{Z}$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \int (d+e x)^{m+p} (f+g x)^n \left(\frac{a}{d} + \frac{c x}{e} \right)^p dx$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_+c_._*x_^2)^p_.,x_Symbol]:=  
Int[(d+e*x)^(m+p)*(f+g*x)^n*(a/d+c/e*x)^p,x]/;  
FreeQ[{a,b,c,d,e,f,g,m,n},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[p] && Not[IGtQ[n,0]]
```

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_^2)^p_.,x_Symbol]:=  
Int[(d+e*x)^(m+p)*(f+g*x)^n*(a/d+c/e*x)^p,x]/;  
FreeQ[{a,c,d,e,f,g,m,n},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && (IntegerQ[p] || GtQ[a,0] && GtQ[d,0] && EqQ[m+p,0])
```

2. $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z}$

1: $\int \frac{x^n (a+b x+c x^2)^p}{d+e x} dx$ when $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z}$

Derivation: Algebraic simplification

Basis: If $c d^2 - b d e + a e^2 = 0$, then $\frac{a+b x+c x^2}{d+e x} = \frac{a}{d} + \frac{c x}{e}$

Rule 1.2.1.4.2.2.1: If $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge p > 0$, then

$$\int \frac{x^n (a + b x + c x^2)^p}{d + e x} dx \rightarrow \int x^n \left(\frac{a}{d} + \frac{c x}{e} \right) (a + b x + c x^2)^{p-1} dx$$

Program code:

```
Int[x^n_.*(a_.+b_.*x_+c_.*x_^2)^p_/(d_+e_.*x_),x_Symbol] :=
  Int[x^n*(a/d+c*x/e)*(a+b*x+c*x^2)^(p-1),x] /;
FreeQ[{a,b,c,d,e,n,p},x] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[p]] &&
  (Not[IntegerQ[n]] || Not[IntegerQ[2*p]] || IGtQ[n,2] || GtQ[p,0] && NeQ[n,2])
```

```
Int[x^n_.*(a_+c_.*x_^2)^p_/(d_+e_.*x_),x_Symbol] :=
  Int[x^n*(a/d+c*x/e)*(a+c*x^2)^(p-1),x] /;
FreeQ[{a,c,d,e,n,p},x] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] &&
  (Not[IntegerQ[n]] || Not[IntegerQ[2*p]] || IGtQ[n,2] || GtQ[p,0] && NeQ[n,2])
```

2: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m \in \mathbb{Z}^-$

Derivation: Algebraic simplification

Basis: If $c d^2 - b d e + a e^2 = 0$, then $d + e x = \frac{a+b x+c x^2}{\frac{a}{d} + \frac{c x}{e}}$

Basis: If $c d^2 + a e^2 = 0$, then $d + e x = \frac{d^2 (a+c x^2)}{a (d-e x)}$

Note: Since $(\frac{a}{d} + \frac{c x}{e})^{-m}$ is a polynomial, this rule transforms integrand into an expression of the form $(d+e x)^m P_q[x] (a+b x+c x^2)^p$ for which there are rules.

Rule 1.2.1.4.2.2.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m \in \mathbb{Z}^-$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \int \left(\frac{a}{d} + \frac{c x}{e}\right)^{-m} (f+g x)^n (a+b x+c x^2)^{m+p} dx$$

Program code:

```

Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:= 
  Int[(a/d+c*x/e)^(-m)*(f+g*x)^n*(a+b*x+c*x^2)^(m+p),x];
FreeQ[{a,b,c,d,e,f,g,n,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[p]] && ILtQ[m,0] && IntegerQ[n] &
  (LtQ[n,0] || GtQ[p,0])

Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol]:= 
  d^(2*m)/a^m*Int[(f+g*x)^n*(a+c*x^2)^(m+p)/(d-e*x)^m,x];
FreeQ[{a,c,d,e,f,g,n,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && EqQ[f,0] && ILtQ[m,-1] &&
  Not[IGtQ[n,0] && ILtQ[m+n,0] && Not[GtQ[p,1]]]

Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol]:= 
  d^(2*m)/a^m*Int[(f+g*x)^n*(a+c*x^2)^(m+p)/(d-e*x)^m,x];
FreeQ[{a,c,d,e,f,g,n,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && ILtQ[m,0] && IntegerQ[n]

```

$$3. \int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge n \in \mathbb{Z} \wedge n+2p \in \mathbb{Z}^-$$

$$1: \int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^+ \wedge n+2p \in \mathbb{Z}^-$$

Derivation: Algebraic simplification and quadratic recurrence 2a

Basis: If $c d^2 - b d e + a e^2 = 0$, then $\frac{a+b x+c x^2}{d+e x} = \frac{a e+c d x}{d e}$

Rule 1.2.1.4.2.2.3.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^+ \wedge n+2p \in \mathbb{Z}^-$, then

$$\begin{aligned} \int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx &\rightarrow \frac{1}{d e} \int (a e + c d x) (f+g x)^n (a+b x+c x^2)^{p-1} dx \rightarrow \\ &- \frac{(2 c d - b e) (f+g x)^n (a+b x+c x^2)^{p+1}}{e p (b^2 - 4 a c) (d+e x)} - \\ &\frac{1}{d e p (b^2 - 4 a c)} \int (f+g x)^{n-1} (a+b x+c x^2)^p (b (a e g n - c d f (2 p + 1)) - 2 a c (d g n - e f (2 p + 1)) - c g (b d - 2 a e) (n + 2 p + 1) x) dx \end{aligned}$$

Program code:

```
Int[(f_.+g_.*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_/(d_._+e_._*x_),x_Symbol] :=  
-(2*c*d-b*e)*(f+g*x)^n*(a+b*x+c*x^2)^(p+1)/(e*p*(b^2-4*a*c)*(d+e*x)) -  
1/(d*e*p*(b^2-4*a*c))*Int[(f+g*x)^(n-1)*(a+b*x+c*x^2)^p*  
Simp[b*(a*e*g*n-c*d*f*(2*p+1))-2*a*c*(d*g*n-e*f*(2*p+1))-c*g*(b*d-2*a*e)*(n+2*p+1)*x,x],x];;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[p]] && IGtQ[n,0] && ILtQ[n+2*p,0]
```

```
Int[(f_.+g_.*x_)^n_*(a_._+c_._*x_._^2)^p_/(d_._+e_._*x_),x_Symbol] :=  
d*(f+g*x)^n*(a+c*x^2)^(p+1)/(2*a*e*p*(d+e*x)) -  
1/(2*d*e*p)*Int[(f+g*x)^(n-1)*(a+c*x^2)^p*Simp[d*g*n-e*f*(2*p+1)-e*g*(n+2*p+1)*x,x],x];;  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && IGtQ[n,0] && ILtQ[n+2*p,0]
```

$$2: \int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^- \wedge n+2p \in \mathbb{Z}^-$$

Derivation: Algebraic simplification and quadratic recurrence 2b

Basis: If $c d^2 - b d e + a e^2 = 0$, then $\frac{a+b x+c x^2}{d+e x} = \frac{a e+c d x}{d e}$

Rule 1.2.1.4.2.2.3.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge n \in \mathbb{Z}^- \wedge n+2p \in \mathbb{Z}^-$, then

$$\begin{aligned} \int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx &\rightarrow \frac{1}{d e} \int (a e + c d x) (f+g x)^n (a+b x+c x^2)^{p-1} dx \rightarrow \\ &\quad \frac{(f+g x)^{n+1} (a+b x+c x^2)^p (c d - b e - c e x)}{p (2 c d - b e) (e f - d g)} + \\ &\quad \frac{1}{p (2 c d - b e) (e f - d g)} \int (f+g x)^n (a+b x+c x^2)^p (b e g (n+p+1) + c e f (2 p+1) - c d g (n+2 p+1) + c e g (n+2 p+2) x) dx \end{aligned}$$

Program code:

```
Int[(f_..+g_..*x_)^n_*(a_..+b_..*x_+c_..*x_^2)^p_/(d_+e_..*x_),x_Symbol]:=  
  (f+g*x)^(n+1)*(a+b*x+c*x^2)^p*(c*d-b*e-c*e*x)/(p*(2*c*d-b*e)*(e*f-d*g)) +  
  1/(p*(2*c*d-b*e)*(e*f-d*g))*Int[(f+g*x)^n*(a+b*x+c*x^2)^p*(b*e*g*(n+p+1)+c*e*f*(2*p+1)-c*d*g*(n+2*p+1)+c*e*g*(n+2*p+2)*x),x];  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[p]] &&  
 ILtQ[n,0] && ILtQ[n+2*p,0] && Not[IGtQ[n,0]]
```

```
Int[(f_..+g_..*x_)^n_*(a_..+c_..*x_..*x^2)^p_/(d_+e_..*x_),x_Symbol]:=  
  d*(f+g*x)^(n+1)*(a+c*x^2)^(p+1)/(2*a*p*(e*f-d*g)*(d+e*x)) +  
  1/(p*(2*c*d)*(e*f-d*g))*Int[(f+g*x)^n*(a+c*x^2)^p*(c*e*f*(2*p+1)-c*d*g*(n+2*p+1)+c*e*g*(n+2*p+2)*x),x];  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] &&  
 ILtQ[n,0] && ILtQ[n+2*p,0] && Not[IGtQ[n,0]]
```

$$4. \int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p = 0$$

1:

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p=0 \wedge c e f + c d g - b e g = 0 \wedge m-n-1 \neq 0$$

Rule 1.2.1.4.2.2.4.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p=0 \wedge c e f + c d g - b e g = 0 \wedge m-n-1 \neq 0$, then

$$p \notin \mathbb{Z} \wedge m+p=0 \wedge c e f + c d g - b e g = 0 \wedge m-n-1 \neq 0$$

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow -\frac{e (d+e x)^{m-1} (f+g x)^n (a+b x+c x^2)^{p+1}}{c (m-n-1)}$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:=  
-e*(d+e*x)^(m-1)*(f+g*x)^n*(a+b*x+c*x^2)^(p+1)/(c*(m-n-1)) /;  
FreeQ[{a,b,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p,0] && EqQ[c*e*f+c*d*g-b*e*g,0] && NeQ[m-n-1,0]
```

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol]:=  
-e*(d+e*x)^(m-1)*(f+g*x)^n*(a+c*x^2)^(p+1)/(c*(m-n-1)) /;  
FreeQ[{a,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p,0] && EqQ[e*f+d*g,0] && NeQ[m-n-1,0]
```

$$2: \int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p=0 \wedge m-n-2=0$$

Rule 1.2.1.4.2.2.4.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p=0 \wedge m-n-2=0$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow -\frac{e^2 (d+e x)^{m-1} (f+g x)^{n+1} (a+b x+c x^2)^{p+1}}{(n+1) (c e f + c d g - b e g)}$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:=  
-e^2*(d+e*x)^(m-1)*(f+g*x)^(n+1)*(a+b*x+c*x^2)^(p+1)/((n+1)*(c*e*f+c*d*g-b*e*g)) /;  
FreeQ[{a,b,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[p]] && EqQ[m+p,0] && EqQ[m-n-2,0]
```

```

Int[ (d_+e_.*x_)^m_* (f_._+g_.*x_)^n_* (a_._+c_._*x_._^2)^p_,x_Symbol] :=

-e^2*(d+e*x)^(m-1)*(f+g*x)^(n+1)*(a+c*x^2)^(p+1)/(c*(n+1)*(e*f+d*g)) /;

FreeQ[{a,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && EqQ[m+p,0] && EqQ[m-n-2,0]

```

3. $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + p = 0 \wedge p > 0$

1: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + p = 0 \wedge p > 0 \wedge n < -1$

Rule 1.2.1.4.2.2.4.3.1: If

$e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + p = 0 \wedge p > 0 \wedge n < -1$, then

$$\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow$$

$$\frac{(d + e x)^m (f + g x)^{n+1} (a + b x + c x^2)^p}{g (n + 1)} + \frac{c m}{e g (n + 1)} \int (d + e x)^{m+1} (f + g x)^{n+1} (a + b x + c x^2)^{p-1} dx$$

Program code:

```

Int[ (d_+e_.*x_)^m_* (f_._+g_.*x_)^n_* (a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol] :=

(d+e*x)^m*(f+g*x)^(n+1)*(a+b*x+c*x^2)^p/(g*(n+1)) +
c*m/(e*g*(n+1))*Int[ (d+e*x)^(m+1)*(f+g*x)^(n+1)*(a+b*x+c*x^2)^(p-1),x] /;

FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&
Not[IntegerQ[p]] && EqQ[m+p,0] && GtQ[p,0] && LtQ[n,-1] && Not[IntegerQ[n+p]] && LeQ[n+p+2,0]

```

```

Int[ (d_+e_.*x_)^m_* (f_._+g_.*x_)^n_* (a_._+c_._*x_._^2)^p_,x_Symbol] :=

(d+e*x)^m*(f+g*x)^(n+1)*(a+c*x^2)^p/(g*(n+1)) +
c*m/(e*g*(n+1))*Int[ (d+e*x)^(m+1)*(f+g*x)^(n+1)*(a+c*x^2)^(p-1),x] /;

FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] &&
Not[IntegerQ[p]] && EqQ[m+p,0] && GtQ[p,0] && LtQ[n,-1] && Not[IntegerQ[n+p]] && LeQ[n+p+2,0]

```

$$2: \int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p=0 \wedge p > 0 \wedge m-n-1 \neq 0$$

Rule 1.2.1.4.2.2.4.3.2: If

$e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p=0 \wedge p > 0 \wedge m-n-1 \neq 0$, then

$$\begin{aligned} & \int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \\ & - \frac{(d+e x)^m (f+g x)^{n+1} (a+b x+c x^2)^p}{g (m-n-1)} - \frac{m (c e f + c d g - b e g)}{e^2 g (m-n-1)} \int (d+e x)^{m+1} (f+g x)^n (a+b x+c x^2)^{p-1} dx \end{aligned}$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:=  
-(d+e*x)^m*(f+g*x)^(n+1)*(a+b*x+c*x^2)^p/(g*(m-n-1)) -  
m*(c*e*f+c*d*g-b*e*g)/(e^2*g*(m-n-1))*Int[(d+e*x)^(m+1)*(f+g*x)^n*(a+b*x+c*x^2)^(p-1),x];;  
FreeQ[{a,b,c,d,e,f,g,n},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p,0] && GtQ[p,0] && NeQ[m-n-1,0] && Not[IGtQ[n,0]] && Not[IntegerQ[n+p] && LtQ[n+p+2,0]] && RationalQ[n]
```

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol]:=  
-(d+e*x)^m*(f+g*x)^(n+1)*(a+c*x^2)^p/(g*(m-n-1)) -  
c*m*(e*f+d*g)/(e^2*g*(m-n-1))*Int[(d+e*x)^(m+1)*(f+g*x)^n*(a+c*x^2)^(p-1),x];;  
FreeQ[{a,c,d,e,f,g,n},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p,0] && GtQ[p,0] && NeQ[m-n-1,0] && Not[IGtQ[n,0]] && Not[IntegerQ[n+p] && LtQ[n+p+2,0]] && RationalQ[n]
```

$$4. \int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p=0 \wedge p < -1$$

$$1: \int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p=0 \wedge p < -1 \wedge n > 0$$

Rule 1.2.1.4.2.2.4.4.1: If

$e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p=0 \wedge p < -1 \wedge n > 0$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow$$

$$\frac{e (d + e x)^{m-1} (f + g x)^n (a + b x + c x^2)^{p+1}}{c (p + 1)} - \frac{e g n}{c (p + 1)} \int (d + e x)^{m-1} (f + g x)^{n-1} (a + b x + c x^2)^{p+1} dx$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:=  
e*(d+e*x)^(m-1)*(f+g*x)^n*(a+b*x+c*x^2)^(p+1)/(c*(p+1))-  
e*g*n/(c*(p+1))*Int[(d+e*x)^(m-1)*(f+g*x)^(n-1)*(a+b*x+c*x^2)^(p+1),x]/;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p,0] && LtQ[p,-1] && GtQ[n,0]
```

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol]:=  
e*(d+e*x)^(m-1)*(f+g*x)^n*(a+c*x^2)^(p+1)/(c*(p+1))-  
e*g*n/(c*(p+1))*Int[(d+e*x)^(m-1)*(f+g*x)^(n-1)*(a+c*x^2)^(p+1),x]/;  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p,0] && LtQ[p,-1] && GtQ[n,0]
```

2: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + p = 0 \wedge p < -1$

Rule 1.2.1.4.2.2.4.4.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + p = 0 \wedge p < -1$, then

$$\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow \\ \frac{e^2 (d + e x)^{m-1} (f + g x)^{n+1} (a + b x + c x^2)^{p+1}}{(p + 1) (c e f + c d g - b e g)} + \frac{e^2 g (m - n - 2)}{(p + 1) (c e f + c d g - b e g)} \int (d + e x)^{m-1} (f + g x)^n (a + b x + c x^2)^{p+1} dx$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:=  
e^2*(d+e*x)^(m-1)*(f+g*x)^(n+1)*(a+b*x+c*x^2)^(p+1)/((p+1)*(c*e*f+c*d*g-b*e*g))+  
e^2*g*(m-n-2)/((p+1)*(c*e*f+c*d*g-b*e*g))*Int[(d+e*x)^(m-1)*(f+g*x)^n*(a+b*x+c*x^2)^(p+1),x]/;  
FreeQ[{a,b,c,d,e,f,g,n},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[p]] && EqQ[m+p,0] &&  
LtQ[p,-1] && RationalQ[n]
```

```

Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol] :=

e^2*(d+e*x)^(m-1)*(f+g*x)^(n+1)*(a+c*x^2)^(p+1)/(c*(p+1)*(e*f+d*g)) +
e^2*g*(m-n-2)/(c*(p+1)*(e*f+d*g))*Int[(d+e*x)^(m-1)*(f+g*x)^n*(a+c*x^2)^(p+1),x] /;

FreeQ[{a,c,d,e,f,g,n},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && EqQ[m+p,0] && LtQ[p,-1] && RationalQ[n]

```

5: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + p = 0 \wedge n > 0 \wedge m - n - 1 \neq 0$

Rule 1.2.1.4.2.2.4.5: If

$e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + p = 0 \wedge n > 0 \wedge m - n - 1 \neq 0$, then

$$\begin{aligned} & \int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow \\ & -\frac{e (d + e x)^{m-1} (f + g x)^n (a + b x + c x^2)^{p+1}}{c (m - n - 1)} - \frac{n (c e f + c d g - b e g)}{c e (m - n - 1)} \int (d + e x)^m (f + g x)^{n-1} (a + b x + c x^2)^p dx \end{aligned}$$

Program code:

```

Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol] :=

-e*(d+e*x)^(m-1)*(f+g*x)^n*(a+b*x+c*x^2)^(p+1)/(c*(m-n-1)) -
n*(c*e*f+c*d*g-b*e*g)/(c*e*(m-n-1))*Int[(d+e*x)^m*(f+g*x)^(n-1)*(a+b*x+c*x^2)^p,x] /;

FreeQ[{a,b,c,d,e,f,g,m,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&
Not[IntegerQ[p]] && EqQ[m+p,0] && GtQ[n,0] && NeQ[m-n-1,0] && (IntegerQ[2*p] || IntegerQ[n])

```

```

Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol] :=

-e*(d+e*x)^(m-1)*(f+g*x)^n*(a+c*x^2)^(p+1)/(c*(m-n-1)) -
n*(e*f+d*g)/(e*(m-n-1))*Int[(d+e*x)^m*(f+g*x)^(n-1)*(a+c*x^2)^p,x] /;

FreeQ[{a,c,d,e,f,g,m,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] &&
Not[IntegerQ[p]] && EqQ[m+p,0] && GtQ[n,0] && NeQ[m-n-1,0] && (IntegerQ[2*p] || IntegerQ[n])

```

6: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + p = 0 \wedge n < -1$

Rule 1.2.1.4.2.2.4.6: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + p = 0 \wedge n < -1$, then

$$\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow$$

$$-\frac{e^2 (d + e x)^{m-1} (f + g x)^{n+1} (a + b x + c x^2)^{p+1}}{(n+1) (c e f + c d g - b e g)} - \frac{c e (m-n-2)}{(n+1) (c e f + c d g - b e g)} \int (d + e x)^m (f + g x)^{n+1} (a + b x + c x^2)^p dx$$

Program code:

```

Int[ (d_+e_.*x_)^m_* (f_._+g_.*x_)^n_* (a_._+b_._*x_+c_._*x_^2)^p_,x_Symbol] :=
-e^2*(d+e*x)^(m-1)*(f+g*x)^(n+1)*(a+b*x+c*x^2)^(p+1)/((n+1)*(c*e*f+c*d*g-b*e*g)) -
c*e*(m-n-2)/((n+1)*(c*e*f+c*d*g-b*e*g))*Int[ (d+e*x)^m*(f+g*x)^(n+1)*(a+b*x+c*x^2)^p,x] /;
FreeQ[{a,b,c,d,e,f,g,m,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&
Not[IntegerQ[p]] && EqQ[m+p,0] && LtQ[n,-1] && IntegerQ[2*p]

Int[ (d_+e_.*x_)^m_* (f_._+g_.*x_)^n_* (a_+c_._*x_^2)^p_,x_Symbol] :=
-e^2*(d+e*x)^(m-1)*(f+g*x)^(n+1)*(a+c*x^2)^(p+1)/((n+1)*(c*e*f+c*d*g)) -
e*(m-n-2)/((n+1)*(e*f+d*g))*Int[ (d+e*x)^m*(f+g*x)^(n+1)*(a+c*x^2)^p,x] /;
FreeQ[{a,c,d,e,f,g,m,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] &&
Not[IntegerQ[p]] && EqQ[m+p,0] && LtQ[n,-1] && IntegerQ[2*p]

```

$$7: \int \frac{\sqrt{d+e x}}{(f+g x) \sqrt{a+b x+c x^2}} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0$$

Derivation: Integration by substitution

Basis: If $c d^2 - b d e + a e^2 = 0$, then $\frac{\sqrt{d+e x}}{x \sqrt{a+b x+c x^2}} = -2 d \text{Subst} \left[\frac{1}{a-d x^2}, x, \frac{\sqrt{a+b x+c x^2}}{\sqrt{d+e x}} \right] \partial_x \frac{\sqrt{a+b x+c x^2}}{\sqrt{d+e x}}$

Basis: If $c d^2 - b d e + a e^2 = 0$, then $\frac{\sqrt{d+e x}}{(f+g x) \sqrt{a+b x+c x^2}} = 2 e^2 \text{Subst} \left[\frac{1}{c (e f+d g) - b e g + e^2 g x^2}, x, \frac{\sqrt{a+b x+c x^2}}{\sqrt{d+e x}} \right] \partial_x \frac{\sqrt{a+b x+c x^2}}{\sqrt{d+e x}}$

Rule 1.2.1.4.2.2.4.7: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0$, then

$$\int \frac{\sqrt{d+e x}}{(f+g x) \sqrt{a+b x+c x^2}} dx \rightarrow 2 e^2 \text{Subst} \left[\int \frac{1}{c (e f+d g) - b e g + e^2 g x^2} dx, x, \frac{\sqrt{a+b x+c x^2}}{\sqrt{d+e x}} \right]$$

Program code:

```
Int[Sqrt[d_+e_.*x_]/((f_.+g_.*x_)*Sqrt[a_.+b_.*x_+c_.*x_^2]),x_Symbol]:=  
2*e^2*Subst[Int[1/(c*(e*f+d*g)-b*e*g+e^2*g*x^2),x],x,Sqrt[a+b*x+c*x^2]/Sqrt[d+e*x]] /;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0]  
  
Int[Sqrt[d_+e_.*x_]/((f_.+g_.*x_)*Sqrt[a_.+c_.*x_^2]),x_Symbol]:=  
2*e^2*Subst[Int[1/(c*(e*f+d*g)+e^2*g*x^2),x],x,Sqrt[a+c*x^2]/Sqrt[d+e*x]] /;  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0]
```

$$5. \int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p-1 = 0$$

1: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when}$

$$e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p-1 = 0 \wedge b e g (n+1) + c e f (p+1) - c d g (2n+p+3) = 0 \wedge n+p+2 \neq 0$$

Rule 1.2.1.4.2.2.5.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p-1 = 0 \wedge b e g (n+1) + c e f (p+1) - c d g (2n+p+3) = 0 \wedge n+p+2 \neq 0$, then

$$m+p-1 = 0 \wedge b e g (n+1) + c e f (p+1) - c d g (2n+p+3) = 0 \wedge n+p+2 \neq 0$$

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \frac{e^2 (d+e x)^{m-2} (f+g x)^{n+1} (a+b x+c x^2)^{p+1}}{c g (n+p+2)}$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:=  
e^2*(d+e*x)^(m-2)*(f+g*x)^(n+1)*(a+b*x+c*x^2)^(p+1)/(c*g*(n+p+2)) /;  
FreeQ[{a,b,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p-1,0] && EqQ[b*e*g*(n+1)+c*e*f*(p+1)-c*d*g*(2*n+p+3),0] && NeQ[n+p+2,0]
```

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol]:=  
e^2*(d+e*x)^(m-2)*(f+g*x)^(n+1)*(a+c*x^2)^(p+1)/(c*g*(n+p+2)) /;  
FreeQ[{a,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p-1,0] && EqQ[e*f*(p+1)-d*g*(2*n+p+3),0] && NeQ[n+p+2,0]
```

2: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p-1=0 \wedge n < -1$

Rule 1.2.1.4.2.2.5.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p-1=0 \wedge n < -1$, then

$$\frac{e^2 (e f - d g) (d+e x)^{m-2} (f+g x)^{n+1} (a+b x+c x^2)^{p+1}}{g (n+1) (c e f + c d g - b e g)} - \frac{e (b e g (n+1) + c e f (p+1) - c d g (2n+p+3))}{g (n+1) (c e f + c d g - b e g)} \int (d+e x)^{m-1} (f+g x)^{n+1} (a+b x+c x^2)^p dx$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:=  
e^2*(e*f-d*g)*(d+e*x)^(m-2)*(f+g*x)^(n+1)*(a+b*x+c*x^2)^(p+1)/(g*(n+1)*(c*e*f+c*d*g-b*e*g))-  
e*(b*e*g*(n+1)+c*e*f*(p+1)-c*d*g*(2*n+p+3))/(g*(n+1)*(c*e*f+c*d*g-b*e*g))*  
Int[(d+e*x)^(m-1)*(f+g*x)^(n+1)*(a+b*x+c*x^2)^p,x]/;  
FreeQ[{a,b,c,d,e,f,g,m,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p-1,0] && LtQ[n,-1] && IntegerQ[2*p]
```

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol]:=  
e^2*(e*f-d*g)*(d+e*x)^(m-2)*(f+g*x)^(n+1)*(a+c*x^2)^(p+1)/(c*g*(n+1)*(e*f+d*g))-  
e*(e*f*(p+1)-d*g*(2*n+p+3))/(g*(n+1)*(e*f+d*g))*Int[(d+e*x)^(m-1)*(f+g*x)^(n+1)*(a+c*x^2)^p,x]/;  
FreeQ[{a,c,d,e,f,g,m,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p-1,0] && LtQ[n,-1] && IntegerQ[2*p]
```

3: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p-1=0 \wedge n < -1$

Rule 1.2.1.4.2.2.5.3: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m+p-1=0 \wedge n < -1$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow$$

$$\frac{e^2 (d+e x)^{m-2} (f+g x)^{n+1} (a+b x+c x^2)^{p+1}}{c g (n+p+2)} - \frac{b e g (n+1) + c e f (p+1) - c d g (2n+p+3)}{c g (n+p+2)} \int (d+e x)^{m-1} (f+g x)^n (a+b x+c x^2)^p dx$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:=  
e^2*(d+e*x)^(m-2)*(f+g*x)^(n+1)*(a+b*x+c*x^2)^(p+1)/(c*g*(n+p+2))-  
(b*e*g*(n+1)+c*e*f*(p+1)-c*d*g*(2*n+p+3))/(c*g*(n+p+2))*Int[(d+e*x)^(m-1)*(f+g*x)^n*(a+b*x+c*x^2)^p,x]/;  
FreeQ[{a,b,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p-1,0] && Not[LtQ[n,-1]] && IntegerQ[2*p]
```

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol]:=  
e^2*(d+e*x)^(m-2)*(f+g*x)^(n+1)*(a+c*x^2)^(p+1)/(c*g*(n+p+2))-  
(e*f*(p+1)-d*g*(2*n+p+3))/(g*(n+p+2))*Int[(d+e*x)^(m-1)*(f+g*x)^n*(a+c*x^2)^p,x]/;  
FreeQ[{a,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] &&  
Not[IntegerQ[p]] && EqQ[m+p-1,0] && Not[LtQ[n,-1]] && IntegerQ[2*p]
```

6: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge (m \in \mathbb{Z}^+ \vee (m | n) \in \mathbb{Z})$

Derivation: Algebraic expansion

Rule 1.2.1.4.2.2.6: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge (m \in \mathbb{Z}^+ \vee (m | n) \in \mathbb{Z})$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \int \text{ExpandIntegrand}[(d+e x)^m (f+g x)^n (a+b x+c x^2)^p, x] dx$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_,x_Symbol]:=  
Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n*(a+b*x+c*x^2)^p,x],x]/;  
FreeQ[{a,b,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] &&  
Not[IntegerQ[p]] && ILtQ[m,0] && (ILtQ[n,0] || IGtQ[n,0] && ILtQ[p+1/2,0]) && Not[IGtQ[n,0]]
```

```
Int[(d_+e_.*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_,x_Symbol]:=  
Int[ExpandIntegrand[1/Sqrt[a+c*x^2],(d+e*x)^m*(f+g*x)^n*(a+c*x^2)^(p+1/2),x],x]/;  
FreeQ[{a,c,d,e,f,g,m,n,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && IntegerQ[p-1/2] && ILtQ[m,0] && ILtQ[n,0] && Not[IGtQ[n,0]]
```

```

Int[(d_+e_.*x_)^m_*(f_+g_.*x_)^n_*(a_+b_.*x_+c_.*x_^2)^p_,x_Symbol]:=

Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n*(a+c*x^2)^p,x],x]/;

FreeQ[{a,c,d,e,f,g,n,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && ILtQ[m,0] && (ILtQ[n,0] || IGtQ[n,0] && ILtQ[p+1/2,0])

```

7: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p + \frac{1}{2} \in \mathbb{Z}^- \wedge m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+$

Derivation: Algebraic expansion and special quadratic recurrence 2b

Basis: If $c d^2 - b d e + a e^2 = 0$, then $(d + e x) (a e + c d x) = d e (a + b x + c x^2)$

Rule 1.2.1.4.2.2.7: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p + \frac{1}{2} \in \mathbb{Z}^- \wedge m \in \mathbb{Z}^+ \wedge n \in \mathbb{Z}^+$,

let $Q_{n-1}[x] \rightarrow \text{PolynomialQuotient}[(f + g x)^n, a e + c d x, x]$ and $h \rightarrow \text{PolynomialRemainder}[(f + g x)^n, a e + c d x, x]$, then

$$\begin{aligned} & \int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow \\ & h \int (d + e x)^m (a + b x + c x^2)^p dx + d e \int (d + e x)^{m-1} Q_{n-1}[x] (a + b x + c x^2)^{p+1} dx \rightarrow \\ & \frac{h (2 c d - b e) (d + e x)^m (a + b x + c x^2)^{p+1}}{e (p + 1) (b^2 - 4 a c)} + \\ & \frac{1}{(p + 1) (b^2 - 4 a c)} \int (d + e x)^{m-1} (a + b x + c x^2)^{p+1} (d e (p + 1) (b^2 - 4 a c) Q_{n-1}[x] - h (2 c d - b e) (m + 2 p + 2)) dx \end{aligned}$$

Program code:

```

Int[(d_+e_.*x_)^m_*(f_+g_.*x_)^n_*(a_+b_.*x_+c_.*x_^2)^p_,x_Symbol]:=

With[{Q=PolynomialQuotient[(f+g*x)^n,a*e+c*d*x,x], h=PolynomialRemainder[(f+g*x)^n,a*e+c*d*x,x]},

h*(2*c*d-b*e)*(d+e*x)^m*(a+b*x+c*x^2)^(p+1)/(e*(p+1)*(b^2-4*a*c)) +
1/((p+1)*(b^2-4*a*c))*Int[(d+e*x)^(m-1)*(a+b*x+c*x^2)^(p+1)*

ExpandToSum[d*e*(p+1)*(b^2-4*a*c)*Q-h*(2*c*d-b*e)*(m+2*p+2),x],x]/;

FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && ILtQ[p+1/2,0] && IGtQ[m,0] && IGtQ[n,0] && Not[IGtQ[p+1/2,0]]

```

```

Int[ (d_._+e_._*x_)^m_._*(f_._+g_._*x_)^n_._*(a_._+c_._.*x_._^2)^p_,x_Symbol] :=
With[{Q=PolynomialQuotient[(f+g*x)^n,a*e+c*d*x,x], h=PolynomialRemainder[(f+g*x)^n,a*e+c*d*x,x]},
-d*h*(d+e*x)^m*(a+c*x^2)^(p+1)/(2*a*e*(p+1)) +
d/(2*a*(p+1))*Int[(d+e*x)^(m-1)*(a+c*x^2)^(p+1)*ExpandToSum[2*a*e*(p+1)*Q+h*(m+2*p+2),x],x]] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && ILtQ[p+1/2,0] && IGtQ[m,0] && IGtQ[n,0] && Not[IGtQ[n,0]]

```

8: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + n + 2 p + 1 = 0 \wedge m \in \mathbb{Z}^- \wedge n \in \mathbb{Z}^-$

Derivation: Algebraic expansion

Rule 1.2.1.4.2.2.8: If

$e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + n + 2 p + 1 = 0 \wedge n \in \mathbb{Z} \wedge m \in \mathbb{Z}^-$, then

$$\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow \int (a + b x + c x^2)^p \text{ExpandIntegrand}[(d + e x)^m (f + g x)^n, x] dx$$

Program code:

```

Int[ (d_._+e_._*x_)^m_._*(f_._+g_._*x_)^n_._*(a_._+b_._*x_._+c_._.*x_._^2)^p_,x_Symbol] :=
Int[ExpandIntegrand[(a+b*x+c*x^2)^p,(d+e*x)^m*(f+g*x)^n,x],x] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[p]] &&
EqQ[m+n+2*p+1,0] && ILtQ[m,0] && ILtQ[n,0]

```

```

Int[ (d_._+e_._*x_)^m_._*(f_._+g_._*x_)^n_._*(a_._+c_._.*x_._^2)^p_,x_Symbol] :=
Int[ExpandIntegrand[(a+c*x^2)^p,(d+e*x)^m*(f+g*x)^n,x],x] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && EqQ[m+n+2*p+1,0] && ILtQ[m,0] && ILtQ[n,0]

```

x: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + n + 2 p + 1 \neq 0 \wedge n \in \mathbb{Z}^+$

Derivation: Algebraic expansion and quadratic recurrence 3a with $A = d$, $B = e$ and $m = m - 1$

Rule 1.2.1.4.2.2.x: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge m + n + 2 p + 1 \neq 0 \wedge n \in \mathbb{Z}^+$, then

$$\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow$$

$$\int (d + e x)^m \left((f + g x)^n - \frac{g^n}{e^n} (d + e x)^n \right) (a + b x + c x^2)^p dx + \frac{g^n}{e^n} \int (d + e x)^{m+n} (a + b x + c x^2)^p dx \rightarrow$$

$$\frac{g^n (d + e x)^{m+n-1} (a + b x + c x^2)^{p+1}}{c e^{n-1} (m + n + 2 p + 1)} + \frac{1}{c e^n (m + n + 2 p + 1)} \int (d + e x)^m (a + b x + c x^2)^p .$$

$$(c e^n (m + n + 2 p + 1) (f + g x)^n - c g^n (m + n + 2 p + 1) (d + e x)^n + e g^n (m + p + n) (d + e x)^{n-2} (b d - 2 a e + (2 c d - b e) x)) dx$$

Program code:

```
(* Int[(d.+e.*x.)^m.* (f.+g.*x.)^n.* (a.+b.*x.+c.*x.^2)^p.,x_Symbol] :=  
g^n*(d+e*x)^(m+n-1)*(a+b*x+c*x^2)^(p+1)/(c*e^(n-1)*(m+n+2*p+1)) +  
1/(c*e^n*(m+n+2*p+1))*Int[(d+e*x)^m*(a+b*x+c*x^2)^p*  
ExpandToSum[c*e^n*(m+n+2*p+1)*(f+g*x)^n-c*g^n*(m+n+2*p+1)*(d+e*x)^n+e*g^n*(m+p+n)*(d+e*x)^(n-2)*(b*d-2*a*e+(2*c*d-b*e)*x),x],x];  
FreeQ[{a,b,c,d,e,f,g,m,p},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && EqQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[p]] &&  
NeQ[m+n+2*p+1,0] && IGtQ[n,0] *)  
  
(* Int[(d.+e.*x.)^m.* (f.+g.*x.)^n.* (a.+c.*x.^2)^p.,x_Symbol] :=  
g^n*(d+e*x)^(m+n-1)*(a+c*x^2)^(p+1)/(c*e^(n-1)*(m+n+2*p+1)) +  
1/(c*e^n*(m+n+2*p+1))*Int[(d+e*x)^m*(a+c*x^2)^p*  
ExpandToSum[c*e^n*(m+n+2*p+1)*(f+g*x)^n-c*g^n*(m+n+2*p+1)*(d+e*x)^n-2*e*g^n*(m+p+n)*(d+e*x)^(n-2)*(a*e-c*d*x),x],x];  
FreeQ[{a,c,d,e,f,g,m,p},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && NeQ[m+n+2*p+1,0] && IGtQ[n,0] *)
```

9: $\int (e x)^m (f + g x)^n (b x + c x^2)^p dx \text{ when } p \notin \mathbb{Z}$

Derivation: Piecewise constant extraction

Basis: $\partial_x \frac{(e x)^m (b x + c x^2)^p}{x^{m+p} (b + c x)^p} = 0$

Rule 1.2.1.4.2.2.9: If $p \notin \mathbb{Z}$, then

$$\int (e x)^m (f + g x)^n (b x + c x^2)^p dx \rightarrow \frac{(e x)^m (b x + c x^2)^p}{x^{m+p} (b + c x)^p} \int x^{m+p} (f + g x)^n (b + c x)^p dx$$

Program code:

```
Int[(e_.*x_)^m_*(f_.*+g_.*x_)^n_*(b_.*x_+c_.*x_^2)^p_,x_Symbol]:=  
  (e*x)^m*(b*x+c*x^2)^p/(x^(m+p)*(b+c*x)^p)*Int[x^(m+p)*(f+g*x)^n*(b+c*x)^p,x] /;  
 FreeQ[{b,c,e,f,g,m,n},x] && Not[IntegerQ[p]] && Not[IGtQ[n,0]]
```

10: $\int (d+e x)^m (f+g x)^n (a+c x^2)^p dx$ when $e f - d g \neq 0 \wedge c d^2 + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge a > 0 \wedge d > 0$

Derivation: Algebraic simplification

Basis: If $c d^2 + a e^2 = 0 \wedge a > 0 \wedge d > 0$, then $(a+c x^2)^p = (a - \frac{a e^2 x^2}{d^2})^p = (d+e x)^p \left(\frac{a}{d} + \frac{c x}{e}\right)^p$

Rule 1.2.1.4.2.2.10: If $e f - d g \neq 0 \wedge c d^2 + a e^2 = 0 \wedge p \notin \mathbb{Z} \wedge a > 0 \wedge d > 0$, then

$$\int (d+e x)^m (f+g x)^n (a+c x^2)^p dx \rightarrow \int (d+e x)^{m+p} (f+g x)^n \left(\frac{a}{d} + \frac{c x}{e}\right)^p dx$$

Program code:

```
Int[(d+e*x_)^m*(f_+g*x_)^n*(a+c*x_^2)^p_,x_Symbol] :=
  Int[(d+e*x)^(m+p)*(f+g*x)^n*(a/d+c/e*x)^p,x] /;
FreeQ[{a,c,d,e,f,g,m,n},x] && NeQ[e*f-d*g,0] && EqQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && GtQ[a,0] && GtQ[d,0] && Not[IGtQ[m,0]] && Not[IGtQ[n,0]]
```

11: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z}$

Derivation: Piecewise constant extraction

Basis: If $c d^2 - b d e + a e^2 = 0$, then $\partial_x \frac{(a+b x+c x^2)^p}{(d+e x)^p \left(\frac{a}{d} + \frac{c x}{e}\right)^p} = 0$

Basis: If $c d^2 - b d e + a e^2 = 0$, then $\frac{(a+b x+c x^2)^p}{(d+e x)^p \left(\frac{a}{d} + \frac{c x}{e}\right)^p} = \frac{(a+b x+c x^2)^{\text{FracPart}[p]}}{(d+e x)^{\text{FracPart}[p]} \left(\frac{a}{d} + \frac{c x}{e}\right)^{\text{FracPart}[p]}}$

Note: This could replace the above rules in this section, but would result in slightly more complicated antiderivatives.

Rule 1.2.1.4.2.2.11: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 = 0 \wedge p \notin \mathbb{Z}$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \frac{(a+b x+c x^2)^{\text{FracPart}[p]}}{(d+e x)^{\text{FracPart}[p]} \left(\frac{a}{d} + \frac{c x}{e}\right)^{\text{FracPart}[p]}} \int (d+e x)^{m+p} (f+g x)^n \left(\frac{a}{d} + \frac{c x}{e}\right)^p dx$$

Program code:

```
Int[(d+e.*x_)^m_*(f_.+g_.*x_)^n_*(a_.+b_.*x_+c_.*x_^2)^p_,x_Symbol]:=(*(a+b*x+c*x^2)^p/((d+e*x)^p*(a*e+c*d*x)^p)*Int[(d+e*x)^(m+p)*(f+g*x)^n*(a*e+c*d*x)^p,x]/;*)(a+b*x+c*x^2)^FracPart[p]/((d+e*x)^FracPart[p]*(a/d+(c*x)/e)^FracPart[p])*Int[(d+e*x)^(m+p)*(f+g*x)^n*(a/d+c/e*x)^p,x]/;FreeQ[{a,b,c,d,e,f,g,m,n},x]&&NeQ[e*f-d*g,0]&&NeQ[b^2-4*a*c,0]&&EqQ[c*d^2-b*d*e+a*e^2,0]&&Not[IntegerQ[p]]&&Not[IGtQ[m,0]]&&Not[IGtQ[n,0]]
```

```
Int[(d+e.*x_)^m_*(f_.+g_.*x_)^n_*(a_.+c_.*x_^2)^p_,x_Symbol]:=(*(a+c*x^2)^p/((d+e*x)^FracPart[p]*(a/d+(c*x)/e)^FracPart[p])*Int[(d+e*x)^(m+p)*(f+g*x)^n*(a/d+c/e*x)^p,x]/;FreeQ[{a,c,d,e,f,g,m,n},x]&&NeQ[e*f-d*g,0]&&EqQ[c*d^2+a*e^2,0]&&Not[IntegerQ[p]]&&Not[IGtQ[m,0]]&&Not[IGtQ[n,0]]
```

3: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge (m | n | p) \in \mathbb{Z}$

Derivation: Algebraic expansion

Rule 1.2.1.4.3: If $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge (m | n | p) \in \mathbb{Z}$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \int \text{ExpandIntegrand}[(d+e x)^m (f+g x)^n (a+b x+c x^2)^p, x] dx$$

Program code:

```

Int[(d_._+e_._*x_)^m_* (f_._+g_._*x_)^n_* (a_._+b_._*x_._+c_._*x_._^2)^p_.,x_Symbol] :=
  Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n*(a+b*x+c*x^2)^p,x],x] /;
  FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[p] &&
  (EqQ[p,1] && IntegersQ[m,n] || ILtQ[m,0] && ILtQ[n,0])

Int[(d_._+e_._*x_)^m_* (f_._+g_._*x_)^n_* (a_._+c_._*x_._^2)^p_.,x_Symbol] :=
  Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n*(a+c*x^2)^p,x],x] /;
  FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[p] &&
  (EqQ[p,1] && IntegersQ[m,n] || ILtQ[m,0] && ILtQ[n,0])

```

4: $\int \frac{(a+b x+c x^2)^p}{(d+e x) (f+g x)} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge p \notin \mathbb{Z} \wedge p > 0$

Reference: Algebraic expansion

Basis: $\frac{a+b x+c x^2}{d+e x} = \frac{(c d^2-b d e+a e^2) (f+g x)}{e (e f-d g) (d+e x)} - \frac{c d f-b e f+a e g-c (e f-d g) x}{e (e f-d g)}$

Rule 1.2.1.4.4: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge p \notin \mathbb{Z} \wedge p > 0$, then

$$\int \frac{(a+b x+c x^2)^p}{(d+e x) (f+g x)} dx \rightarrow$$

$$\frac{c d^2 - b d e + a e^2}{e (e f - d g)} \int \frac{(a + b x + c x^2)^{p-1}}{d + e x} dx - \frac{1}{e (e f - d g)} \int \frac{(c d f - b e f + a e g - c (e f - d g) x) (a + b x + c x^2)^{p-1}}{f + g x} dx$$

Program code:

```
Int[(a_.*+b_.*x_+c_.*x_^2)^p_/( (d_.*+e_.*x_)* (f_.*+g_.*x_)) ,x_Symbol] :=  
  (c*d^2-b*d*e+a*e^2)/(e*(e*f-d*g))*Int[(a+b*x+c*x^2)^(p-1)/(d+e*x),x] -  
  1/(e*(e*f-d*g))*Int[Simp[c*d*f-b*e*f+a*e*g-c*(e*f-d*g)*x,x]*(a+b*x+c*x^2)^(p-1)/(f+g*x),x];  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && FractionQ[p] && GtQ[p,0]
```

```
Int[(a_+c_.*x_^2)^p_/( (d_.*+e_.*x_)* (f_.*+g_.*x_)) ,x_Symbol] :=  
  (c*d^2+a*e^2)/(e*(e*f-d*g))*Int[(a+c*x^2)^(p-1)/(d+e*x),x] -  
  1/(e*(e*f-d*g))*Int[Simp[c*d*f+a*e*g-c*(e*f-d*g)*x,x]*(a+c*x^2)^(p-1)/(f+g*x),x];  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && FractionQ[p] && GtQ[p,0]
```

5: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge (n+p) \in \mathbb{Z} \wedge m \in \mathbb{F}$

Derivation: Integration by substitution

Basis: If $q \in \mathbb{Z}^+$, then

$$(d+e x)^m (f+g x)^n (a+b x+c x^2)^p = \frac{q}{e} \text{Subst} \left[x^{q(m+1)-1} \left(\frac{e f - d g}{e} + \frac{g x^q}{e} \right)^n \left(\frac{c d^2 - b d e + a e^2}{e^2} - \frac{(2 c d - b e) x^q}{e^2} + \frac{c x^{2q}}{e^2} \right)^p, x, (d+e x)^{1/q} \right] \partial_x (d+e x)^{1/q}$$

- Rule 1.2.1.4.5: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge (n+p) \in \mathbb{Z} \wedge m \in \mathbb{F}$, let $q = \text{Denominator}[m]$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \frac{q}{e} \text{Subst} \left[\int x^{q(m+1)-1} \left(\frac{e f - d g}{e} + \frac{g x^q}{e} \right)^n \left(\frac{c d^2 - b d e + a e^2}{e^2} - \frac{(2 c d - b e) x^q}{e^2} + \frac{c x^{2q}}{e^2} \right)^p dx, x, (d+e x)^{1/q} \right]$$

- Program code:

```
Int[(d_.+e_.*x_)^m_*(f_.+g_.*x_)^n_*(a_.+b_.*x_+c_.*x_^2)^p_,x_Symbol]:=  
With[{q=Denominator[m]},  
q/e*Subst[Int[x^(q*(m+1)-1)*((e*f-d*g)/e+g*x^q/e)^n*  
((c*d^2-b*d*e+a*e^2)/e^2-(2*c*d-b*e)*x^q/e^2+c*x^(2*q)/e^2)^p,x],x,(d+e*x)^(1/q)]];  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegersQ[n,p] && FractionQ[m]
```

```
Int[(d_.+e_.*x_)^m_*(f_.+g_.*x_)^n_*(a_.+c_.*x_^2)^p_,x_Symbol]:=  
With[{q=Denominator[m]},  
q/e*Subst[Int[x^(q*(m+1)-1)*((e*f-d*g)/e+g*x^q/e)^n*((c*d^2+a*e^2)/e^2-2*c*d*x^q/e^2+c*x^(2*q)/e^2)^p,x],x,(d+e*x)^(1/q)];  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegersQ[n,p] && FractionQ[m]
```

$$6. \int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m - n = 0 \wedge e f + d g = 0$$

1: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } m - n = 0 \wedge e f + d g = 0 \wedge (m \in \mathbb{Z} \vee d > 0 \wedge f > 0)$

Derivation: Algebraic simplification

Basis: If $e f + d g = 0 \wedge d > 0 \wedge f > 0$, then $(d+e x)^m (f+g x)^n = (d f + e g x^2)^m$

Rule 1.2.1.4.6.1: If $m - n = 0 \wedge e f + d g = 0 \wedge (m \in \mathbb{Z} \vee d > 0 \wedge f > 0)$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \int (d f + e g x^2)^m (a+b x+c x^2)^p dx$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_+g_.*x_)^n_*(a_._+b_.*x_+c_.*x_^2)^p_,x_Symbol]:=  
Int[(d*f+e*g*x^2)^m*(a+b*x+c*x^2)^p,x]/;  
FreeQ[{a,b,c,d,e,f,g,m,n,p},x] && EqQ[m-n,0] && EqQ[e*f+d*g,0] && (IntegerQ[m] || GtQ[d,0] && GtQ[f,0])
```

```
Int[(d_+e_.*x_)^m_*(f_+g_.*x_)^n_*(a_._+c_.*x_^2)^p_,x_Symbol]:=  
Int[(d*f+e*g*x^2)^m*(a+c*x^2)^p,x]/;  
FreeQ[{a,c,d,e,f,g,m,n,p},x] && EqQ[m-n,0] && EqQ[e*f+d*g,0] && (IntegerQ[m] || GtQ[d,0] && GtQ[f,0])
```

2: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \text{ when } m - n = 0 \wedge e f + d g = 0$

Derivation: Piecewise constant extraction

Basis: If $e f + d g = 0$, then $\partial_x \frac{(d+e x)^m (f+g x)^n}{(d f + e g x^2)^m} = 0$

Rule 1.2.1.4.6.2: If $m - n = 0 \wedge e f + d g = 0$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \frac{(d+e x)^{\text{FracPart}[m]} (f+g x)^{\text{FracPart}[m]}}{(d f+e g x^2)^{\text{FracPart}[m]}} \int (d f+e g x^2)^m (a+b x+c x^2)^p dx$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_+g_.*x_)^n_*(a_.+b_.*x_.+c_.*x_^2)^p_,x_Symbol]:=  

(d+e*x)^FracPart[m]*(f+g*x)^FracPart[m]/(d*f+e*g*x^2)^FracPart[m]*Int[(d*f+e*g*x^2)^m*(a+b*x+c*x^2)^p,x];  

FreeQ[{a,b,c,d,e,f,g,m,n,p},x] && EqQ[m-n,0] && EqQ[e*f+d*g,0]
```

```
Int[(d_+e_.*x_)^m_*(f_+g_.*x_)^n_*(a_.+c_.*x_^2)^p_,x_Symbol]:=  

(d+e*x)^FracPart[m]*(f+g*x)^FracPart[m]/(d*f+e*g*x^2)^FracPart[m]*Int[(d*f+e*g*x^2)^m*(a+c*x^2)^p,x];  

FreeQ[{a,c,d,e,f,g,m,n,p},x] && EqQ[m-n,0] && EqQ[e*f+d*g,0]
```

7. $\int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z}$
1. $\int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx$ when $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z} \wedge m > 0$
 1. $\int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx$ when $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z} \wedge m > 0 \wedge n > 0$
 - 1: $\int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx$ when $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z} \wedge m > 0 \wedge n > 1$

Reference: Algebraic expansion

Basis: $\frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} = \frac{g (2 c e f + c d g - b e g + c e g x) (d+e x)^{m-1} (f+g x)^{n-2}}{c^2} + \frac{1}{c^2 (a+b x+c x^2)}$

$$(c^2 d f^2 - 2 a c e f g - a c d g^2 + a b e g^2 + (c^2 e f^2 + 2 c^2 d f g - 2 b c e f g - b c d g^2 + b^2 e g^2 - a c e g^2) x) (d+e x)^{m-1} (f+g x)^{n-2}$$

Rule 1.2.1.4.7.1.1.1: If $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z} \wedge m > 0 \wedge n > 1$, then

$$\begin{aligned} & \int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx \rightarrow \\ & \frac{g}{c^2} \int (2 c e f + c d g - b e g + c e g x) (d+e x)^{m-1} (f+g x)^{n-2} dx + \\ & \frac{1}{c^2} \int \frac{1}{a+b x+c x^2} (c^2 d f^2 - 2 a c e f g - a c d g^2 + a b e g^2 + (c^2 e f^2 + 2 c^2 d f g - 2 b c e f g - b c d g^2 + b^2 e g^2 - a c e g^2) x) (d+e x)^{m-1} (f+g x)^{n-2} dx \end{aligned}$$

Program code:

```
Int[(d_.+e_.*x_)^m_*(f_.+g_.*x_)^n_/(a_.+b_.*x_+c_.*x_^2),x_Symbol]:=
g/c^2*Int[Simp[2*c*e*f+c*d*g-b*e*g+c*e*g*x,x]*(d+e*x)^(m-1)*(f+g*x)^(n-2),x] +
1/c^2*Int[Simp[c^2*d*f^2-2*a*c*e*f*g-a*c*d*g^2+a*b*e*g^2+(c^2*e*f^2+2*c^2*d*f*g-2*b*c*e*f*g-b*c*d*g^2+b^2*e*g^2-a*c*e*g^2)*x,x]*
(d+e*x)^(m-1)*(f+g*x)^(n-2)/(a+b*x+c*x^2),x]/;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[m]] && Not[IntegerQ[n]] && GtQ[m,0] && GtQ[n,1]
```

```
Int[(d_.+e_.*x_)^m_*(f_.+g_.*x_)^n_/(a_.+c_.*x_^2),x_Symbol]:=
g/c*Int[Simp[2*e*f+d*g+e*g*x,x]*(d+e*x)^(m-1)*(f+g*x)^(n-2),x] +
1/c*Int[Simp[c*d*f^2-2*a*c*e*f*g-a*d*g^2+(c*e*f^2+2*c*d*f*g-a*e*g^2)*x,x]*(d+e*x)^(m-1)*(f+g*x)^(n-2)/(a+c*x^2),x];
FreeQ[{a,c,d,e,f,g},x] && NeQ[c*d^2+a*e^2,0] && Not[IntegerQ[m]] && Not[IntegerQ[n]] && GtQ[m,0] && GtQ[n,1]
```

$$2: \int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx \text{ when } b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z} \wedge m > 0 \wedge n > 0$$

Reference: Algebraic expansion

$$\text{Basis: } \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} = \frac{e g (d+e x)^{m-1} (f+g x)^{n-1}}{c} + \frac{(c d f - a e g + (c e f + c d g - b e g) x) (d+e x)^{m-1} (f+g x)^{n-1}}{c (a+b x+c x^2)}$$

Rule 1.2.1.4.7.1.1.2: If $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z} \wedge m > 0 \wedge n > 0$, then

$$\begin{aligned} & \int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx \rightarrow \\ & \frac{e g}{c} \int (d+e x)^{m-1} (f+g x)^{n-1} dx + \frac{1}{c} \int \frac{(c d f - a e g + (c e f + c d g - b e g) x) (d+e x)^{m-1} (f+g x)^{n-1}}{a+b x+c x^2} dx \end{aligned}$$

Program code:

```

Int[(d_+e_.*x_)^m*(f_+g_.*x_)^n/(a_+b_.*x_+c_.*x_^2),x_Symbol] :=
  e*g/c*Int[(d+e*x)^(m-1)*(f+g*x)^(n-1),x] +
  1/c*Int[Simp[c*d*f-a*e*g+(c*e*f+c*d*g-b*e*g)*x,x]*(d+e*x)^(m-1)*(f+g*x)^(n-1)/(a+b*x+c*x^2),x] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] &&
Not[IntegerQ[m]] && Not[IntegerQ[n]] && GtQ[m,0] && GtQ[n,0]

Int[(d_+e_.*x_)^m*(f_+g_.*x_)^n/(a_+c_.*x_^2),x_Symbol] :=
  e*g/c*Int[(d+e*x)^(m-1)*(f+g*x)^(n-1),x] +
  1/c*Int[Simp[c*d*f-a*e*g+(c*e*f+c*d*g)*x,x]*(d+e*x)^(m-1)*(f+g*x)^(n-1)/(a+c*x^2),x] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[c*d^2+a*e^2,0] && Not[IntegerQ[m]] && Not[IntegerQ[n]] && GtQ[m,0] && GtQ[n,0]

```

$$2: \int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx \text{ when } b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z} \wedge m > 0 \wedge n < -1$$

Reference: Algebraic expansion

$$\text{Basis: } \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} = -\frac{g (e f - d g) (d+e x)^{m-1} (f+g x)^n}{c f^2 - b f g + a g^2} + \frac{(c d f - b d g + a e g + c (e f - d g) x) (d+e x)^{m-1} (f+g x)^{n+1}}{(c f^2 - b f g + a g^2) (a+b x+c x^2)}$$

Rule 1.2.1.4.7.1.2: If $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z} \wedge m > 0 \wedge n < -1$, then

$$\begin{aligned} & \int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx \rightarrow \\ & -\frac{g (e f - d g)}{c f^2 - b f g + a g^2} \int (d+e x)^{m-1} (f+g x)^n dx + \frac{1}{c f^2 - b f g + a g^2} \int \frac{(c d f - b d g + a e g + c (e f - d g) x) (d+e x)^{m-1} (f+g x)^{n+1}}{a+b x+c x^2} dx \end{aligned}$$

Program code:

```
Int[(d_..+e_..*x_)^m_*(f_..+g_..*x_)^n_/(a_..+b_..*x_+c_..*x_^2),x_Symbol]:=  
-g*(e*f-d*g)/(c*f^2-b*f*g+a*g^2)*Int[(d+e*x)^(m-1)*(f+g*x)^n,x]+  
1/(c*f^2-b*f*g+a*g^2)*  
Int[Simp[c*d*f-b*d*g+a*e*g+c*(e*f-d*g)*x,x]*(d+e*x)^(m-1)*(f+g*x)^(n+1)/(a+b*x+c*x^2),x]/;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] &&  
Not[IntegerQ[m]] && Not[IntegerQ[n]] && GtQ[m,0] && LtQ[n,-1]
```

```
Int[(d_..+e_..*x_)^m_*(f_..+g_..*x_)^n_/(a_..+c_..*x_^2),x_Symbol]:=  
-g*(e*f-d*g)/(c*f^2+a*g^2)*Int[(d+e*x)^(m-1)*(f+g*x)^n,x]+  
1/(c*f^2+a*g^2)*  
Int[Simp[c*d*f+a*e*g+c*(e*f-d*g)*x,x]*(d+e*x)^(m-1)*(f+g*x)^(n+1)/(a+c*x^2),x]/;  
FreeQ[{a,c,d,e,f,g},x] && NeQ[c*d^2+a*e^2,0] && Not[IntegerQ[m]] && Not[IntegerQ[n]] && GtQ[m,0] && LtQ[n,-1]
```

2. $\int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx$ when $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z}$

1: $\int \frac{(d+e x)^m}{\sqrt{f+g x} (a+b x+c x^2)} dx$ when $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m + \frac{1}{2} \in \mathbb{Z}^+$

Derivation: Algebraic expansion

■ Basis: If $q \rightarrow \sqrt{b^2 - 4 a c}$, then $\frac{d+e x}{a+b x+c x^2} = \frac{2 c d - e (b-q)}{q (b-q+2 c x)} - \frac{2 c d - e (b+q)}{q (b+q+2 c x)}$

- Rule 1.2.1.4.7.2.1: If $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m + \frac{1}{2} \in \mathbb{Z}^+$, then

$$\int \frac{(d+e x)^m}{\sqrt{f+g x} (a+b x+c x^2)} dx \rightarrow \int \frac{1}{\sqrt{d+e x} \sqrt{f+g x}} \text{ExpandIntegrand}\left[\frac{(d+e x)^{\frac{m+1}{2}}}{a+b x+c x^2}, x\right] dx$$

Program code:

```
Int[(d_.+e_.*x_)^m_/(Sqrt[f_.+g_.*x_]*(a_.+b_.*x_+c_.*x_^2)),x_Symbol]:=  
Int[ExpandIntegrand[1/(Sqrt[d+e*x]*Sqrt[f+g*x]),(d+e*x)^(m+1/2)/(a+b*x+c*x^2),x],x]/;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IGtQ[m+1/2,0]
```

```
Int[(d_.+e_.*x_)^m_/(Sqrt[f_.+g_.*x_]*(a_.+c_.*x_^2)),x_Symbol]:=  
Int[ExpandIntegrand[1/(Sqrt[d+e*x]*Sqrt[f+g*x]),(d+e*x)^(m+1/2)/(a+c*x^2),x],x]/;  
FreeQ[{a,c,d,e,f,g},x] && NeQ[c*d^2+a*e^2,0] && IGtQ[m+1/2,0]
```

2: $\int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx$ when $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z}$

Derivation: Algebraic expansion

Basis: If $q \rightarrow \sqrt{b^2 - 4 a c}$, then $\frac{1}{a+b z+c z^2} = \frac{2c}{q(b-q+2cz)} - \frac{2c}{q(b+q+2cz)}$

Rule 1.2.1.4.7.2.2: If $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m \notin \mathbb{Z} \wedge n \notin \mathbb{Z}$, then

$$\int \frac{(d+e x)^m (f+g x)^n}{a+b x+c x^2} dx \rightarrow \int (d+e x)^m (f+g x)^n \text{ExpandIntegrand}\left[\frac{1}{a+b x+c x^2}, x\right] dx$$

Program code:

```
Int[(d_.+e_.*x_)^m*(f_.+g_.*x_)^n/(a_.+b_.*x_+c_.*x_^2),x_Symbol]:=  
Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n,1/(a+b*x+c*x^2),x],x];;  
FreeQ[{a,b,c,d,e,f,g,m,n},x] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && Not[IntegerQ[m]] && Not[IntegerQ[n]]
```

```
Int[(d_.+e_.*x_)^m*(f_.+g_.*x_)^n/(a_+c_.*x_^2),x_Symbol]:=  
Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n,1/(a+c*x^2),x],x];;  
FreeQ[{a,c,d,e,f,g,m,n},x] && NeQ[c*d^2+a*e^2,0] && Not[IntegerQ[m]] && Not[IntegerQ[n]]
```

8: $\int x^2 (d + e x)^m (a + b x + c x^2)^p dx$ when $b e (m + p + 2) + 2 c d (p + 1) = 0 \wedge b d (p + 1) + a e (m + 1) = 0 \wedge m + 2 p + 3 \neq 0$

Derivation: Special case of one step of the Ostrogradskiy-Hermite integration method

Rule 1.2.1.4.8: If $b e (m + p + 2) + 2 c d (p + 1) = 0 \wedge b d (p + 1) + a e (m + 1) = 0 \wedge m + 2 p + 3 \neq 0$, then

$$\int x^2 (d + e x)^m (a + b x + c x^2)^p dx \rightarrow \frac{(d + e x)^{m+1} (a + b x + c x^2)^{p+1}}{c e (m + 2 p + 3)}$$

Program code:

```
Int[x_^2*(d_._+e_._*x_)^m_.*(a_._+b_._*x_._+c_._*x_._^2)^p_.,x_Symbol] :=
  (d+e*x)^(m+1)*(a+b*x+c*x^2)^(p+1)/(c*e*(m+2*p+3)) ;
FreeQ[{a,b,c,d,e,m,p},x] && EqQ[b*e*(m+p+2)+2*c*d*(p+1),0] && EqQ[b*d*(p+1)+a*e*(m+1),0] && NeQ[m+2*p+3,0]
```

```
Int[x_^2*(d_._+e_._*x_)^m_.*(a_._+c_._*x_._^2)^p_.,x_Symbol] :=
  (d+e*x)^(m+1)*(a+c*x^2)^(p+1)/(c*e*(m+2*p+3)) ;
FreeQ[{a,c,d,e,m,p},x] && EqQ[d*(p+1),0] && EqQ[a*(m+1),0] && NeQ[m+2*p+3,0]
```

9: $\int (g x)^n (d + e x)^m (a + b x + c x^2)^p dx$ when $b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge m - p = 0 \wedge b d + a e = 0 \wedge c d + b e = 0$

Derivation: Piecewise constant extraction

Basis: If $b d + a e = 0 \wedge c d + b e = 0$, then $\partial_x \frac{(d+e x)^p (a+b x+c x^2)^p}{(a d+c e x^3)^p} = 0$

Rule 1.2.1.4.9: If $m - p = 0 \wedge b d + a e = 0 \wedge c d + b e = 0$, then

$$\int (g x)^n (d + e x)^m (a + b x + c x^2)^p dx \rightarrow \frac{(d + e x)^{\text{FracPart}[p]} (a + b x + c x^2)^{\text{FracPart}[p]}}{(a d + c e x^3)^{\text{FracPart}[p]}} \int (g x)^n (a d + c e x^3)^p dx$$

Program code:

```
Int[(g_.*x_)^n*(d_.*e_.*x_)^m*(a_+b_.*x_+c_.*x_^2)^p_,x_Symbol]:=  
  (d+e*x)^FracPart[p]*(a+b*x+c*x^2)^FracPart[p]/(a*d+c*e*x^3)^FracPart[p]*Int[(g*x)^n*(a*d+c*e*x^3)^p,x] /;  
  FreeQ[{a,b,c,d,e,g,m,n,p},x] && EqQ[m-p,0] && EqQ[b*d+a*e,0] && EqQ[c*d+b*e,0]
```

10. $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge n^2 = \frac{1}{4} \wedge p^2 = \frac{1}{4}$

1. $\int (d + e x)^m (f + g x)^n \sqrt{a + b x + c x^2} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge n^2 = \frac{1}{4}$

1. $\int (d + e x)^m \sqrt{f + g x} \sqrt{a + b x + c x^2} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z}$

1: $\int (d + e x)^m \sqrt{f + g x} \sqrt{a + b x + c x^2} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m < -1$

Derivation: Integration by parts

Basis: $\partial_x \left(\sqrt{f + g x} \sqrt{a + b x + c x^2} \right) = \frac{b f + a g + 2 (c f + b g) x + 3 c g x^2}{2 \sqrt{f + g x} \sqrt{a + b x + c x^2}}$

Rule 1.2.1.4.10.1.1.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m < -1$, then

$$\int (d + e x)^m \sqrt{f + g x} \sqrt{a + b x + c x^2} dx \rightarrow$$

$$\frac{(d + e x)^{m+1} \sqrt{f + g x} \sqrt{a + b x + c x^2}}{e (m + 1)} - \frac{1}{2 e (m + 1)} \int \frac{(d + e x)^{m+1} (b f + a g + 2 (c f + b g) x + 3 c g x^2)}{\sqrt{f + g x} \sqrt{a + b x + c x^2}} dx$$

Program code:

```
Int[(d_.+e_.*x_)^m_.*Sqrt[f_.+g_.*x_]*Sqrt[a_.+b_.*x_+c_.*x_^2],x_Symbol]:=  

(d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]/(e*(m+1))-  

1/(2*e*(m+1))*Int[(d+e*x)^(m+1)/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2])*Simp[b*f+a*g+2*(c*f+b*g)*x+3*c*g*x^2,x],x]/;  

FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[2*m] && LtQ[m,-1]
```

```
Int[(d_.+e_.*x_)^m_.*Sqrt[f_.+g_.*x_]*Sqrt[a_+c_.*x_^2],x_Symbol]:=  

(d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+c*x^2]/(e*(m+1))-  

1/(2*e*(m+1))*Int[(d+e*x)^(m+1)/(Sqrt[f+g*x]*Sqrt[a+c*x^2])*Simp[a*g+2*c*f*x+3*c*g*x^2,x],x]/;  

FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[2*m] && LtQ[m,-1]
```

2: $\int (d+e x)^m \sqrt{f+g x} \sqrt{a+b x+c x^2} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m \neq -1$

Rule 1.2.1.4.10.1.1.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m \neq -1$, then

$$\int (d+e x)^m \sqrt{f+g x} \sqrt{a+b x+c x^2} dx \rightarrow$$

$$\frac{2 (d+e x)^{m+1} \sqrt{f+g x} \sqrt{a+b x+c x^2}}{e (2 m+5)} -$$

$$\frac{1}{e (2 m+5)} \int \left((d+e x)^m (b d f - 3 a e f + a d g + 2 (c d f - b e f + b d g - a e g) x - (c e f - 3 c d g + b e g) x^2) \right) / \left(\sqrt{f+g x} \sqrt{a+b x+c x^2} \right) dx$$

Program code:

```
Int[(d_.+e_.*x_)^m_.*Sqrt[f_._+g_._*x_]*Sqrt[a_._+b_._*x_+c_._*x_^2],x_Symbol] :=  
 2*(d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]/(e*(2*m+5)) -  
 1/(e*(2*m+5))*Int[(d+e*x)^m/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2])*  
 Simp[b*d*f-3*a*e*f+a*d*g+2*(c*d*f-b*e*f+b*d*g-a*e*g)*x-(c*e*f-3*c*d*g+b*e*g)*x^2,x],x];;  
FreeQ[{a,b,c,d,e,f,g,m},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[2*m] && Not[LessThanQ[m,-1]]
```

```
Int[(d_.+e_.*x_)^m_.*Sqrt[f_._+g_._*x_]*Sqrt[a_._+c_._*x_^2],x_Symbol] :=  
 2*(d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+c*x^2]/(e*(2*m+5)) +  
 1/(e*(2*m+5))*Int[(d+e*x)^m/(Sqrt[f+g*x]*Sqrt[a+c*x^2])*  
 Simp[3*a*e*f-a*d*g-2*(c*d*f-a*e*g)*x+(c*e*f-3*c*d*g)*x^2,x],x];;  
FreeQ[{a,c,d,e,f,g,m},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[2*m] && Not[LessThanQ[m,-1]]
```

2. $\int \frac{(d+e x)^m \sqrt{a+b x+c x^2}}{\sqrt{f+g x}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z}$

1: $\int \frac{(d+e x)^m \sqrt{a+b x+c x^2}}{\sqrt{f+g x}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m > 0$

Rule 1.2.1.4.10.1.2.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m > 0$, then

$$\int \frac{(d+e x)^m \sqrt{a+b x+c x^2}}{\sqrt{f+g x}} dx \rightarrow$$

$$\frac{2 (d+e x)^m \sqrt{f+g x} \sqrt{a+b x+c x^2}}{g (2m+3)} - \frac{1}{g (2m+3)} \int \frac{(d+e x)^{m-1}}{\sqrt{f+g x} \sqrt{a+b x+c x^2}}.$$

$$(b d f + 2 a (e f m - d g (m+1)) + (2 c d f - 2 a e g + b (e f - d g) (2m+1)) x - (b e g + 2 c (d g m - e f (m+1))) x^2) dx$$

Program code:

```
Int[(d_.+e_.*x_)^m_.*Sqrt[a_._+b_._*x_+c_._*x_^2]/Sqrt[f_._+g_._*x_],x_Symbol]:=  
2*(d+e*x)^m*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]/(g*(2*m+3))-  
1/(g*(2*m+3))*Int[(d+e*x)^(m-1)/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2])*  
Simp[b*d*f+2*a*(e*f*m-d*g*(m+1))+(2*c*d*f-2*a*e*g+b*(e*f-d*g)*(2*m+1))*x-(b*e*g+2*c*(d*g*m-e*f*(m+1)))*x^2,x],x];  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[2*m] && GtQ[m,0]
```

```
Int[(d_.+e_.*x_)^m_.*Sqrt[a_+c_._*x_^2]/Sqrt[f_._+g_._*x_],x_Symbol]:=  
2*(d+e*x)^m*Sqrt[f+g*x]*Sqrt[a+c*x^2]/(g*(2*m+3))-  
1/(g*(2*m+3))*Int[(d+e*x)^(m-1)/(Sqrt[f+g*x]*Sqrt[a+c*x^2])*  
Simp[2*a*(e*f*m-d*g*(m+1))+(2*c*d*f-2*a*e*g))*x-(2*c*(d*g*m-e*f*(m+1)))*x^2,x],x];  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[2*m] && GtQ[m,0]
```

2. $\int \frac{(d+e x)^m \sqrt{a+b x+c x^2}}{\sqrt{f+g x}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2m \in \mathbb{Z} \wedge m < 0$

1: $\int \frac{\sqrt{a+b x+c x^2}}{(d+e x) \sqrt{f+g x}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$

Derivation: Algebraic expansion

Basis: $\frac{\sqrt{a+b x+c x^2}}{d+e x} = \frac{c d^2 - b d e + a e^2}{e^2 (d+e x) \sqrt{a+b x+c x^2}} - \frac{c d - b e - c e x}{e^2 \sqrt{a+b x+c x^2}}$

Rule 1.2.1.4.10.1.2.2.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$, then

$$\int \frac{\sqrt{a + b x + c x^2}}{(d + e x) \sqrt{f + g x}} dx \rightarrow \frac{c d^2 - b d e + a e^2}{e^2} \int \frac{1}{(d + e x) \sqrt{f + g x} \sqrt{a + b x + c x^2}} dx - \frac{1}{e^2} \int \frac{c d - b e - c e x}{\sqrt{f + g x} \sqrt{a + b x + c x^2}} dx$$

Program code:

```
Int[Sqrt[a_+b_.*x_+c_.*x_^2]/((d_+e_.*x_)*Sqrt[f_+g_.*x_]),x_Symbol] :=
(c*d^2-b*d*e+a*e^2)/e^2*Int[1/((d+e*x)*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]),x] -
1/e^2*Int[(c*d-b*e-c*e*x)/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]),x] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0]
```

```
Int[Sqrt[a_+c_.*x_^2]/((d_+e_.*x_)*Sqrt[f_+g_.*x_]),x_Symbol] :=
(c*d^2+a*e^2)/e^2*Int[1/((d+e*x)*Sqrt[f+g*x]*Sqrt[a+c*x^2]),x] -
1/e^2*Int[(c*d-c*e*x)/(Sqrt[f+g*x]*Sqrt[a+c*x^2]),x] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0]
```

2: $\int \frac{(d + e x)^m \sqrt{a + b x + c x^2}}{\sqrt{f + g x}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m < -1$

Rule 1.2.1.4.10.1.2.2.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m < -1$, then

$$\int \frac{(d + e x)^m \sqrt{a + b x + c x^2}}{\sqrt{f + g x}} dx \rightarrow$$

$$\frac{(d + e x)^{m+1} \sqrt{f + g x} \sqrt{a + b x + c x^2}}{(m + 1) (e f - d g)} - \frac{1}{2 (m + 1) (e f - d g)} \int \frac{(d + e x)^{m+1} (b f + a g (2 m + 3) + 2 (c f + b g (m + 2)) x + c g (2 m + 5) x^2)}{\sqrt{f + g x} \sqrt{a + b x + c x^2}} dx$$

Program code:

```
Int[(d_+e_.*x_)^m.*Sqrt[a_+b_.*x_+c_.*x_^2]/Sqrt[f_+g_.*x_],x_Symbol] :=
(d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]/((m+1)*(e*f-d*g)) -
1/(2*(m+1)*(e*f-d*g))*Int[(d+e*x)^(m+1)/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2])* *
Simp[b*f+a*g*(2*m+3)+2*(c*f+b*g*(m+2))*x+c*g*(2*m+5)*x^2,x],x] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[2*m] && LtQ[m,-1]
```

```
Int[(d_.+e_.*x_)^m_.*Sqrt[a_+c_.*x_^2]/Sqrt[f_.+g_.*x_],x_Symbol]:=  
  (d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+c*x^2]/((m+1)*(e*f-d*g))-  
  1/(2*(m+1)*(e*f-d*g))*Int[(d+e*x)^(m+1)/(Sqrt[f+g*x]*Sqrt[a+c*x^2])*  
  Simp[a*g*(2*m+3)+2*(c*f)*x+c*g*(2*m+5)*x^2,x],x];  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[2*m] && LtQ[m,-1]
```

$$2. \int \frac{(d+e x)^m (f+g x)^n}{\sqrt{a+b x+c x^2}} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge n^2 = \frac{1}{4}$$

$$1. \int \frac{(d+e x)^m}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z}$$

$$1. \int \frac{(d+e x)^m}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m > 0$$

$$1: \int \frac{\sqrt{d+e x}}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$$

Derivation: Piecewise constant extraction and integration by substitution

■ Rule 1.2.1.4.10.2.1.1.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$, let $q \rightarrow \sqrt{b^2 - 4 a c}$, then

$$\begin{aligned} & \int \frac{\sqrt{d+e x}}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx \rightarrow \\ & \left(\left(\sqrt{2} \sqrt{2 c f - g (b+q)} \sqrt{b-q+2 c x} (d+e x) \sqrt{\frac{(e f - d g) (b+q+2 c x)}{(2 c f - g (b+q)) (d+e x)}} \sqrt{\frac{(e f - d g) (2 a + (b+q) x)}{(b f + q f - 2 a g) (d+e x)}} \right) \right. \\ & \quad \left. \left(g \sqrt{2 c d - e (b+q)} \sqrt{\frac{2 a c}{b+q} + c x} \sqrt{a+b x+c x^2} \right) \right). \\ & \text{EllipticPi}\left[\frac{e (2 c f - g (b+q))}{g (2 c d - e (b+q))}, \text{ArcSin}\left[\frac{\sqrt{2 c d - e (b+q)} \sqrt{f+g x}}{\sqrt{2 c f - g (b+q)} \sqrt{d+e x}}\right]\right], \frac{(b d + q d - 2 a e) (2 c f - g (b+q))}{(b f + q f - 2 a g) (2 c d - e (b+q))} \end{aligned}$$

— Program code:

```

Int[Sqrt[d_+e_*x_]/(Sqrt[f_+g_*x_]*Sqrt[a_+b_*x_+c_*x_^2]),x_Symbol] :=
With[{q=Rt[b^2-4*a*c,2]},
Sqrt[2]*Sqrt[2*c*f-g*(b+q)]*Sqrt[b-q+2*c*x]*(d+e*x)*
Sqrt[(e*f-d*g)*(b+q+2*c*x)/(2*c*f-g*(b+q))*(d+e*x)]*
Sqrt[(e*f-d*g)*(2*a+(b+q)*x)/(b*f+q*f-2*a*g)*(d+e*x)]/
(g*Sqrt[2*c*d-e*(b+q)]*Sqrt[2*a*c/(b+q)+c*x]*Sqrt[a+b*x+c*x^2])* 
EllipticPi[e*(2*c*f-g*(b+q))/(g*(2*c*d-e*(b+q))), 
ArcSin[Sqrt[2*c*d-e*(b+q)]*Sqrt[f+g*x]/(Sqrt[2*c*f-g*(b+q)]*Sqrt[d+e*x])], 
(b+d+q*d-2*a*e)*(2*c*f-g*(b+q))/(b*f+q*f-2*a*g)*(2*c*d-e*(b+q))]] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0]

```

```

Int[Sqrt[d_+e_*x_]/(Sqrt[f_+g_*x_]*Sqrt[a_+c_*x_^2]),x_Symbol] :=
With[{q=Rt[-4*a*c,2]},
Sqrt[2]*Sqrt[2*c*f-g*q]*Sqrt[-q+2*c*x]*(d+e*x)*
Sqrt[(e*f-d*g)*(q+2*c*x)/(2*c*f-g*q)*(d+e*x)]*
Sqrt[(e*f-d*g)*(2*a+q*x)/(q*f-2*a*g)*(d+e*x)]/
(g*Sqrt[2*c*d-e*q]*Sqrt[2*a*c/q+c*x]*Sqrt[a+c*x^2])* 
EllipticPi[e*(2*c*f-g*q)/(g*(2*c*d-e*q)), 
ArcSin[Sqrt[2*c*d-e*q]*Sqrt[f+g*x]/(Sqrt[2*c*f-g*q]*Sqrt[d+e*x])], 
(q*d-2*a*e)*(2*c*f-g*q)/(q*f-2*a*g)*(2*c*d-e*q)]]] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0]

```

2: $\int \frac{(d+e x)^{3/2}}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$

Derivation: Algebraic expansion

Basis: $\frac{(d+e x)^{3/2}}{\sqrt{f+g x}} = \frac{e \sqrt{d+e x} \sqrt{f+g x}}{g} - \frac{(e f - d g) \sqrt{d+e x}}{g \sqrt{f+g x}}$

Rule 1.2.1.4.10.2.1.1.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$, then

$$\int \frac{(d+e x)^{3/2}}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx \rightarrow \frac{e}{g} \int \frac{\sqrt{d+e x} \sqrt{f+g x}}{\sqrt{a+b x+c x^2}} dx - \frac{(e f - d g)}{g} \int \frac{\sqrt{d+e x}}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx$$

Program code:

```
Int[(d_+e_.*x_)^(3/2)/(Sqrt[f_+g_*x_]*Sqrt[a_+b_.*x_+c_.*x_^2]),x_Symbol] :=
  e/g*Int[Sqrt[d+e*x]*Sqrt[f+g*x]/Sqrt[a+b*x+c*x^2],x] -
  (e*f-d*g)/g*Int[Sqrt[d+e*x]/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]),x] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0]
```

```
Int[(d_+e_.*x_)^(3/2)/(Sqrt[f_+g_*x_]*Sqrt[a_+c_.*x_^2]),x_Symbol] :=
  e/g*Int[Sqrt[d+e*x]*Sqrt[f+g*x]/Sqrt[a+c*x^2],x] -
  (e*f-d*g)/g*Int[Sqrt[d+e*x]/(Sqrt[f+g*x]*Sqrt[a+c*x^2]),x] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0]
```

3: $\int \frac{(d+e x)^m}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m \geq 2$

Rule 1.2.1.4.10.2.1.1.3: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m \geq 2$, then

$$\int \frac{(d+e x)^m}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx \rightarrow$$

$$\frac{2 e^2 (d + e x)^{m-2} \sqrt{f + g x} \sqrt{a + b x + c x^2}}{c g (2 m - 1)} -$$

$$\frac{1}{c g (2 m - 1)} \int \frac{(d + e x)^{m-3}}{\sqrt{f + g x} \sqrt{a + b x + c x^2}} .$$

$$(b d e^2 f + a e^2 (d g + 2 e f (m - 2)) - c d^3 g (2 m - 1) + e (e (2 b d g + e (b f + a g) (2 m - 3)) + c d (2 e f - 3 d g (2 m - 1))) x + 2 e^2 (c e f - 3 c d g + b e g) (m - 1) x^2) dx$$

Program code:

```
Int[(d_.+e_.*x_)^m/(Sqrt[f_.+g_.*x_]*Sqrt[a_.+b_.*x_+c_.*x_^2]),x_Symbol]:=
2*e^2*(d+e*x)^(m-2)*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]/(c*g*(2*m-1))-
1/(c*g*(2*m-1))*Int[(d+e*x)^(m-3)/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2])*-
Simp[b*d*e^2*f+a*e^2*(d*g+2*e*f*(m-2))-c*d^3*g*(2*m-1)+
e*(e*(2*b*d*g+e*(b*f+a*g)*(2*m-3))+c*d*(2*e*f-3*d*g*(2*m-1)))*x+
2*e^2*(c*e*f-3*c*d*g+b*e*g)*(m-1)*x^2,x],x];
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[2*m] && GeQ[m,2]
```

```
Int[(d_.+e_.*x_)^m/(Sqrt[f_.+g_.*x_]*Sqrt[a+c_.*x_^2]),x_Symbol]:=
2*e^2*(d+e*x)^(m-2)*Sqrt[f+g*x]*Sqrt[a+c*x^2]/(c*g*(2*m-1))-
1/(c*g*(2*m-1))*Int[(d+e*x)^(m-3)/(Sqrt[f+g*x]*Sqrt[a+c*x^2])*-
Simp[a*e^2*(d*g+2*e*f*(m-2))-c*d^3*g*(2*m-1)+e*(e*(a*e*g*(2*m-3))+c*d*(2*e*f-3*d*g*(2*m-1)))*x+2*e^2*(c*e*f-3*c*d*g)*(m-1)*x^2,x],x];
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[2*m] && GeQ[m,2]
```

2. $\int \frac{(d + e x)^m}{\sqrt{f + g x} \sqrt{a + b x + c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m < 0$
1. $\int \frac{1}{(d + e x) \sqrt{f + g x} \sqrt{a + b x + c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$
 1. $\int \frac{1}{(d + e x) \sqrt{f + g x} \sqrt{a + c x^2}} dx$ when $e f - d g \neq 0 \wedge c d^2 + a e^2 \neq 0$
 - 1: $\int \frac{1}{(d + e x) \sqrt{f + g x} \sqrt{a + c x^2}} dx$ when $e f - d g \neq 0 \wedge c d^2 + a e^2 \neq 0 \wedge a > 0$

Derivation: Algebraic expansion

Basis: If $a > 0$, let $q \rightarrow \sqrt{-\frac{c}{a}}$, then $\sqrt{a + c x^2} = \sqrt{a} \sqrt{1 - q x} \sqrt{1 + q x}$

Rule 1.2.1.4.10.2.1.2.1.1.1: If $e f - d g \neq 0 \wedge c d^2 + a e^2 \neq 0 \wedge a > 0$, let $q \rightarrow \sqrt{-\frac{c}{a}}$, then

$$\int \frac{1}{(d+e x) \sqrt{f+g x} \sqrt{a+c x^2}} dx \rightarrow \frac{1}{\sqrt{a}} \int \frac{1}{(d+e x) \sqrt{f+g x} \sqrt{1-q x} \sqrt{1+q x}} dx$$

Program code:

```
Int[1/((d_.+e_.*x_)*Sqrt[f_.+g_.*x_]*Sqrt[a_.+c_.*x_^2]),x_Symbol] :=
With[{q=Rt[-c/a,2]},
  1/Sqrt[a]*Int[1/((d+e*x)*Sqrt[f+g*x]*Sqrt[1-q*x]*Sqrt[1+q*x]),x]] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && GtQ[a,0]
```

2: $\int \frac{1}{(d+e x) \sqrt{f+g x} \sqrt{a+c x^2}} dx$ when $e f - d g \neq 0 \wedge c d^2 + a e^2 \neq 0 \wedge a \neq 0$

Derivation: Piecewise constant extraction

Basis: $\partial_x \frac{\sqrt{1+\frac{c x^2}{a}}}{\sqrt{a+c x^2}} = 0$

Basis: Let $q \rightarrow \sqrt{-\frac{c}{a}}$, then $\sqrt{1 + \frac{c x^2}{a}} = \sqrt{1 - q x} \sqrt{1 + q x}$

Rule 1.2.1.4.10.2.1.2.1.1.2: If $e f - d g \neq 0 \wedge c d^2 + a e^2 \neq 0 \wedge a \neq 0$, let $q \rightarrow \sqrt{-\frac{c}{a}}$, then

$$\int \frac{1}{(d+e x) \sqrt{f+g x} \sqrt{a+c x^2}} dx \rightarrow \frac{\sqrt{1+\frac{c x^2}{a}}}{\sqrt{a+c x^2}} \int \frac{1}{(d+e x) \sqrt{f+g x} \sqrt{1-q x} \sqrt{1+q x}} dx$$

Program code:

```
Int[1/((d_.+e_.*x_)*Sqrt[f_.+g_.*x_]*Sqrt[a_.+c_.*x_^2]),x_Symbol] :=
With[{q=Rt[-c/a,2]},
Sqrt[1+c*x^2/a]/Sqrt[a+c*x^2]*Int[1/((d+e*x)*Sqrt[f+g*x]*Sqrt[1-q*x]*Sqrt[1+q*x]),x]] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && Not[GtQ[a,0]]
```

2: $\int \frac{1}{(d+e x) \sqrt{f+g x} \sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$

Derivation: Piecewise constant extraction

Basis: Let $q \rightarrow \sqrt{b^2 - 4 a c}$, then $\partial_x \frac{\sqrt{b-q+2 c x} \sqrt{b+q+2 c x}}{\sqrt{a+b x+c x^2}} = 0$

■ Rule 1.2.1.4.10.2.1.2.1.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$, let $q \rightarrow \sqrt{b^2 - 4 a c}$, then

$$\int \frac{1}{(d+e x) \sqrt{f+g x} \sqrt{a+b x+c x^2}} dx \rightarrow \frac{\sqrt{b-q+2 c x} \sqrt{b+q+2 c x}}{\sqrt{a+b x+c x^2}} \int \frac{1}{(d+e x) \sqrt{f+g x} \sqrt{b-q+2 c x} \sqrt{b+q+2 c x}} dx$$

— Program code:

```
Int[1/((d.+e.*x_)*Sqrt[f_.*g_.*x_]*Sqrt[a_.+b_.*x_+c_.*x_^2]),x_Symbol]:=  
With[{q=Rt[b^2-4*a*c,2]},  
Sqrt[b-q+2*c*x]*Sqrt[b+q+2*c*x]/Sqrt[a+b*x+c*x^2]*Int[1/((d+e*x)*Sqrt[f+g*x]*Sqrt[b-q+2*c*x]*Sqrt[b+q+2*c*x]),x]]/;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0]
```

2: $\int \frac{1}{\sqrt{d+e x} \sqrt{f+g x} \sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$

Derivation: Piecewise constant extraction and integration by substitution

Basis: $\partial_x \frac{(d+e x) \sqrt{\frac{(e f - d g)^2 (a+b x+c x^2)}{(c f^2 - b f g + a g^2) (d+e x)^2}}}{\sqrt{a+b x+c x^2}} = 0$

Basis: $\frac{1}{(d+e x)^{3/2} \sqrt{f+g x} \sqrt{\frac{(e f - d g)^2 (a+b x+c x^2)}{(c f^2 - b f g + a g^2) (d+e x)^2}}} = -\frac{2}{e f - d g} \text{Subst} \left[\frac{1}{\sqrt{1 - \frac{(2 c d f - b e f - b d g + 2 a e g) x^2}{c f^2 - b f g + a g^2} + \frac{(c d^2 - b d e + a e^2) x^4}{c f^2 - b f g + a g^2}}}}, x, \frac{\sqrt{f+g x}}{\sqrt{d+e x}} \right] \partial_x \frac{\sqrt{f+g x}}{\sqrt{d+e x}}$

— Rule 1.2.1.4.10.2.1.2.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$, then

$$\int \frac{1}{\sqrt{d+e x} \sqrt{f+g x} \sqrt{a+b x+c x^2}} dx \rightarrow \frac{(d+e x) \sqrt{\frac{(e f-d g)^2 (a+b x+c x^2)}{(c f^2-b f g+a g^2) (d+e x)^2}}}{\sqrt{a+b x+c x^2}} \int \frac{1}{(d+e x)^{3/2} \sqrt{f+g x} \sqrt{\frac{(e f-d g)^2 (a+b x+c x^2)}{(c f^2-b f g+a g^2) (d+e x)^2}}} dx$$

$$\rightarrow -\frac{2 (d+e x) \sqrt{\frac{(e f-d g)^2 (a+b x+c x^2)}{(c f^2-b f g+a g^2) (d+e x)^2}}}{(e f-d g) \sqrt{a+b x+c x^2}} \text{Subst} \left[\int \frac{1}{\sqrt{1 - \frac{(2 c d f-b e f-b d g+2 a e g) x^2}{c f^2-b f g+a g^2} + \frac{(c d^2-b d e+a e^2) x^4}{c f^2-b f g+a g^2}}} dx, x, \frac{\sqrt{f+g x}}{\sqrt{d+e x}} \right]$$

Program code:

```

Int[1/(Sqrt[d_.+e_.*x_]*Sqrt[f_.+g_.*x_]*Sqrt[a_.+b_.*x_+c_.*x^2]),x_Symbol] :=
-2*(d+e*x)*Sqrt[(e*f-d*g)^2*(a+b*x+c*x^2)/((c*f^2-b*f*g+a*g^2)*(d+e*x)^2)]/((e*f-d*g)*Sqrt[a+b*x+c*x^2])*Subst[
  Int[1/Sqrt[1-(2*c*d*f-b*e*f-b*d*g+2*a*e*g)*x^2/(c*f^2-b*f*g+a*g^2)+(c*d^2-b*d*e+a*e^2)*x^4/(c*f^2-b*f*g+a*g^2)],x],
  x,
  Sqrt[f+g*x]/Sqrt[d+e*x]] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0]

Int[1/(Sqrt[d_.+e_.*x_]*Sqrt[f_.+g_.*x_]*Sqrt[a_.+c_.*x^2]),x_Symbol] :=
-2*(d+e*x)*Sqrt[(e*f-d*g)^2*(a+c*x^2)/((c*f^2+a*g^2)*(d+e*x)^2)]/((e*f-d*g)*Sqrt[a+c*x^2])*Subst[
  Int[1/Sqrt[1-(2*c*d*f+2*a*e*g)*x^2/(c*f^2+a*g^2)+(c*d^2+a*e^2)*x^4/(c*f^2+a*g^2)],x],x,Sqrt[f+g*x]/Sqrt[d+e*x]] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0]

```

3: $\int \frac{1}{(d+e x)^{3/2} \sqrt{f+g x} \sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$

Derivation: Algebraic expansion

Basis: $\frac{1}{(d+e x)^{3/2} \sqrt{f+g x}} = -\frac{g}{(e f-d g) \sqrt{d+e x} \sqrt{f+g x}} + \frac{e \sqrt{f+g x}}{(e f-d g) (d+e x)^{3/2}}$

Rule 1.2.1.4.10.2.1.2.3: If when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$, then

$$\int \frac{1}{(d + e x)^{3/2} \sqrt{f + g x} \sqrt{a + b x + c x^2}} dx \rightarrow$$

$$-\frac{g}{e f - d g} \int \frac{1}{\sqrt{d + e x} \sqrt{f + g x} \sqrt{a + b x + c x^2}} dx + \frac{e}{e f - d g} \int \frac{\sqrt{f + g x}}{(d + e x)^{3/2} \sqrt{a + b x + c x^2}} dx$$

Program code:

```

Int[1/( (d_+e_.*x_)^(3/2)*Sqrt[f_+g_.*x_]*Sqrt[a_+b_.*x_+c_.*x_^2]),x_Symbol]:=  

-g/(e*f-d*g)*Int[1/(Sqrt[d+e*x]*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]),x] +  

e/(e*f-d*g)*Int[Sqrt[f+g*x]/((d+e*x)^(3/2)*Sqrt[a+b*x+c*x^2]),x] /;  

FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0]  
  

Int[1/( (d_+e_.*x_)^(3/2)*Sqrt[f_+g_.*x_]*Sqrt[a_+c_.*x_^2]),x_Symbol]:=  

-g/(e*f-d*g)*Int[1/(Sqrt[d+e*x]*Sqrt[f+g*x]*Sqrt[a+c*x^2]),x] +  

e/(e*f-d*g)*Int[Sqrt[f+g*x]/((d+e*x)^(3/2)*Sqrt[a+c*x^2]),x] /;  

FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0]

```

4: $\int \frac{(d+e x)^m}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m \leq -2$

Rule 1.2.1.4.10.2.1.2.4: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m \leq -2$, then

$$\begin{aligned} & \int \frac{(d+e x)^m}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx \rightarrow \\ & \frac{e^2 (d+e x)^{m+1} \sqrt{f+g x} \sqrt{a+b x+c x^2}}{(m+1) (e f - d g) (c d^2 - b d e + a e^2)} + \\ & \frac{1}{2 (m+1) (e f - d g) (c d^2 - b d e + a e^2)} \int \frac{(d+e x)^{m+1}}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} . \\ & (2 d (c e f - c d g + b e g) (m+1) - e^2 (b f + a g) (2 m+3) + 2 e (c d g (m+1) - e (c f + b g) (m+2)) x - c e^2 g (2 m+5) x^2) dx \end{aligned}$$

Program code:

```
Int[(d_.+e_.*x_)^m/(Sqrt[f_.*g_.*x_]*Sqrt[a_.*b_.*x_+c_.*x_^2]),x_Symbol]:=  
e^2*(d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]/((m+1)*(e*f-d*g)*(c*d^2-b*d*e+a*e^2))+  
1/(2*(m+1)*(e*f-d*g)*(c*d^2-b*d*e+a*e^2))*Int[(d+e*x)^(m+1)/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2])*  
Simp[2*d*(c*e*f-c*d*g+b*e*g)*(m+1)-e^2*(b*f+a*g)*(2*m+3)+2*e*(c*d*g*(m+1)-e*(c*f+b*g)*(m+2))*x-c*e^2*g*(2*m+5)*x^2,x],x]/;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[2*m] && LeQ[m,-2]
```

```
Int[(d_.+e_.*x_)^m/(Sqrt[f_.*g_.*x_]*Sqrt[a_+c_.*x_^2]),x_Symbol]:=  
e^2*(d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+c*x^2]/((m+1)*(e*f-d*g)*(c*d^2+a*e^2))+  
1/(2*(m+1)*(e*f-d*g)*(c*d^2+a*e^2))*Int[(d+e*x)^(m+1)/(Sqrt[f+g*x]*Sqrt[a+c*x^2])*  
Simp[2*d*(c*e*f-c*d*g)*(m+1)-a*e^2*g*(2*m+3)+2*e*(c*d*g*(m+1)-c*e*f*(m+2))*x-c*e^2*g*(2*m+5)*x^2,x],x]/;  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[2*m] && LeQ[m,-2]
```

2. $\int \frac{(d+e x)^m \sqrt{f+g x}}{\sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z}$

1. $\int \frac{(d+e x)^m \sqrt{f+g x}}{\sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m > 0$

$$\text{x: } \int \frac{\sqrt{d+ex} \sqrt{fx+gx}}{\sqrt{ax+bx+cx^2}} dx \text{ when } ef - dg \neq 0 \wedge b^2 - 4ac \neq 0 \wedge cd^2 - bd e + ae^2 \neq 0$$

Derivation: Algebraic expansion

Rule 1.2.1.4.10.2.2.1.x: If $ef - dg \neq 0 \wedge b^2 - 4ac \neq 0 \wedge cd^2 - bd e + ae^2 \neq 0$, then

$$\begin{aligned} & \int \frac{\sqrt{d+ex} \sqrt{fx+gx}}{\sqrt{ax+bx+cx^2}} dx \rightarrow \\ & \frac{\sqrt{a+bx} \sqrt{c+dx} \sqrt{g+hx}}{h \sqrt{e+fx}} + \frac{(de - cf)(bf + beh - 2afh)}{2f^2h} \int \frac{1}{\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx} \sqrt{g+hx}} dx + \\ & \frac{(adf - b(df + deh - cfh))}{2f^2h} \int \frac{\sqrt{e+fx}}{\sqrt{a+bx} \sqrt{c+dx} \sqrt{g+hx}} dx - \frac{(de - cf)(fg - eh)}{2fh} \int \frac{\sqrt{a+bx}}{\sqrt{c+dx} (e+fx)^{3/2} \sqrt{g+hx}} dx \end{aligned}$$

Program code:

```
(* Int[Sqrt[d..+e..*x_]*Sqrt[f..+g..*x_]/Sqrt[a..+b..*x_+c..*x_^2],x_Symbol] :=
  0 /;
  FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] *)
```

$$2: \int \frac{(d+e x)^m \sqrt{f+g x}}{\sqrt{a+b x+c x^2}} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m > 1$$

Rule 1.2.1.4.10.2.2.1.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m > 1$, then

$$\int \frac{(d+e x)^m \sqrt{f+g x}}{\sqrt{a+b x+c x^2}} dx \rightarrow$$

$$\frac{2 e (d+e x)^{m-1} \sqrt{f+g x} \sqrt{a+b x+c x^2}}{c (2 m+1)} - \frac{1}{c (2 m+1)} \int \frac{(d+e x)^{m-2}}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} .$$

$$(e (b d f + a (d g + 2 e f (m-1))) - c d^2 f (2 m+1) + (a e^2 g (2 m-1) - c d (4 e f m + d g (2 m+1)) + b e (2 d g + e f (2 m-1))) x + e (2 b e g m - c (e f + d g (4 m-1))) x^2) dx$$

Program code:

```
Int[(d_.+e_.*x_)^m_*Sqrt[f_.+g_.*x_]/Sqrt[a_.+b_.*x_+c_.*x_^2],x_Symbol] :=  
2*e*(d+e*x)^(m-1)*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]/(c*(2*m+1)) -  
1/(c*(2*m+1))*Int[(d+e*x)^(m-2)/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2])*  
Simp[e*(b*d*f+a*(d*g+2*e*f*(m-1)))-c*d^2*f*(2*m+1)+  
(a*e^2*g*(2*m-1)-c*d*(4*e*f*m+d*g*(2*m+1))+b*e*(2*d*g+e*f*(2*m-1)))*x+  
e*(2*b*e*g*m-c*(e*f+d*g*(4*m-1)))*x^2,x],x]; /;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[2*m] && GtQ[m,1]
```

```
Int[(d_.+e_.*x_)^m_*Sqrt[f_.+g_.*x_]/Sqrt[a_.+c_.*x_^2],x_Symbol] :=  
2*e*(d+e*x)^(m-1)*Sqrt[f+g*x]*Sqrt[a+c*x^2]/(c*(2*m+1)) -  
1/(c*(2*m+1))*Int[(d+e*x)^(m-2)/(Sqrt[f+g*x]*Sqrt[a+c*x^2])*  
Simp[a*e*(d*g+2*e*f*(m-1))-c*d^2*f*(2*m+1)+(a*e^2*g*(2*m-1)-c*d*(4*e*f*m+d*g*(2*m+1)))*x-c*e*(e*f+d*g*(4*m-1))*x^2,x],x]; /;  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[2*m] && GtQ[m,1]
```

2. $\int \frac{(d+e x)^m \sqrt{f+g x}}{\sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m < 0$

1: $\int \frac{\sqrt{f+g x}}{(d+e x) \sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$

Derivation: Algebraic expansion

Basis: $\frac{\sqrt{f+g x}}{d+e x} = \frac{g}{e \sqrt{f+g x}} + \frac{e f - d g}{e (d+e x) \sqrt{f+g x}}$

Rule 1.2.1.4.10.2.2.2.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0$, then

$$\int \frac{\sqrt{f+g x}}{(d+e x) \sqrt{a+b x+c x^2}} dx \rightarrow \frac{g}{e} \int \frac{1}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} dx + \frac{(e f - d g)}{e} \int \frac{1}{(d+e x) \sqrt{f+g x} \sqrt{a+b x+c x^2}} dx$$

Program code:

```
Int[Sqrt[f_+g_*x_]/((d_+e_*x_)*Sqrt[a_+b_*x_+c_*x_^2]),x_Symbol] :=
  g/e*Int[1/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]),x] +
  (e*f-d*g)/e*Int[1/((d+e*x)*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]),x] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0]
```

```
Int[Sqrt[f_+g_*x_]/((d_+e_*x_)*Sqrt[a_+c_*x_^2]),x_Symbol] :=
  g/e*Int[1/(Sqrt[f+g*x]*Sqrt[a+c*x^2]),x] +
  (e*f-d*g)/e*Int[1/((d+e*x)*Sqrt[f+g*x]*Sqrt[a+c*x^2]),x] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0]
```

$$x: \int \frac{\sqrt{f+gx}}{(d+ex)^{3/2} \sqrt{a+bx+cx^2}} dx$$

$$3: \int \frac{(d+ex)^m \sqrt{f+gx}}{\sqrt{a+bx+cx^2}} dx \text{ when } e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m \leq -2$$

Rule 1.2.1.4.10.2.2.2.3: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge 2 m \in \mathbb{Z} \wedge m \leq -2$, then

$$\int \frac{(d+ex)^m \sqrt{f+gx}}{\sqrt{a+bx+cx^2}} dx \rightarrow$$

$$\frac{e (d+ex)^{m+1} \sqrt{f+gx} \sqrt{a+bx+cx^2}}{(m+1) (c d^2 - b d e + a e^2)} + \frac{1}{2 (m+1) (c d^2 - b d e + a e^2)} \int \frac{(d+ex)^{m+1}}{\sqrt{f+gx} \sqrt{a+bx+cx^2}} .$$

$$(2 c d f (m+1) - e (a g + b f (2 m+3)) - 2 (b e g (2+m) - c (d g (m+1) - e f (m+2))) x - c e g (2 m+5) x^2) dx$$

Program code:

```
Int[(d_.+e_.*x_)^m_*Sqrt[f_.*g_.*x_]/Sqrt[a_.+b_.*x_+c_.*x_^2],x_Symbol]:=
e*(d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]/((m+1)*(c*d^2-b*d*e+a*e^2))+
1/(2*(m+1)*(c*d^2-b*d*e+a*e^2))*Int[(d+e*x)^(m+1)/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2])*
Simp[2*c*d*f*(m+1)-e*(a*g+b*f*(2*m+3))-2*(b*e*g*(2+m)-c*(d*g*(m+1)-e*f*(m+2)))*x-c*e*g*(2*m+5)*x^2,x];
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[2*m] && LeQ[m,-2]
```

```
Int[(d_.+e_.*x_)^m_*Sqrt[f_.*g_.*x_]/Sqrt[a_.+c_.*x_^.2],x_Symbol]:=
e*(d+e*x)^(m+1)*Sqrt[f+g*x]*Sqrt[a+c*x^2]/((m+1)*(c*d^2+a*e^2))+
1/(2*(m+1)*(c*d^2+a*e^2))*Int[(d+e*x)^(m+1)/(Sqrt[f+g*x]*Sqrt[a+c*x^2])*
Simp[2*c*d*f*(m+1)-e*(a*g)+2*c*(d*g*(m+1)-e*f*(m+2))*x-c*e*g*(2*m+5)*x^2,x];
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[2*m] && LeQ[m,-2]
```

11. $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge p \in \mathbb{Z}^+$

1: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge p \in \mathbb{Z}^+ \wedge m \in \mathbb{Z}^+$

Derivation: Algebraic expansion

Rule 1.2.1.4.11.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge p \in \mathbb{Z}^+ \wedge m \in \mathbb{Z}^+$, then

$$\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow \int \text{ExpandIntegrand}[(d + e x)^m (f + g x)^n (a + b x + c x^2)^p, x] dx$$

Program code:

```
Int[(d_._+e_._*x_)^m_*(f_._+g_._*x_)^n_*(a_._+b_._*x_+c_._*x_^2)^p_.,x_Symbol]:=  
Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n*(a+b*x+c*x^2)^p,x],x]/;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IGtQ[p,0] &&  
(IGtQ[m,0] || EqQ[m,-2] && EqQ[p,1] && EqQ[2*c*d-b*e,0])
```

```
Int[(d_._+e_._*x_)^m_*(f_._+g_._*x_)^n_*(a_._+c_._*x_^2)^p_.,x_Symbol]:=  
Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n*(a+c*x^2)^p,x],x]/;  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IGtQ[p,0] &&  
(IGtQ[m,0] || EqQ[m,-2] && EqQ[p,1] && EqQ[d,0])
```

2: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge p \in \mathbb{Z}^+ \wedge m < -1$

Derivation: Algebraic expansion and linear recurrence 3

Basis: Let $Q[x] \rightarrow \text{PolynomialQuotient}[(a + b x + c x^2)^p, d + e x, x]$ and
 $R \rightarrow \text{PolynomialRemainder}[(a + b x + c x^2)^p, d + e x, x]$,
then $(a + b x + c x^2)^p = Q[x] (d + e x) + R$

Note: If $m \in \mathbb{Z}^-$, incrementing m rather than n produces simpler antiderivatives.

Rule 1.2.1.4.11.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge p \in \mathbb{Z}^+ \wedge m < -1$,

let $Q[x] \rightarrow \text{PolynomialQuotient}[(a + b x + c x^2)^p, d + e x, x]$ and

$R \rightarrow \text{PolynomialRemainder}[(a + b x + c x^2)^p, d + e x, x]$, then

$$\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow$$

$$\int Q[x] (d + e x)^{m+1} (f + g x)^n dx + R \int (d + e x)^m (f + g x)^n dx \rightarrow$$

$$\frac{R (d + e x)^{m+1} (f + g x)^{n+1}}{(m + 1) (e f - d g)} + \frac{1}{(m + 1) (e f - d g)} \int (d + e x)^{m+1} (f + g x)^n ((m + 1) (e f - d g) Q[x] - g R (m + n + 2)) dx$$

Program code:

```
Int[(d_.+e_.*x_)^m_*(f_.+g_.*x_)^n_*(a_.+b_.*x_+c_.*x_^2)^p_,x_Symbol]:=  
With[{Qx=PolynomialQuotient[(a+b*x+c*x^2)^p,d+e*x,x],R=PolynomialRemainder[(a+b*x+c*x^2)^p,d+e*x,x]},  
R*(d+e*x)^(m+1)*(f+g*x)^(n+1)/( (m+1)*(e*f-d*g)) +  
1/( (m+1)*(e*f-d*g))*Int[(d+e*x)^(m+1)*(f+g*x)^n*ExpandToSum[(m+1)*(e*f-d*g)*Qx-g*R*(m+n+2),x],x]/;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IGtQ[p,0] && LtQ[m,-1]
```

```

Int[(d_.*e_.*x_)^m_*(f_.*g_.*x_)^n_*(a_.*b_.*x_+c_.*x_^2)^p_,x_Symbol] :=
With[{Qx=PolynomialQuotient[(a+c*x^2)^p,d+e*x,x],R=PolynomialRemainder[(a+c*x^2)^p,d+e*x,x]},
R*(d+e*x)^(m+1)*(f+g*x)^(n+1)/( (m+1)*(e*f-d*g)) +
1/( (m+1)*(e*f-d*g))*Int[(d+e*x)^(m+1)*(f+g*x)^n*ExpandToSum[(m+1)*(e*f-d*g)*Qx-g*R*(m+n+2),x],x] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IGtQ[p,0] && LtQ[m,-1]

```

3: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge p \in \mathbb{Z}^+ \wedge m + n + 2 p + 1 \neq 0$

Derivation: Algebraic expansion and linear recurrence 2

Rule 1.2.1.4.11.3: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge p \in \mathbb{Z}^+ \wedge m + n + 2 p + 1 \neq 0$, then

$$\begin{aligned}
& \int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow \\
& \frac{1}{e^{2p}} \int (e^{2p} (a + b x + c x^2)^p - c^p (d + e x)^{2p}) (d + e x)^m (f + g x)^n dx + \frac{c^p}{e^{2p}} \int (d + e x)^{m+2p} (f + g x)^n dx \rightarrow \\
& \frac{c^p (d + e x)^{m+2p} (f + g x)^{n+1}}{g e^{2p} (m + n + 2 p + 1)} + \frac{1}{g e^{2p} (m + n + 2 p + 1)} \int (d + e x)^m (f + g x)^n . \\
& (g (m + n + 2 p + 1) (e^{2p} (a + b x + c x^2)^p - c^p (d + e x)^{2p}) - c^p (e f - d g) (m + 2 p) (d + e x)^{2p-1}) dx
\end{aligned}$$

Program code:

```

Int[(d_.*e_.*x_)^m_*(f_.*g_.*x_)^n_*(a_.*b_.*x_+c_.*x_^2)^p_,x_Symbol] :=
c^p*(d+e*x)^(m+2*p)*(f+g*x)^(n+1)/(g*e^(2*p)*(m+n+2*p+1)) +
1/(g*e^(2*p)*(m+n+2*p+1))*Int[(d+e*x)^m*(f+g*x)^n*
ExpandToSum[g*(m+n+2*p+1)*(e^(2*p)*(a+b*x+c*x^2)^p-c^p*(d+e*x)^(2*p))-c^p*(e*f-d*g)*(m+2*p)*(d+e*x)^(2*p-1),x],x] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IGtQ[p,0] && NeQ[m+n+2*p+1,0] &&
(IntegerQ[n] || Not[IntegerQ[m]])

```

```

Int[ (d_._+e_._*x_)^m_* (f_._+g_._*x_)^n_* (a_._+c_._*x_._^2)^p_.,x_Symbol] :=

c^p*(d+e*x)^(m+2*p)*(f+g*x)^(n+1)/(g*e^(2*p)*(m+n+2*p+1)) +
1/(g*e^(2*p)*(m+n+2*p+1))*Int[ (d+e*x)^m_* (f+g*x)^n*ExpandToSum[g*(m+n+2*p+1)*(e^(2*p)*(a+c*x^2)^p-c^p*(d+e*x)^(2*p))-c^p*(e*f-d*g)*(m+2*p)*(d+e*x)^(2*p-1),x],x] /;

FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IGtQ[p,0] && NeQ[m+n+2*p+1,0] &&
(IntegerQ[n] || Not[IntegerQ[m]])

```

12. $\int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge n \notin \mathbb{Z} \wedge p \notin \mathbb{Z}$

1: $\int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge n \notin \mathbb{Z} \wedge p \notin \mathbb{Z} \wedge p > 0 \wedge n < -1$

Reference: Algebraic expansion

Basis: $\frac{a+b x+c x^2}{d+e x} = \frac{(c d^2-b d e+a e^2)(f+g x)}{e(e f-d g)(d+e x)} - \frac{c d f-b e f+a e g-c(e f-d g)x}{e(e f-d g)}$

Rule 1.2.1.4.12.1: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge n \notin \mathbb{Z} \wedge p \notin \mathbb{Z} \wedge p > 0 \wedge n < -1$, then

$$\int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx \rightarrow$$

$$\frac{c d^2 - b d e + a e^2}{e (e f - d g)} \int \frac{(f+g x)^{n+1} (a+b x+c x^2)^{p-1}}{d+e x} dx - \frac{1}{e (e f - d g)} \int (f+g x)^n (c d f - b e f + a e g - c (e f - d g) x) (a+b x+c x^2)^{p-1} dx$$

Program code:

```

Int[ (f_._+g_._*x_)^n_* (a_._+b_._*x_._+c_._*x_._^2)^p_./ (d_._+e_._*x_),x_Symbol] :=

(c*d^2-b*d*e+a*e^2)/(e*(e*f-d*g))*Int[ (f+g*x)^(n+1)*(a+b*x+c*x^2)^(p-1)/(d+e*x),x] -
1/(e*(e*f-d*g))*Int[ (f+g*x)^n*(c*d*f-b*e*f+a*e*g-c*(e*f-d*g)*x)*(a+b*x+c*x^2)^(p-1),x] /;

FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] &&
Not[IntegerQ[n]] && Not[IntegerQ[p]] && GtQ[p,0] && LtQ[n,-1]

```

```

Int[ (f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_/(d_._+e_._*x_),x_Symbol] :=
  (c*d^2+a*e^2)/(e*(e*f-d*g))*Int[ (f+g*x)^(n+1)*(a+c*x^2)^(p-1)/(d+e*x),x] -
  1/(e*(e*f-d*g))*Int[ (f+g*x)^n*(c*d*f+a*e*g-c*(e*f-d*g)*x)*(a+c*x^2)^(p-1),x] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] &&
Not[IntegerQ[n]] && Not[IntegerQ[p]] && GtQ[p,0] && LtQ[n,-1]

```

2: $\int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge n \notin \mathbb{Z} \wedge p \notin \mathbb{Z} \wedge p < -1 \wedge n > 0$

Reference: Algebraic expansion

Basis: $\frac{f+g x}{d+e x} = \frac{e (e f - d g) (a+b x+c x^2)}{(c d^2 - b d e + a e^2) (d+e x)} + \frac{c d f - b e f + a e g - c (e f - d g) x}{c d^2 - b d e + a e^2}$

Rule 1.2.1.4.12.2: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge n \notin \mathbb{Z} \wedge p \notin \mathbb{Z} \wedge p < -1 \wedge n > 0$, then

$$\int \frac{(f+g x)^n (a+b x+c x^2)^p}{d+e x} dx \rightarrow$$

$$\frac{e (e f - d g)}{c d^2 - b d e + a e^2} \int \frac{(f+g x)^{n-1} (a+b x+c x^2)^{p+1}}{d+e x} dx + \frac{1}{c d^2 - b d e + a e^2} \int (f+g x)^{n-1} (c d f - b e f + a e g - c (e f - d g) x) (a+b x+c x^2)^p dx$$

Program code:

```

Int[ (f_._+g_._*x_)^n_*(a_._+b_._*x_._+c_._*x_._^2)^p_/(d_._+e_._*x_),x_Symbol] :=
  e*(e*f-d*g)/(c*d^2-b*d*e+a*e^2)*Int[ (f+g*x)^(n-1)*(a+b*x+c*x^2)^(p+1)/(d+e*x),x] +
  1/(c*d^2-b*d*e+a*e^2)*Int[ (f+g*x)^(n-1)*(c*d*f-b*e*f+a*e*g-c*(e*f-d*g)*x)*(a+b*x+c*x^2)^p,x] /;
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] &&
Not[IntegerQ[n]] && Not[IntegerQ[p]] && LtQ[p,-1] && GtQ[n,0]

```

```

Int[ (f_._+g_._*x_)^n_*(a_._+c_._*x_._^2)^p_/(d_._+e_._*x_),x_Symbol] :=
  e*(e*f-d*g)/(c*d^2+a*e^2)*Int[ (f+g*x)^(n-1)*(a+c*x^2)^(p+1)/(d+e*x),x] +
  1/(c*d^2+a*e^2)*Int[ (f+g*x)^(n-1)*(c*d*f+a*e*g-c*(e*f-d*g)*x)*(a+c*x^2)^p,x] /;
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] &&
Not[IntegerQ[n]] && Not[IntegerQ[p]] && LtQ[p,-1] && GtQ[n,0]

```

3: $\int \frac{(f+g x)^n}{(d+e x) \sqrt{a+b x+c x^2}} dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge n + \frac{1}{2} \in \mathbb{Z}$

Reference: Algebraic expansion

– Rule 1.2.1.4.12.3: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge n + \frac{1}{2} \in \mathbb{Z}$, then

$$\int \frac{(f+g x)^n}{(d+e x) \sqrt{a+b x+c x^2}} dx \rightarrow \int \frac{1}{\sqrt{f+g x} \sqrt{a+b x+c x^2}} \text{ExpandIntegrand}\left[\frac{(f+g x)^{n+\frac{1}{2}}}{d+e x}, x\right] dx$$

– Program code:

```
Int[(f_.+g_.*x_)^n_/( (d_.+e_.*x_)*Sqrt[a_.+b_.*x_+c_.*x_^2]),x_Symbol]:=  
  Int[ExpandIntegrand[1/(Sqrt[f+g*x]*Sqrt[a+b*x+c*x^2]),(f+g*x)^(n+1/2)/(d+e*x),x],x]/;  
FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && IntegerQ[n+1/2]
```

```
Int[(f_.+g_.*x_)^n_/( (d_.+e_.*x_)*Sqrt[a_.+c_.*x_^2]),x_Symbol]:=  
  Int[ExpandIntegrand[1/(Sqrt[f+g*x]*Sqrt[a+c*x^2]),(f+g*x)^(n+1/2)/(d+e*x),x],x]/;  
FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && IntegerQ[n+1/2]
```

13: $\int \frac{(g x)^n (a + c x^2)^p}{d + e x} dx$ when $c d^2 + a e^2 \neq 0 \wedge p \notin \mathbb{Z} \wedge \neg (n \in \mathbb{Z} \wedge 2p \in \mathbb{Z})$

Derivation: Algebraic expansion

Basis: $\frac{1}{d+e x} = \frac{d}{d^2-e^2 x^2} - \frac{e x}{d^2-e^2 x^2}$

Note: Resulting integrands are of the form $\frac{x^n (a+b x^2)^p}{c+d x^2}$ which are integrable in terms of the Appell hypergeometric function .

- Rule 1.2.1.4.13: If $c d^2 + a e^2 \neq 0 \wedge p \notin \mathbb{Z} \wedge \neg (n \in \mathbb{Z} \wedge 2p \in \mathbb{Z})$, then

$$\int \frac{(g x)^n (a + c x^2)^p}{d + e x} dx \rightarrow \frac{d (g x)^n}{x^n} \int \frac{x^n (a + c x^2)^p}{d^2 - e^2 x^2} dx - \frac{e (g x)^n}{x^n} \int \frac{x^{n+1} (a + c x^2)^p}{d^2 - e^2 x^2} dx$$

Program code:

```
Int[(g_.*x_)^n_.*(a_+c_.*x_^2)^p_/(d_+e_.*x_),x_Symbol]:=  
  d*(g*x)^n/x^n*Int[(x^n*(a+c*x^2)^p)/(d^2-e^2*x^2),x]-  
  e*(g*x)^n/x^n*Int[(x^(n+1)*(a+c*x^2)^p)/(d^2-e^2*x^2),x]/;  
 FreeQ[{a,c,d,e,g,n,p},x] && NeQ[c*d^2+a*e^2,0] && Not[IntegerQ[p]] && Not[IntegerQ[n,2*p]]
```

14: $\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx$ when $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge (p \in \mathbb{Z} \vee (m+n) \in \mathbb{Z})$

Derivation: Algebraic expansion

– Rule 1.2.1.4.14: If $e f - d g \neq 0 \wedge b^2 - 4 a c \neq 0 \wedge c d^2 - b d e + a e^2 \neq 0 \wedge (p \in \mathbb{Z} \vee (m+n) \in \mathbb{Z})$, then

$$\int (d+e x)^m (f+g x)^n (a+b x+c x^2)^p dx \rightarrow \int \text{ExpandIntegrand}[(d+e x)^m (f+g x)^n (a+b x+c x^2)^p, x] dx$$

– Program code:

```

Int[(d_.*e_.*x_)^m_*(f_.*g_.*x_)^n_*(a_.*b_.*x_+c_.*x_^2)^p_,x_Symbol]:=  

  Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n*(a+b*x+c*x^2)^p,x],x];  

FreeQ[{a,b,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[b^2-4*a*c,0] && NeQ[c*d^2-b*d*e+a*e^2,0] && (IntegerQ[p] || ILtQ[m,0] && ILtQ[n,0]) &&  

  Not[IGtQ[m,0] || IGtQ[n,0]]  
  

Int[(d_.*e_.*x_)^m_*(f_.*g_.*x_)^n_*(a_+c_.*x_^2)^p_,x_Symbol]:=  

  Int[ExpandIntegrand[(d+e*x)^m*(f+g*x)^n*(a+c*x^2)^p,x],x];  

FreeQ[{a,c,d,e,f,g},x] && NeQ[e*f-d*g,0] && NeQ[c*d^2+a*e^2,0] && (IntegerQ[p] || ILtQ[m,0] && ILtQ[n,0]) &&  

  Not[IGtQ[m,0] || IGtQ[n,0]]

```

15: $\int (g x)^n (d + e x)^m (a + c x^2)^p dx$ when $c d^2 + a e^2 \neq 0 \wedge m \in \mathbb{Z}^- \wedge p \notin \mathbb{Z} \wedge n \notin \mathbb{Z}$

Derivation: Algebraic expansion

Basis: If $m \in \mathbb{Z}$, then $(d + e x)^m = \left(\frac{d}{d^2 - e^2 x^2} - \frac{e x}{d^2 - e^2 x^2} \right)^{-m}$

Note: Resulting integrands are of the form $x^m (a + b x^2)^p (c + d x^2)^q$ which are integrable in terms of the Appell hypergeometric function .

Rule 1.2.1.4.15: If $c d^2 + a e^2 \neq 0 \wedge m \in \mathbb{Z}^- \wedge p \notin \mathbb{Z} \wedge n \notin \mathbb{Z}$, then

$$\int (g x)^n (d + e x)^m (a + c x^2)^p dx \rightarrow \frac{(g x)^n}{x^n} \int x^n (a + c x^2)^p \text{ExpandIntegrand}\left[\left(\frac{d}{d^2 - e^2 x^2} - \frac{e x}{d^2 - e^2 x^2}\right)^{-m}, x\right] dx$$

Program code:

```
Int[(g_.*x_)^n_.*(d_+e_.*x_)^m_*(a_+c_.*x_^2)^p_,x_Symbol]:=  
  (g*x)^n/x^n*Int[ExpandIntegrand[x^n*(a+c*x^2)^p,(d/(d^2-e^2*x^2)-e*x/(d^2-e^2*x^2))^(-m),x],/;  
  FreeQ[{a,c,d,e,g,n,p},x] && NeQ[c*d^2+a*e^2,0] && ILtQ[m,0] && Not[IntegerQ[p]] && Not[IntegerQ[n]]]
```

U: $\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$

Rule 1.2.1.4.U:

$$\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx \rightarrow \int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx$$

Program code:

```
Int[(d_+e_.*x_)^m_*(f_+g_.*x_)^n_*(a_+b_.*x_+c_.*x_^2)^p_,x_Symbol]:=  
  Unintegrable[(d+e*x)^m*(f+g*x)^n*(a+b*x+c*x^2)^p,x]/;  
  FreeQ[{a,b,c,d,e,f,g,m,n,p},x] && Not[IGtQ[m,0] || IGtQ[n,0]]
```

```

Int[(d_.+e_.*x_)^m_*(f_.+g_.*x_)^n_*(a_+c_.*x_^2)^p_,x_Symbol]:=

Unintegrand[(d+e*x)^m*(f+g*x)^n*(a+c*x^2)^p,x]/;

FreeQ[{a,c,d,e,f,g,m,n,p},x] && Not[IGtQ[m,0] || IGtQ[n,0]]

```

S: $\int (d + e u)^m (f + g u)^n (a + b u + c u^2)^p dx$ when $u = h + j x$

Derivation: Integration by substitution

– Rule 1.2.1.4.S: If $u = h + j x$, then

$$\int (d + e u)^m (f + g u)^n (a + b u + c u^2)^p dx \rightarrow \frac{1}{j} \text{Subst}\left[\int (d + e x)^m (f + g x)^n (a + b x + c x^2)^p dx, x, u\right]$$

– Program code:

```

Int[(d_.+e_.*u_)^m_.*(f_.+g_.*u_)^n_.*(a_+b_.*u_+c_.*u_^2)^p_,x_Symbol]:=

1/Coefficient[u,x,1]*Subst[Int[(d+e*x)^m*(f+g*x)^n*(a+b*x+c*x^2)^p,x],x,u]/;

FreeQ[{a,b,c,d,e,f,g,m,n,p},x] && LinearQ[u,x] && NeQ[u,x]

```

```

Int[(d_.+e_.*u_)^m_.*(f_.+g_.*u_)^n_.*(a_+c_.*u_^2)^p_,x_Symbol]:=

1/Coefficient[u,x,1]*Subst[Int[(d+e*x)^m*(f+g*x)^n*(a+c*x^2)^p,x],x,u]/;

FreeQ[{a,c,d,e,f,g,m,n,p},x] && LinearQ[u,x] && NeQ[u,x]

```